	1 /							
DATE	4/9/02	ADDRESS	<u>Euc</u>	lid	+ Gree	en Ave. Sw	WARD	
N	D :							
W	Direction Arrow						COMMENTS	() / 1 -
W	E		([COMMENTS	2 1/ 1 //
•								TER HAROLD
5								No MIH at dead and
							SIZE OF LINE	6"
	Green	Ave. Sw					NO. OF MHs	
		1776. 33				>	DEPTH OF MHs	3'3"
Sidewalk.		11/4/	No.	J.	3'3" 3		CONDITION OF MHs	Good
	DEAD END	< 244'-			AVE		NO. OF CATCH BASINS	
				1	10		PTH OF CATCH BASINS	
				1	200		DIRECTION OF FLOW_	East
			1		4		CREW INITIALS	RV/DP
LEGEND	S	Sanitary Sewer		МН			_	
	s	storm Sewer		СВ		Draw location of sewer streets with as much id between manholes and	lentification needed fo	ch basins on diagram. Label or locations. Add distances

DATE ,	4/8/02	ADDRESS 11th 52	VE & Vale	Aue. NE. WARD	
, †	Direction Arrow				1, #
W	· E			СОММЕ	ENTS M/H 3 has son 4
(▼			1		the one M/H
					THE BNE IM
	=				2 "
	20			SIZE OF I	INE 8"
	1	,01,	101,	NO OF	MHs
	303, 411	382,311	DK'T		
		TAle Ave. NE	Y	DEPTH OF I	MHs 4'10" 5'10" 6'3"
		100	7		<i>(</i>
	W	486	i	CONDITION OF I	MHs Good
	2		34.48	NO. OF CATCH BAS	INC
	5,		5	No. of Ontoll Bad	
	£)		1	DEPTH OF CATCH BAS	NS
					· ·
				DIRECTION OF FLO	ow East
70 20 - 20 - 20 - 20 - 20 - 20 - 20 - 20				CREW INITIA	LS RV/DP
LEGEND	Sanitary	Sewer MH			(
	Storm Se	ewer CB	Draw	location of sewers, manholes and	catch basins on diagram. Label
			51166	ts with as much identification neede een manholes and catch basins fro	ed for locations. Add distances
				and daton basins no	ii center lines.

FROM ADDRESS Kendal Ave. NE To 1111 1Th St. NE

Dead End

PE3'7" WARD **Direction Arrow** COMMENTS YAle Ave. NE. SIZE OF LINE NO. OF MHs CONDITION OF MHs TRUINGTON AVE. NE. NO. OF CATCH BASINS **DEPTH OF CATCH BASINS** DIRECTION OF FLOW_ South CREW INITIALS RV/DP LEGEND Sanitary Sewer MH Kandal Ave. NE Draw location of sewers, manholes and catch basins on diagram. Label Storm Sewer CB streets with as much identification needed for locations. Add distances between manholes and catch basins from center lines.

DATE	4/9/02	ADDRESS Roc	Iman & 1	TARMON NE WA	ARD
₩ 📥	Direction Arrow			c	OMMENTS
5				6'10"	
			DEAD END	SIZ	E OF LINE 6
			36.00	NO	O. OF MHs 3
	12'2"	199'	- CO		① ② ③ H OF MHs /2'2" 7' 6'10"
		Rod man	7'	CONDITIO	N OF MHs Good
		y		NO. OF CATC	H BASINS
		8 S S S S S S S S S S S S S S S S S S S		DEPTH OF CATCH	H BASINS Wast South
		3		DIRECTION	of FLOW west south
LEGEND		Sanitary Sewer) мн	CREW	INITIALS PU/SP
		Storm Sewer	СВ	Draw location of sewers, manholes streets with as much identification rebetween manholes and catch basin	s and catch basins on diagram. Label needed for locations. Add distances ns from center lines.

711	END 8'3"			
DATE 4/9/02	ADD	RESS 11 Th St. NE FROM	ANDROW WARD	
Direction Arrow		GRAY CTNE	COMMENTS	
<u>*</u>				
	340,		SIZE OF LINE	8 "
		Rodman Ave Ne	NO. OF MHs	3
	@ n'n"		DEPTH OF MHs	① ② ③ 6'9" 7'7" 8'3"
	NE		CONDITION OF MHs	Good
	27,2"		NO. OF CATCH BASINS	
	7 22 7		DEPTH OF CATCH BASINS	
	J.	Andrew Ave NE	DIRECTION OF FLOW_	South
LEGEND ————	Sanitary Sewer	МН	CREW INITIALS _	PV/DP
	Storm Sewer	СВ	Draw location of sewers, manholes and cate streets with as much identification needed for between manholes and catch basins from ce	r locations. Add distances

DATE S	4/9/02	ADDRESS 10th St. N	E FROM	Andrew	WARD	k
E	Direction Arrow				COMMENTS	
V		216 10+55. NE Degd Frod 20 6'3"				
		72			SIZE OF LINE	8"
		10 th SE. NE. 75'4"			NO. OF MHs	2
		0 27			DEPTH OF MHs	① ② 6'3"
					CONDITION OF MHs	Good
) b	0"	\rightarrow	NO. OF CATCH BASINS	
		ANDREW		DE	EPTH OF CATCH BASINS _	
		TINGREW			DIRECTION OF FLOW_	North
LEGEND		- Sanitary Sewer MH			CREW INITIALS _	RV/DP
			30	reers with as much l	ers, manholes and catcl dentification needed for d catch basins from ce	n basins on diagram. Label r locations. Add distances nter lines.

DATE	4/4/02	ADDRESS	S/OTHEState To	WARD	/
W 1	Direction Arrow ►E			COMMENTS	
S		10		- -	
				SIZE OF LINE	8 ′′
		H	> 824 107HSTNE	NO. OF MHs	2
				DEPTH OF MHs_	1-104" 2-60
		226	STATE ST N.	CONDITION OF MHs_	ALL GOOD
	_	U _O	STATE ST. TO.	NO. OF CATCH BASINS	
				DEPTH OF CATCH BASINS	
				DIRECTION OF FLOW_	SOUTH
LEGEND)	Sanitary Sewer		CREW INITIALS _	AT DP
		Storm Sewer	СВ	Draw location of sewers, manholes and cate streets with as much identification needed for between manholes and catch basins from ce	r locations. Add distances

DATE	4/4/02	ADDRES	s 919 SenecaNe	To Service and StatesT	WARD	
W	Direction Arrow		1 1		COMMENTS	S 835 SENECA HAS 2 LATERALS COMING INTO MANHOLE
		919Senea	888 Seneca		SIZE OF LINE	0'
			100 E		NO. OF MHs	
			Williams AV	ENE	DEPTH OF MHs	5-8'2" 6-10'5"
		835 Scheca N	3	CON	DITION OF MHs	ALL MH GOOD
			ROSIYN AVE	NO. OF	CATCH BASINS	
			200	DEPTH OF	CATCH BASINS	
			OG STATE	AVE N.E DIREC	CTION OF FLOW	SOUTH
LEGEND		Sanitary Sewer	МН		CREW INITIALS	AT PP
		Storm Sewer	СВ	Draw location of sewers, man streets with as much identificate between manholes and catch	ation needed	for locations. Add distances

DATE	4/4/02	ADDRES	s Seneca c Wi	lliams To Williams	ms & WyomingWARD	
W S	Direction Arrow				COMMENTS_	
			Ca ST		SIZE OF LINE	8"
		Williams	0 179' 2 C	ams 3	_	1-60 2-48 3-37 ALL FAIR
				Wy oming	NO. OF CATCH BASINS _	
					DIRECTION OF FLOW_	WEST
LEGEND		Sanitary Sewer Storm Sewer	СВ	streets with as m	CREW INITIALS sewers, manholes and catcl uch identification needed fo es and catch basins from ce	h basins on diagram. Label r locations. Add distances

DATE	4/8/02	ADDRESS 11 to	M NE & Rosly	NN NE WARD	
w d	Direction Arrow			COMMENTS	5
		1		SIZE OF LINE	- 6 "
	1048 Roslyn NE 163.3	9'5"	110' dead End	NO. OF MHs	
	4"7"	T WE		DEPTH OF MHs	
		SCN		CONDITION OF MHs	Both Good
		1 1		NO. OF CATCH BASINS	
				DEPTH OF CATCH BASINS	
				DIRECTION OF FLOW	EAST & West
				CREWINITIALS	RV/DP
LEGEND	Sanitary Se	wer	MH		1
	Storm Sewe	er	СВ	Draw location of sewers, manholes and cat streets with as much identification needed f between manholes and catch basins from o	or locations. Add distances

DATE	4/8/02	ADDRES	s_// ^{t/}	St. NE.	+	Williams NE WARD)	1
w d	Direction Arrow					СОМИ	MENTS_	
,						SIZE O	-	1
			11"	7'9"		SIZE O	F MHs_	2 0
		1057 Williams NE		TANE		DEPTH OF		
			,	~1		NO. OF CATCH BA	ASINS_	
						DEPTH OF CATCH BA	SINS_	
						DIRECTION OF F	LOW_	West to Enst
LEGEND		Sanitary Sewer		МН		CREWINIT	TIALS_	RU/DP
		Storm Sewer		СВ		Draw location of sewers, manholes an streets with as much identification nee between manholes and catch basins fr	ded for	r locations. Add distances

DATE	4/8/02	ADDRES	es 11th st.NE +	Rotch NE		WARD	· 1		
W 	Direction Arrow €		1.			COMMENTS	S		
S		C	Y 1 3			SIZE OF LINE	4 4.0 1	All others	
		Rotch	178.2 178.2 178.2 178.2 178.2	Pack U. C. 18,7	Dend End	NO. OF MHS DEPTH OF MHS CONDITION OF MHS	0 2 6'1" 4'3" All	(3) (4) 6'8" 5'	B 13'7"
				17		NO. OF CATCH BASINS			
					D	DIRECTION OF FLOW	MAIN EAST	Line To West	
LEGEND		Sanitary Sewer	МН			CREW INITIALS	PV/DP		
		Storm Sewer	СВ	streets wit	in as much	ers, manholes and cat identification needed f nd catch basins from c	or locations.	diagram. Label Add distances	

DATE	4/8/02	ADD	PRESS Seweca Se	E. NE + ANDREW AJ. NEWARD
A	Direction Arrow			
10)	ć			COMMENTS M/H #2 has A
	E		1	
5			8 2 200 50	NECA NE The East
3			708 Se	NECA NE
			= \	
			308, 11	
			8	0.77
			4 418	SIZE OF LINE
		Been Rod may	AU NE BE	
		Fod MAN	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	NO. OF MHs
			28 "	
			209's	DEPTH OF MHs 5'9" 4'8" 8'2"
			25	
			5 9"	CONDITION OF MHs GOOD
			P	
				NO. OF CATCH BASINS
)	
		0		DEPTH OF CATCH BASINS
			ANDREW AL NE	
	1			DIRECTION OF FLOW South
		1		Sout Dr.
	l	1		CREW INITIALS RV/DP
LEGEND		Comits and C		CREW INITIALS 10 / U (*
		Sanitary Sewer	() MH	
		Storm Sewer		Draw location of sewers, manholes and catch basins on diagram. Label
		201101	СВ	streets with as much identification needed for locations. Add distances
				between manholes and catch basins from center lines.

DATE	3/13/02	ADDRESS 15TH CLWW NN 7	O MARITHON STATION WARD	6
S E	Direction Arrow ► ✓		COMMENTS	
N				
			SIZE OF LINE	8"
	<u> </u>		NO. OF MHs	3
	LINCOLNI V	IAY WEST	-	D6'4" @10'6" 812'
	ZIN COLIV W	THY WEST	CONDITION OF MHs	L'DEAD END DIRTY 2 6000 NO STEPS 3 6000 BAD STEPS
		3 6 75 2	2551 3NO. OF CATCH BASINS	
		2 1 5	MARITHON BAS STATION DEPTH OF CATCH BASINS	
		H.L.	DIRECTION OF FLOW_	WEST
		[58]	48	PP-ART
LEGEND	Sanitary S	Sewer MH		
	Storm Sev	wer CB	Draw location of sewers, manholes and cate streets with as much identification needed for between manholes and catch basins from control of the catch basins from catch bas	or locations. Add distances

DATE	3/13/02	ADDRESS MAC	THON LWW AND	28 TH ST NW	WARD	
5	Direction Arrow				COMMENTS	S
N	7					
1	v				SIZE OF LINE	8"
	7				NO. OF MHs	6
		Lincoln Way	West		DEPTH OF MHs	36000 S BOODNOSTEPS 8 BOOL
	7	DIAL LUND EXILER NASH 3	240° 216° 24	3'	CONDITION OF MHS D. OF CATCH BASINS	COCCO DK -7
	1	MASH 3	A N	1	H OF CATCH BASINS	
	. IN	27.4	7	2874	DIRECTION OF FLOW	WEST
	1			L L	CREW INITIALS	DP-ART
LEGEND		Sanitary Sewer) мн			
		Storm Sewer	СВ	Draw location of sewers, streets with as much iden between manholes and ca	ntification needed t	ch basins on diagram. Label for locations. Add distances center lines.

DATE	3/13/02	ADDRE	SS 28THELWW TO	Hemlock ELWW	WARD	6
S € € €	Direction Arrow				COMMENTS	
7			T NN LS			
		STBMRB'S ST BARB	20	MOOSE	SIZE OF LINE	8"
	7		8		NO. OF MHs	5
		LW	W		DEPTH OF MHs	9/0'7" 301" 12 L 143"/6'5" 10600 RUST 57EDS 73600D 10600D NOST PS 20578
	249	369'	D 360' 0 153 (1)	318'	CONDITION OF MHs	FAIR TO FAIR NOSTAS BOSTAS
	8 3 %	2844	3 Omoor	OS ON	O. OF CATCH BASINS	
	6	AN T	PTH ST	DEPT	TH OF CATCH BASINS _	
	2874	L 0 T	2 97H	F)EW COCK	DIRECTION OF FLOW_	WEST
	1 /	L			CREW INITIALS _	DP-ART
LEGEND		Sanitary Sewer	МН			
		Storm Sewer	СВ	Draw location of sewers, streets with as much ide between manholes and of	ntification needed fo	h basins on diagram. Label or locations. Add distances enter lines.

DATE	3/13/02	ADDRE	ESS Henwock N	N TO Brook	Freld Trunk	WARD	6
S	Direction Arrow					COMMENTS	
И			TT	T	1	-	
						SIZE OF LINE	8"
			,			NO. OF MHs_	
		LW	W				D (10" 16'5" 15'3" 12'3" 10' (10 FAIR BOSTERS
	336	120'		<u>(S)</u>	С	ONDITION OF MHs	1)6000 BD 37PS (1)6000 BD STEB 15)6000 BD 57PS (18) G000 \$A57EB
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	CUMMINS of S	300	245 3 3054 1 WW	BROOK ELD SCHOOL	NO.	OF CATCH BASINS _	
Lock	KRTH OTH		3 6		DEPTH (OF CATCH BASINS _	
Hem Lock	8		W		DIR	RECTION OF FLOW_	WEST
	λ,	l				CREW INITIALS_	DP ART
LEGEND		Sanitary Sewer	МН				
		Storm Sewer	СВ	street	location of sewers, m s with as much identi en manholes and cat	fication needed for	ch basins on diagram. Label or locations. Add distances enter lines.

DATE	3/14/02	ADDRESS	5 740 HEMLOCK	TO PEROLAN	MLOCK NO ALH	WARD	7
			839 HEMLOCK			_	~
1	Direction Arrow					COMMENTS_	
\downarrow	~	<i>~</i>				_	
						-	
1 6				<i>9</i> 39 861	907	SIZE OF LINE_	8"
,	lest 1			HEMIOCK HEMIOC	K HEMLOCK	NO. OF MHs	4
	3	0	345 345	300 DEA	DENONOMH		710" 37'8"
7	3 2	PlE	HEMLOCK	•••	6		16000 36000 Flopbates Broken 16000 9 6000
	3	740 HEMLOCK	810 HEMCO.	CK		CATCH BASINS	
	INCOLN				DEPTH OF	CATCH BASINS	
					DIREC	CTION OF FLOW	NORTH EAST DSOUTH
	1 .	l			,	CREW INITIALS	
EGEND		Sanitary Sewer	MH			-	
		Storm Sewer	СВ	streets with	on of sewers, mar as much identifican anholes and catch	ation needed for	basins on diagram. Label locations. Add distances ter lines.

DATE	3/14/02	ADDRESS 882 8	ELDEN NW TO	OLDBROOKFIED TRANKWARD	6
	Direction Arrow			COMMENTS	5
*	7 7	7	<u> </u>	7 1	
E	7 Sest			SIZE OF LINE	· 8′′
	——————————————————————————————————————			NO. OF MHs	2
	3	ELDEN	NW	DEPTH OF MHs	06' 8'4"
	5			CONDITION OF MHs	(D) GOOD STEPSOK (2) FAIR NO STEPS
	Lincoln			NO. OF CATCH BASINS	
			95	DEPTH OF CATCH BASINS	
				DIRECTION OF FLOW	EAST
	1 1			CREWINITIALS	AT DP
LEGEND	Sa	anitary Sewer	МН	TRUNK LINE OLD BROOKFIELD	
	St	torm Sewer	СВ	Draw location of sewers, manholes and cat streets with as much identification needed to between manholes and catch basins from of	or locations. Add distances

DATE	3/14/02 A	DDRESS CARVER and How	ord to w	/ARD
2	Direction Arrow			COMMENTS Cover Curves to EAST and then North
Ě	Howard			
	3		s	IZE OF LINE 8
9	191' 00			NO. OF MHs 2
506 CAR	RVER	Carver	DEF	PTH OF MHs 8'5" 3'7"
)	3		CONDITI	ON OF MHs (1) 6000 STEPS 6000 (2) 6000 DJE
·	3		NO. OF CAT	CH BASINS
			DEPTH OF CAT	CH BASINS
			DIRECTION	NOF FLOW SOUTH
			CRE	WINITIALS ART DA
LEGEND	Sanitary Sewe	mH	Draw location of sowers, mark at	
	Storm Sewer	СВ	streets with as much identification between manholes and catch bas	es and catch basins on diagram. Label n needed for locations. Add distances sins from center lines.

DATE	3/14/02	ADDRESS Grosvenor AND Corver	to Converand Hovard	WARD 6
*	Direction Arrow			COMMENTS
*				SIZE OF LINE 8
				NO. OF MHs
	0	CARVER		DEPTH OF MHs 09'8" 8'2"
)	2 2 2 2 S	9 3	CC	DNDITION OF MHs 2 GOOD 6/5 3 600D 6/5
	SVE	CULDISAC 281	③ NO. C	F CATCH BASINS
	GROSVENOR		HOW A ROUNDEPTHO	F CATCH BASINS
			DIRE	ECTION OF FLOW ERST NORTH
				CREW INITIALS
LEGEND	Sanitary S	Sewer MH		
	Storm Se	wer CB	Draw location of sewers, ma streets with as much identifi between manholes and cato	anholes and catch basins on diagram. Label cation needed for locations. Add distances the basins from center lines.

DATE 3/14/02 ADDRESS	540 CARVER TO	Marflower NW	WARD 6
Direction Arrow			COMMENTS
S + N 3 + 2 +	~	2 2 1 3	
·	3		
AVE	→	Aue	
>	9	3	
ALDEN	13/4	Winslaw A	SIZE OF LINE 8
569 CAR	NER 2	3	NO. OF MHs
CARV	IER NW	4	
0 226 2	IER NW 379'	279 6	DEPTH OF MHs 6'1 4'7" 103" 7'7" 107"
D/E			(1) 600D (3) 600D S/G (5)
Color Control	SGOCACION		CONDITION OF MHs 6000 9 6000 8/6
540 CARVER		NO.	OF CATCH BASINS
		DEPTH	OF CATCH BASINS
		DII	RECTION OF FLOW NORTH
		1 1	CREW INITIALS
LEGEND ———— Sanitary Sewer	МН		
Storm Sewer	СВ	Draw location of sewers, n	nanholes and catch basins on diagram. Label
		between manholes and ca	fication needed for locations. Add distances tch basins from center lines.

DATE	3/14/02	ADDRESS	Carver Mayflo	NO- TO Ma	yflower erl WARD	6
	Direction Arrow				COMMEN	TRUNK LINE
N	7 1	- 1	7	7		
	Carver				SIZE OF LIN	ie(2
7					NO. OF MI	ds
		May	flower		DEPTH OF MI	1s 1/0'7" Q/0'8
1		10)			CONDITION OF ME	18 06000 @ 600D
-			3217		NO. OF CATCH BASIN	s
					DEPTH OF CATCH BASIN	S
			MayFlower		DIRECTION OF FLO	v_EAST
	1 1		ا څ ا		CREW INITIAL	AT DP
LEGEND	8	Sanitary Sewer	МН	_		
	8	Storm Sewer	СВ	streets with	on of sewers, manholes and c as much identification needed anholes and catch basins from	atch basins on diagram. Label for locations. Add distances center lines.

DATE	3/20/02	_ ADDRESS	Bur	TO EVinette	TO DE,	N Culdisac	WARD	
W	Direction Arrow		NE NE				COMMENTS	
5			T de		1			
			331,				SIZE OF LINE	8.''
}			7				NO. OF MHs	2
		Bu	L DO	Ave N	IE		DEPTH OF MHs _	D11'1' 2 93"
2–							CONDITION OF MHs_	O6000 @ 6000
						NO	. OF CATCH BASINS _	i
						DEPTH	OF CATCH BASINS _	
						DI	RECTION OF FLOW_	SOUTH
LEOFNE		l j		L			CREW INITIALS	AT DP
LEGEND		Sanitary Sewer Storm Sewer		СВ	streets	with as much ident	manholes and catc tification needed fo atch basins from ce	h basins on diagram. Label r locations. Add distances enter lines.

DATE 3/20/62	ADDRESS 1923 Covertry TO BURD & Cove	ntry WARD 1
Direction Arrow		COMMENTS
in T		
	BORD I	SIZE OF LINE 8
		NO. OF MHs 2'
	© 248' °	DEPTH OF MHs 9 213
>	Covertry	CONDITION OF MHs COOD COO
	1923 Coventry	NO. OF CATCH BASINS
		DEPTH OF CATCH BASINS
		DIRECTION OF FLOWNORTH
		CREW INITIALS AT DP
LEGEND ———— Sanitary	()	
Storm Se	streets with as much	ewers, manholes and catch basins on diagram. Label ch identification needed for locations. Add distances and catch basins from center lines.

DATE $3/21/02$ ADDRESS /33	PROUIDENCE AVE N.E 9 LENNOY TO COVENINGERS WARD
Direction Arrow	COMMENTS
	SIZE OF LINE 8"
1289 Cerrox & 1241 LENNOX NE	NO. OF MHs DEPTH OF MHs DEPTH OF MHs DEPTH OF MHs
3 232 300·	LENDOX NE DISREGARD CONDITION OF MHS GOOD FAIR 6000 GOOD
3	NO. OF CATCH BASINS DEPTH OF CATCH BASINS
	DIRECTION OF FLOW WEST SOUTH EAST EAST
LEGEND — Sanitary Sewer	MH CREWINITIALS ATDP
Storm Sewer	CB Draw location of sewers, manholes and catch basins on diagram. Label streets with as much identification needed for locations. Add distances between manholes and catch basins from center lines.

DATE	3/21/02	ADDRES	s lenne	or & Coventry 7	à Proc	sidence	WARD	
N -	Direction Arrow						COMMENTS	3
₩	7	1	1	7	7	1		•
	9'9'FAIR			•	Providence		SIZE OF LINE	8"
	7		,		A.		NO. OF MHs	
٠		28210		305')	DEPTH OF MHs	17010" [14"
	600 0 K			305' Carentry	NE	cc	ONDITION OF MHs	1 Four Very Deep 6000
	6 4	1834 Cove	viry			NO. O	F CATCH BASINS	· i
						DEPTH O	F CATCH BASINS	
						DIRE	ECTION OF FLOW	SOUTH
	1	l,					CREW INITIALS_	AT DP
LEGEND		Sanitary Sewer		МН	Daniel			
		Storm Sewer		СВ	streets with	non of sewers, ma h as much identific nanholes and catc	cation needed for	ch basins on diagram. Label or locations. Add distances enter lines.

DATE 3/25/02 ADDRES	SS DE JOST PAUT STRATFORD AND DEXTER TO Dexter and Orford	WARD 1
TRATFORD	1636 Derrer XO	SIZE OF LINE
7's" 321 /9's	182' 242' 136' 08'," TER AVENE	NO. OF MHs DEPTH OF MHs ALL MA GOOD S PARE
1729 DexTer	1707 DEXTEN	DEPTH OF CATCH BASINS DIRECTION OF FLOW SOUTH
LEGEND — Sanitary Sewer	MH Draw location of	CREWINITIALS AT DP
Storm Sewer	streets with as m	sewers, manholes and catch basins on diagram. Label such identification needed for locations. Add distances es and catch basins from center lines.

DATE	3/28/02	ADDRESS 185/ WINDSOR	Are NE TO OXI	FURD NE WARD _	1
N	Direction Arrow			COMMENTS_	
₩		STRATECAU		SIZE OF LINE_NO. OF MHs	8''
1851 W		1921 WINDSOR AUE 1821 WINDSOR AUE 1821 WINDSOR AUE		DEPTH OF CATCH BASINS DIRECTION OF FLOW CREWINITIALS	SOUTH
LEGEND	Sanitary S		Draw location streets with a	n of sewers, manholes and catch as much identification needed for nholes and catch basins from ce	n basins on diagram. Label locations. Add distances

DATE	3/18/02	ADDRESS 87	HE Wats CT 7	0 17TH ST NW	WARD	6
N	Direction Arrow ➤ S	7	D 17+5	TNW	COMMENTS	FINEED IN Yards Measured From Center of 1874 ELN W
			Fenced		and the second	TO CENTER OF 17TH & LWW
		62	MYaros		SIZE OF LINE	
		18TH STA	VW		DEPTH OF MHs	Da', Dg' BOK BAD STEPS
		00		c	ONDITION OF MHs	B Fair Has Water LINE Runing through it
		E P I		1 1 1	OF CATCH BASINS	
		3		DEPTH (OF CATCH BASINS	
		3		DIR	ECTION OF FLOW	= AST
LECEND			1	L L	CREW INITIALS	AT DP
LEGEND		Sanitary Sewer) MH	David		
		Storm Sewer	СВ	Draw location of sewers, manual streets with as much identification between manholes and cate	ication needed f	ch basins on diagram. Label or locations. Add distances enter lines.

DATE	3/18/02	ADD	RESS_1903	LINEON Wash	1 70207HST N.W	WARD	6
*	Direction Arrow					COMMENTS_	
•				1	T R T	-	
					7	SIZE OF LINE_	8'
	7					NO. OF MHs	2
		Lincoln	Way	West		DEPTH OF MHs _	0-10 281
))		O		co	ONDITION OF MHs	GOOD Steps bone
			N N	220'	0 1903 NO.0	F CATCH BASINS _	*,,
					DEPTH O	F CATCH BASINS	
			207#		DIRE	ECTION OF FLOW	EAST
1505	1	1	L			CREW INITIALS	ATDP
LEGEND		 Sanitary Sewer 		МН			
		Storm Sewer		СВ	Draw location of sewers, ma streets with as much identific between manholes and catc	cation needed for	locations. Add distances

DATE 3/18/02	ADDRESS 2206 May Flower	NW TO Standish WARD
Direction Arrow	3	COMMENTS HOUSE Between 665
W T T	7 3 7	HES INDONT IN yard Over Sen line
3 2	NINOCOR	SIZE OF LINE 8
	3	NO. OF MHs
	Standish St NW	DEPTH OF MHs $955'$ $972''$ $972''$ $972''$
2206 may Flour & 345	NO ADDRESS 645 STA	CONDITION OF MHS OF N/S BOOD GOOD STREET G
	OV HOUZE	DEPTH OF CATCH BASINS
		DIRECTION OF FLOW NGRT W
LEGEND — Sanita	ry Sewer MH	CREWINITIALS AT DE
Storm	Sewer CB	Draw location of sewers, manholes and catch basins on diagram. Label streets with as much identification needed for locations. Add distances between manholes and catch basins from center lines.

DATE	3/18/02	ADDRESS WOODS TO	654 23RD NW	WARD	6
S	Direction Arrow			COMMENTS	
Ē		TT			
				SIZE OF LINE	8"
				NO. OF MHs	2
		23RD STN	W 0300	DEPTH OF MHS 10 10	2"@8'i"
			CON	NDITION OF MHs 060	ON/S (E) OK NOSTER
			454 23RD NO. OF	CATCH BASINS	,
			DEPTH OF	CATCH BASINS	
			DIREC	CTION OF FLOW	North
	1 1			CREW INITIALS A	TOP
LEGEND	Sanitary S	Sewer MH			
	Storm Sev	ver CB	Draw location of sewers, man streets with as much identific between manholes and catch	ation needed for locatio	ns. Add distances

DATE	3/18/02	ADDRESS 23578	E DUAN AVEN	W TO 21/0 BUANS N. WARD	6
N +	Direction Arrow			COMMENT	s
5	735 +5		1		
	23.60		-	SIZE OF LIN	1.9
	0	335'	341	DEPTH OF MH	0142" 214'5" 37'9"
	<u> </u>	DUANEA	se N.W	CONDITION OF MH	Good Steps Good 3 OK STEPS NOT POSITI
		221	DUANE NN	NO. OF CATCH BASINS	P1647
				DEPTH OF CATCH BASINS	S
				DIRECTION OF FLOW	E
			L	CREWINITIALS	AT DP
LEGEND	S	anitary Sewer	МН	Draw to act the set	
	S	torm Sewer	СВ	Draw location of sewers, manholes and ca streets with as much identification needed between manholes and catch basins from	for locations. Add distances

DATE	3/18/02 A	DDRESS 2229 Claremon	+ 70 2/17 Clairmons	WARD	6
E	Direction Arrow			COMMENTS	•
N			1 1	-	
				SIZE OF LINE	8"
	2117	2229	CIAREMONT NW	NO. OF MHs_	3
	3 225	R19 00	Z	DEPTH OF MHs	
	2 Caremo	nt AUT N.W	\$ 0 kg		0/EB000 3600D 3600D
			w.	NO. OF CATCH BASINS	
			J. DE	EPTH OF CATCH BASINS _ DIRECTION OF FLOW	EAST
				CREW INITIALS	
LEGEND	Sanitary Sewe	er MH			
	Storm Sewer	СВ	Draw location of sewe streets with as much in between manholes an	dentification needed fo	h basins on diagram. Label r locations. Add distances enter lines.

DATE	3/18/02	ADDRES	ss _{21s} St	& Courtland	TO DE		WARD	<u> </u>
₩ ★	Direction Arrow				,		COMMENTS	
Š	7		T			1		
							SIZE OF LINE	8"
		Burger 2 al		286	(B) (M)	le L	NO. OF MHs	
	2227	BUTTER 3001 A COURT	LAND	AUE N.W	5	1-2/9757	DEPTH OF MHs	Ogin Di Burica
	<u> </u>		2131	COURT LAND NW	1	T N.W	CONDITION OF MHs	O 6000 6 87805 OGOOD Stres Loop BORN
					Z		NO. OF CATCH BASINS	· ;
						Di	EPTH OF CATCH BASINS	
							DIRECTION OF FLOW	East
	\downarrow	L					CREW INITIALS	AT DP
LEGEND		Sanitary Sewer		МН		20 SE		
		Storm Sewer		СВ	streets wit	th as much i	ers, manholes and cat identification needed f nd catch basins from c	ch basins on diagram. Label or locations. Add distances enter lines.

DATE	3/26/02	ADDRES	s /2717 C	thepare	, TO 12TH 4	LWW	WARD	6
\downarrow	Direction Arrow						COMMENTS_	
•	3		7 53				SIZE OF LINE	6"
\(\frac{1}{2}\)	Horally So	508	in we werr	New		 ₹ ,	NO. OF MHs _	2 (5" 2" 11
ho	, 5	13	THOST			C	ONDITION OF MHs	6005
	AU		No HONE W	Н			DF CATCH BASINS	· ;
							ECTION OF FLOW_	N ort 1)
		Ι.					CREW INITIALS	AT DP
.EGEND		Sanitary Sewer	МН		Draw location of	f sewers, m	anholes and catch	n basins on diagram. Label
		Storm Sewer	СВ		streets with as r	much identif	ication needed for ch basins from cer	locations. Add distances

DATE	3/26/02	A	DDRESS LWW C	127A NW TO	ENO OF	STR	RET	WARD	6
<i>S</i>	Direction Arrow							COMMENTS	6
ŧ	Wess +			1	7	1		-	
	3					ET		SIZE OF LINE_	6"
	7 3					A L	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	NO. OF MHs	3
	770	0 440'	3	442'	3	0F 5T		DEPTH OF MHs	D. Burien
	, 3		400 12TH SW			END	СО	NDITION OF MHs	6000 Botom Bad
	j						NO. OI	F CATCH BASINS_	1
							DEPTH OF	F CATCH BASINS _	
							DIRE	ECTION OF FLOW_	DWEST NORTH
		1						CREW INITIALS	
LEGEND		 Sanitary Sewer 	er 🔵	МН					
		Storm Sewer		СВ	street	s with as	s much identific	inholes and catcl cation needed fo h basins from ce	n basins on diagram. Label r locations. Add distances nter lines.

DATE 3/25/02 ADDR	ESS 127HELWW TO HUPPS SUNOCO	WARD
Direction Arrow E		COMMENTS
N T T		
		SIZE OF LINE
		NO. OF MHs2
		DEPTH OF MHs 0108" 2 12'9"
¥ 650'	① 233' D	CONDITION OF MHS BOD BOTTOM OUT BOTTOM
	O DONOS SOURS	NO. OF CATCH BASINS
	BULS	DEPTH OF CATCH BASINS
	#L	DIRECTION OF FLOW WEST
		CREW INITIALS DP AT
LEGEND ———— Sanitary Sewer	MH Drow location of a	
Storm Sewer	streets with as muc	wers, manholes and catch basins on diagram. Label h identification needed for locations. Add distances and catch basins from center lines.

DATE	3/24/02	_ ADDRESS	S 1577 S	TNW ELWW TO	1531 L	- INCO IN Way Cu	Jes WARD	
S E	Direction Arrow ✓						COMMENTS	
* /	7			7	1	1		•
				,			SIZE OF LINE	8"
	7	LINC	0 L N	way we	5.7		NO. OF MHs	2
							DEPTH OF MHs	1/2" 0999"
))		00	240'	9'9"		CONDITION OF MHs	(200B
·		-	+ 0			NC NC	O. OF CATCH BASINS	- 1
						DEPTI	H OF CATCH BASINS	
			T-S			C	DIRECTION OF FLOW_	East
			- ,				CREW INITIALS _	AT DP
LEGEND		Sanitary Sewer Storm Sewer		МН СВ	streets w	vith as much iden	manholes and cato ntification needed fo atch basins from ce	h basins on diagram. Label or locations. Add distances enter lines.

DATE	4/03/02	ADDRESS S Com	nmonWeal	k To	120 CORN	ELL NE	WARD	
S E	Direction Arrow		Cna) m 00	weath	115	COMMENTS	
14			T		7300	GRENEUL		
,			-9		343'	CORNECL	SIZE OF LINE	6
			S3 94F	201:		955 COR	NO. OF MHs	3
		61)	Tot	400	3	6	DEPTH OF MHs	1-2 4' 3 76"
	}	2	U S				CONDITION OF MHs_	GOOD BURIED
		\$ 5				, N	IO. OF CATCH BASINS _	ě
		E				DEP	TH OF CATCH BASINS	
							DIRECTION OF FLOW_	NORTH-EasT
LEGEND	1 1			,	Ll	_	CREW INITIALS _	AT DP
LEGEND	Sanitary S	Sewer	МН		Draw la satis			
	Storm Sev	wer	СВ		streets with	as much ide	, manholes and catc entification needed fo catch basins from ce	h basins on diagram. Label r locations. Add distances nter lines.

DATE	4/3/02	ADDRES	s 97H	E Commone	realth to 2	5 Commonwealtward	
E	Direction Arrow					COMMENTS	
Ň				1	1 1	_ _ _	
ï						SIZE OF LINE_	6
7	}				2500 monus	NO. OF MHs_	1
			0	147'		DEPTH OF MHs _	4'
)-				Common	vealth	CONDITION OF MHs_	POOR
						NO. OF CATCH BASINS _	•
			きる			DEPTH OF CATCH BASINS _	· .
						DIRECTION OF FLOW_	EAST
	1,		<i>ـ</i>			CREW INITIALS _	ATDP
LEGEND		Sanitary Sewer		МН	5		
		Storm Sewer		СВ	streets with	on of sewers, manholes and catcl as much identification needed fo nholes and catch basins from ce	r locations. Add distances

DATE	4/03/02	ADDRESS BUR	or selales to	Aultman	WARD	1
N-	Direction Arrow				COMMENTS	LINE ON WEST SIDE OF WALES
7	7 7	T	1	7 1		IN GRASS
,					SIZE OF LINE	8'
					NO. OF MHs_	3
	V	JALES	RD		DEPTH OF MHs	D87" @83" @65
	<u></u>	2			CONDITION OF MHs	GOOD-FAIR - 6000
	271	9 457'			NO. OF CATCH BASINS _	·
		457' N 200 G			DEPTH OF CATCH BASINS _	
		BURO			DIRECTION OF FLOW_	SOUTH
	1 1	LA			CREW INITIALS _	AT DP
LEGEND	Sanitary	Sewer	МН			9
	Storm S	ewer	СВ	streets with as much	vers, manholes and catc n identification needed fo and catch basins from ce	h basins on diagram. Label r locations. Add distances enter lines.

DATE	4/2/02	ADDRESS BURD EWWLES TO	1375 Byren Ave NE WARD	
N	Direction Arrow		COMMENT	rs
N	TT			
· ·			SIZE OF LIN	E
			NO. OF MH	82
			DEPTH OF MH	s 8'7" 8'2"
		0	CONDITION OF MH	s(
			NO. OF CATCH BASIN	S
		14%	DEPTH OF CATCH BASIN	S
		0 > 38.0	DIRECTION OF FLOW	west
			CREWINITIALS	S_ATDP
LEGEND	Sani	itary Sewer MH		
	Store	m Sewer CB	Draw location of sewers, manholes and ca streets with as much identification needed between manholes and catch basins from	for locations. Add distances

DATE	4/08/02	ADDRES	ss Wales & Burn To 0	LD UNITED BANK	WARD	1
N	Direction Arrow	900	S S S S S S S S S S S S S S S S S S S			PARKING COT Schind
W			7			Seed way to DED BANK
æ			PAAA	CE .	SIZE OF LINE	8 '
,	7	h1A/	ESZURD NE		NO. OF MHs	5
		0110	90		DEPTH OF MHs	08'7''2) SCALED 37'1''8 6'9
5			33'		CONDITION OF MHs	ALL MH GOOD
•			60		NO. OF CATCH BASINS	
			AUEN		DEPTH OF CATCH BASINS	
			200		DIRECTION OF FLOW	WEST
	1	1			CREW INITIALS	AT DP
LEGEND		Sanitary Sewer	МН	_		
		Storm Sewer	СВ	streets with as muc	ewers, manholes and cate the identification needed for and catch basins from c	ch basins on diagram. Label or locations. Add distances enter lines.

DATE	4/3/02	ADDRE	ss Mirino Cr (Culdicac	To springhill	i Marino Cr WA	ARD	
№	Direction Arrow						COMMENTO	
5	N					·	COMMENTS	
▼	T	1	7 7		7 1			
,				1507	MARINOCR	SIZ	ZE OF LINE	8''
			~	7		N	IO. OF MHs	3
			Q 270'	0	260 00	DEPT	TH OF MHs	610" 076" 377"
	1		l w			CONDITIO	ON OF MHs	ALL GOOD
			3			NO. OF CATO	CH BASINS	į
			- 5			DEPTH OF CATO	CH BASINS	
			- Webuild			DIRECTION	OF FLOW	SOUTH
		1				CREV	WINITIALS	AT DP
LEGEND		- Sanitary Sewer	МН					
		- Storm Sewer	СВ		streets with as	of sewers, manhole much identification oles and catch basi	needed for le	pasins on diagram. Label ocations. Add distances er lines.

DATE	4/3/02	ADDRESS 1792 Spring Howm	ic to 1728 Spring haven Cir WAF	RD
<i>S</i>	Direction Arrow		CO	MMENTS This line is a Haff Circle . Hoods East then South then
,			SIZE	OF LINE
	3 32	1755 SPRINGHAVEN INDRIVEWAY		OF MHs
	SP	RINGHauen Circle	(V	OF MHs ALL MH 6000
	1728 Spring Have	Spring!	NO. OF CATCH	
			DEPTH OF CATCH	FFLOW East IN CIRcle TO WEST
LEGEND	Sanitary	Sewer MH	CREW	NITIALS AT DP
	Storm Se	ewer CB	Draw location of sewers, manholes streets with as much identification re between manholes and catch basin	and catch basins on diagram. Label eeded for locations. Add distances s from center lines.

DATE _	4/3/62	ADDRESS	1728	Springhave	n cir TOS	pringhavenand	WalesWARD	
S	irection Arrow		(D				COMMENTS	
¥ E	Ĩ	1	CIN ME	1	7	1		
RI NC			CHitten den				SIZE OF LINE NO. OF MHs	8
WALES	337	7 250'		282 5	137	197 3	(3810 3143 0134 19124 6 12 8 132
3		1335 Springhaven ar			17006	- X	CONDITION OF MHs	ALL IN GREAT CONDITION
		1 3 - 5 spi my country		143 Springhave	n lex springhaux	on Springhau		
						D	RECTION OF FLOW_	SOUTH & WEST
LEGEND -		Sanitary Sewer	.) (MH	L	L	CREW INITIALS	AT DP
-		Storm Sewer		СВ	streets wi	th as much iden	manholes and cato tification needed fo atch basins from ce	ch basins on diagram. Label or locations. Add distances enter lines.

DATE	4/2/02	ADDRESS	N. S. ppo LW	JE TO PAPPA JO	thas LWE	WARD	Drose Zines 14d
S € ♦	Direction Arrow					COMMENTS	S
H	703/8	-		1	1		
£	SS			8		SIZE OF LINE	8 "
,	J	LINC	OLN WAY	EAST SUS	7	NO. OF MHs	01,2 3,11
)		0	239 43	3	CO	NDITION OF MHs	
		N 5,000	FAZOLIS	DONUT	NO. OF	CATCH BASINS	· .
					DEPTH OF	CATCH BASINS	
					DIREC	CTION OF FLOW	EAST
	1 1	, ,				CREW INITIALS	AT DP
LEGEND	s	anitary Sewer	MH				
	S	torm Sewer	СВ	streets wi	ition of sewers, mai th as much identific manholes and catch	ation needed	tch basins on diagram. Label for locations. Add distances

DATE	4/2/02	ADDRESS 8	THE Cherry TO Che	erry & Amhibres T	N.E WARD	
S	Direction Arrow		,	•	COMMENTS	
N			TTH ST NE	7 7		
i			7 7 7 7		SIZE OF LINE	10"
			(a)		NO. OF MHs	3
	200	280	② 653	3	DEPTH OF MHs	D10'2" @14'5" (3) 12'3
	- Access	Ch	erry RD NE	W	CONDITION OF MHs	ALL M/H GOOD
				RON	NO. OF CATCH BASINS	*
	The Co				DEPTH OF CATCH BASINS	
				AMHERST	DIRECTION OF FLOW_	WEST
					CREW INITIALS _	AT DP
LEGEND	Sanita	ary Sewer (МН	_		
	Storm	Sewer	СВ	streets with as n	f sewers, manholes and cato nuch identification needed fo les and catch basins from ce	ch basins on diagram. Label or locations. Add distances enter lines.

DATE	4/2/02	ADDRESS 845 87	HINE TO BTH	e Cherry	NE	WARD	
N	Direction Arrow			,		COMMENTS	LINE Goes around Corner onto Cherry
M					L		NO MH AT BEND
		STA	2			SIZE OF LINE	8''
	0 250'		, 00		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	NO. OF MHs_	4
	250	266 3	212 4) 87H 89 NE	78,		DEPTH OF MHs	Dis 372 388 1 994
		4		3	COI	NDITION OF MHs_	6000
	845 814ST NE	4 871-1 STARE Z		RD	NO. OF	CATCH BASINS	r
				N. N.	DEPTH OF	CATCH BASINS _	
					DIREC	CTION OF FLOW_	SOUTH
						CREW INITIALS _	AT DP
LEGEND	Sanitary	Sewer	МН				
	Storm S	Sewer	СВ	streets with	on of sewers, ma as much identific inholes and catch	ation needed for	ch basins on diagram. Label or locations. Add distances enter lines.

DATE	4/02/02	ADDRESS Kentucky FRISO C	LWE WARD	
E	Direction Arrow ✓	7 ×	COMMENTS	LINE ON WEST SIDE OF KEC DROPS INTRINK
~		Kentuly FRED	SIZE OF LINE	ON EWE
			NO. OF MHs	
		TRONKLINE NO	M/H DEPTH OF MHs	6'8"
,		LINCOLN WAY EAST	CONDITION OF MHs	6000
		3	NO. OF CATCH BASINS	٠,
		12	DEPTH OF CATCH BASINS	
		W AZ	DIRECTION OF FLOW	NORTH
			CREWINITIALS	AT DP
LEGEND	Sanitary S	ewer MH		
	Storm Set	ver CB	Draw location of sewers, manholes and cate streets with as much identification needed for between manholes and catch basins from contents.	or locations. Add distances

DATE	4/2/02	_ ADDRESS	S GTHELWE TO	67H É	WARD	
W 4	Direction Arrow	Norm A	JE NE		COMMENTS	
S	28	FEDERAL				
,					SIZE OF LINE	8'
					NO. OF MHs	3
	60	1.00	2.1.1		DEPTH OF MHs	16'8" 3 n's" 3 18'6'
		LINC	COLN WA	Y EAST	CONDITION OF MHs	DPOOR GOOD FAIR
					NO. OF CATCH BASINS	
	S				DEPTH OF CATCH BASINS	
	t o				DIRECTION OF FLOW	SOUTH
		l,			CREWINITIALS	ATDA
LEGENI	D	Sanitary Sewer	MH			
		Storm Sewer	СВ	streets with	on of sewers, manholes and cat as much identification needed to anholes and catch basins from c	or locations. Add distances

DATE	4/2/02 ADD	RESS 7TH C FEDERAL NE T	O FEDERAL C 67H	WARD	(
S	Direction Arrow ► ✓			COMMENTS	LINE DOES NOT GO INTO DOWN
Ň				-	STREAM M/H
7.				SIZE OF LINE	6"
				NO. OF MHs	/
	279'	3		DEPTH OF MHs _	8'4"
		FEDERAL AVE NE	C	CONDITION OF MHs	6000
	W.	NC		OF CATCH BASINS _	ï
	SHI	100	DEPTH	OF CATCH BASINS _	
		5	DIF	RECTION OF FLOW_	WEST
				CREW INITIALS	AT DP
LEGEND	Sanitary Sewer	MH			
	Storm Sewer	СВ	Draw location of sewers, n streets with as much identi between manholes and car	fication needed for	ch basins on diagram. Label or locations. Add distances

DATE	4/2/02	ADDRES	s (28 LWW To	720 LWW	WARD	
S	Direction Arrow				COMMENTS	Grease LINE Som's Restaunt
7						
,					SIZE OF LINE	6"
			J		NO. OF MHs	2
		LINCO	OLN Way W	est	DEPTH OF MHs	08/1 2 9'4"
			au l		CONDITION OF MHs	6000
		0	Sammy's La Arakan	720 LWW	NO. OF CATCH BASINS	i
			EDEN	FOR THE 6'21	DEPTH OF CATCH BASINS	
					DIRECTION OF FLOW_	EAST
					CREW INITIALS_	AT DP
LEGEND		- Sanitary Sewer	MH			
		- Storm Sewer	СВ	streets with as mu	ewers, manholes and cato ch identification needed for s and catch basins from co	ch basins on diagram. Label or locations. Add distances enter lines.

DATE	4/1/02	ADDRESS LWWE GTHST	TO GTO CREMONT	WARD	
\$	Direction Arrow			COMMENTS	
N N	7 7	7 7	~ 1-		
E					
ć	3.			SIZE OF LINE	6"
			2	NO. OF MHs	2
	eamont.	436'	D DENDEND &	DEPTH OF MHs	Os' (2) 8'8"
	000	700		ONDITION OF MHs	6000
			E No.	OF CATCH BASINS	1
			DEPTH (OF CATCH BASINS _	
			DIF	RECTION OF FLOW_	SOUTH
				CREW INITIALS	AT. DP
LEGEND	Sanitary S	ewer MH			
	Storm Sew	ver CB	Draw location of sewers, m streets with as much identi between manholes and cat	fication needed fo	ch basins on diagram. Label or locations. Add distances

DATE ADDRESS David Canay & 157 TO FIDELITY TOURS ON 157 ST. WARD **Direction Arrow** COMMENTS CODDUS Ban & Grill SIZE OF LINE NO. OF MHs IST ST. SE **CONDITION OF MHs** NO. OF CATCH BASINS FIDELITY Bus Toures DEPTH OF CATCH BASINS DIRECTION OF FLOW SOUTH CREWINITIALS AT DP **LEGEND** Sanitary Sewer MH Draw location of sewers, manholes and catch basins on diagram. Label Storm Sewer CB streets with as much identification needed for locations. Add distances between manholes and catch basins from center lines.

DATE	4/1/02	ADDRESS Po	lice Station Entran	uce to	WARD	
S E 4	Direction Arrow				-	Pluggs IN M/H Because of TRUNK
N					-	LINE FLOW.
ē.					SIZE OF LINE	8"
	7				NO. OF MHs_	2
			TREMONT	SE	DEPTH OF MHs	D84" 088"
		(2)			NDITION OF MHs_	600D
	5			NO. O	F CATCH BASINS _	
	5			DEPTH O	F CATCH BASINS _	
	8 8	8 Police		DIRE	ECTION OF FLOW_	SOUTH
		HARCONANT			CREW INITIALS_	ATOP
LEGEND		Sanitary Sewer) MH	Draw location of a survey		
	,	Storm Sewer	TITCB s	Streets with as much identification manholes and cate	cation needed for	h basins on diagram. Label or locations. Add distances enter lines.

DATE 4/11/02	ADDRESS DAKWOOK AVENE F	FROM 11th SX NE WARD
Direction Arrow	1	COMMENTS
5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	5'8"	
14'5) 208'4"	336"4"	28'10" SIZE OF LINE 8
 	OAK wood Ave N	NO. OF MHs 5
St NE	1035 Opkwood	DEPTH OF MHs 10'3' 9'7" 6'2" 5'8" 4'4"
71	Dead ENA NO M/H	CONDITION OF MHs Good
	No 2 Read	NO. OF CATCH BASINS
	Sidewalk	DEPTH OF CATCH BASINS
	Las.	DIRECTION OF FLOW EAST
		CREW INITIALS RV/DP
LEGEND	Sanitary Sewer MH	
	Storm Sewer CB	Draw location of sewers, manholes and catch basins on diagram. Label streets with as much identification needed for locations. Add distances between manholes and catch basins from center lines.

DATE 4/11/02 Direction Arrow	ADDRESS 10th St. NE	SROM ANDREW AVE. NE. WARD COMMENTS	
10# St	Daterial 708		
2 60	371'	SIZE OF LINE	6
		NO. OF MHs	2
	6'1"	DEPTH OF MHs_	① ② 6'1" S'
		CONDITION OF MHs	FAIR No RUNGS
ANDREW AVE NE		NO. OF CATCH BASINS	J
		DEPTH OF CATCH BASINS_	
		DIRECTION OF FLOW_	
LEGEND ———— Sanitary		CREW INITIALS_	RV/DP
LEGEND ———— Sanitary	Sewer MH	December 15 and	
Storm Se	ewer CB	Draw location of sewers, manholes and cate streets with as much identification needed for between manholes and catch basins from ce	or locations. Add distances

DATE 4	/11/02	ADDRESS ANDREW /	Tue NE SROOM 10 th St. NE WARD	
Dir	ection Arrow		COMMENTS	
*		NE	-	
		Senech	SIZE OF LINE_	8
			NO. OF MHs	2
	ANDREW AUCNE		DEPTH OF MHs_	① ② 6'10" 7'1"
	6'10"	344	7'1" CONDITION OF MHs	FATE No Pungs
			Denol End NO. OF CATCH BASINS	
			DEPTH OF CATCH BASINS	
	10# 54		DIRECTION OF FLOW_	West
	1 20		CREW INITIALS_	RV/DP
LEGEND -	Sanitary Se	ewer MH		
	Storm Sewe	er CB	Draw location of sewers, manholes and cate streets with as much identification needed for between manholes and catch basins from c	or locations. Add distances

	11.1		from 10th St NE	
DATE	4/11/02	ADDRESS 10th St. FR	con Ox ford Ave NE WARD	. 1
∧	Direction Arrow	1		s +() + ·
w 4	٤		COMMENT	M/H #3
		3 11/8		
			SIZE OF LIN	<u> 8</u>
		8° 8° St. NE	NO. OF MH	
		325'8" 10th St.,	DEPTH OF MH	① ② ③ · · · · · · · · · · · · · · · · · ·
\	3 269'8"		Oxford Aue. NE.	FAIR No RUNGS of
	269'8"	7'1'	NO. OF CATCH BASINS	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
			DEPTH OF CATCH BASINS	(2 to 1) (1 to 3)
]	DIRECTION OF FLOW	
LEGEND	Sanitary Sa	, , , , , , , , , , , , , , , , , , ,	CREW INITIALS	RV/DP
	Sanitary Se		Draw location of sewers, manholog and an	tob basis and li
	Storm Sewe	er CB	Draw location of sewers, manholes and ca streets with as much identification needed between manholes and catch basins from	for locations. Add distances

DATE	4/9/02	ADDRESS	TA	mmle	CT	NE	WARD	
w * 5	Direction Arrow						COMMENTS	LATORIALS COMMING
) ¥			SIZE OF LINE	
		Amher		M/H Buried		8" 6'2" DE Dead	NO. OF MHs	1 D 6'2" Bueied
		erst	K	Tammie	<u>c7</u>	* TAMMie CT NE	CONDITION OF MHs	Good
		32	K				OF CATCH BASINS	
						D	IRECTION OF FLOW	West
			_			*	CREW INITIALS	RV/DP
LEGEND		Sanitary Sewer	()	MH				1
		Storm Sewer		СВ		Draw location of sewers, a streets with as much iden between manholes and ca	tification needed t	ch basins on diagram. Label for locations. Add distances center lines.

	/ /					
DATE	4/9/02	ADDRESS_	Vogel /	Ave. NE.	WARD	1
N E	Direction Arrow	Den's	7		COMMENTS	+ DROP TO A
W		750'			(The East from # 2 M/H
	732 Vogel Ave	3 241	933			The west from \$3 M/H
		130	Vog		SIZE OF LINE	8 "
		"01,67°	11/1/200		NO. OF MHs	
		120 ×			DEPTH OF MHs	() (2) (3) 13'7" 13'7" 4'
					CONDITION OF MHs	Good
	58'7	13'10'		NC). OF CATCH BASINS	
	e de	L		DEPTI	H OF CATCH BASINS	
	13'7"			С	DIRECTION OF FLOW	West
LEGEND	———— Sanitary	Sewer (МН		CREW INITIALS	RV/DP
	Storm Se		СВ	Draw location of sewers, streets with as much iden between manholes and c	ntification needed f	ch basins on diagram. Label for locations. Add distances

DATE 4	1/9/02	ADDRESS Ke	ndell.	Srom Wales	S WARD	<i>\</i>
Dir	rection Arrow				COMMENTS	
5	/					
	1 1		0>		12th St NE SIZE OF LINE	
				70>	NO. OF MHs	4
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \					DEPTH OF MHs	1) (2) (3) (4) 11/8 14/7" 12'1" 14/7" Dio'1" (6) 10'
10,1,1	78' 9"	159'5"	D> 14'7"	51'6"	17'8" CONDITION OF MHs	All M/H Need Rungs
/ / r	- K	'endell WE	****	Stab	NO. OF CATCH BASINS	
11th 57.11g	PARKULEW	Tonyon ?	Fire	3/	DEPTH OF CATCH BASINS	
1				WAles N	DIRECTION OF FLOW_	East
	(Orio			WA	CREW INITIALS	RN PAP
LEGEND -	Sanitary S	ewer ()	МН			
	Storm Sew	ver	СВ	streets with	on of sewers, manholes and cate as much identification needed for anholes and catch basins from c	or locations. Add distances

DATE	4/9/02	ADDR	ess <u>Amhe</u>	rst NE	FROM	Orchard Ave. NE	WARD	1	
†	Direction Arrow		V				COMMENTS	Car Ball	
*			Ĭ						
5							-	ONLY TO	Allowed
								do up stream Amherst	n M/H or
							SIZE OF LINE	_/	
		Amheest NE	7'4" >0		264'9" chaed	AND NE CO	DEPTH OF MHS DEPTH OF MHS DISTRIBUTION OF MHS F CATCH BASINS F CATCH BASINS	D @ 7'4" 5'	3 5'5"
							CREW INITIALS	RV DP	
LEGEND	-	Sanitary Sewer		МН					
		Storm Sewer		СВ	str	raw location of sewers, ma reets with as much identifi etween manholes and cato	ication needed	for locations. Add o	am. Label distances

DATE	4/10/02	ADDRESS State SE. NE F	ROM Amherst NE WARD 1
W	Direction Arrow		COMMENTS
5			
			SIZE OF LINE
			NO. OF MHs 2
	stub	499'7"	Dend Dend
	134 L	State St. NE	Dend End Condition of MHs No Rungs Condition of MHs No Rungs
	kst		707 NO. OF CATCH BASINSState
	Am herst		DEPTH OF CATCH BASINS
	A		DIRECTION OF FLOW West
LEGEND	Sanitary Se	ewer Mu	CREW INITIALS RV/DP
	Storm Sewe		Draw location of sewers, manholes and catch basins on diagram. Label streets with as much identification needed for locations. Add distances between manholes and catch basins from center lines.

DATE	4/10/02	ADDRE	ss Medill Ave	NE FROM Anh	erest Rd NEWARD	·
W d	Direction Arrow			NE	COMMENTS	5
	.3.Ca. ★			10th St.	SIZE OF LINE	Anleest Medill
	20 103		0		NO. OF MHs	3
	*	274'5"	308	(11"	DEPTH OF MHs	① ② ③ 13' 13'11" 16'11"
	Am her	N	1edill Ave. N.E		CONDITION OF MHs	TAIR No PUNGS
	A		10	,	NO. OF CATCH BASINS	
	×			4	DEPTH OF CATCH BASINS	
					DIRECTION OF FLOW	West
LEGEND					CREW INITIALS	RV/DP
LEGEND		Sanitary Sewer	() мн			
		Storm Sewer	СВ	streets with as	of sewers, manholes and cat much identification needed follows and catch basins from c	ch basins on diagram. Label or locations. Add distances enter lines.

DATE	4/10/02	ADD	RESS 1033	B Am	nherst	FROM KORMA	D Ave NEWARD	
W	Direction Arrow		Dead End 415	, 1		1033		Dopd End is in Alley west of 1033 Anheost
S						1033 Amhees	st	Jot from 418 KORMAN
			"9				SIZE OF LINE	6"
			345				NO. OF MHs	
			Alle				DEPTH OF MHs	① ② " Y's"
				4	118 Kormi	لہو	CONDITION OF MHs	Good
							NO. OF CATCH BASINS	
			8'9				DEPTH OF CATCH BASINS	
			KORMAN	Ave a	JE		DIRECTION OF FLOW	South
							CREW INITIALS	RV/DP
LEGEND		Sanitary Sewer		МН				/
	(Storm Sewer		СВ	S	treets with as muc	wers, manholes and cat h identification needed f and catch basins from c	ch basins on diagram. Label or locations. Add distances enter lines.

DATE	4/10/02	ADDRES:	s Wy	oming Pl.	From State St.	WE WARD	
w ←	Direction Arrow					COMMENTS	
Š							
			10'2"			SIZE OF LINE	8
_					State SE No	NO. OF MHs	<u> </u>
		Wy om ing	240			DEPTH OF MHS	FAIR No Rungs
						NO. OF CATCH BASINS	<u> </u>
		20				DEPTH OF CATCH BASINS	
			No.			DIRECTION OF FLOW	
		D	pead m/H	1		CREW INITIALS	RV/DP
LEGEND	Sanitary S			МН			
	Storm Sev	ver		СВ	streets with as much	vers, manholes and cate n identification needed for and catch basins from c	ch basins on diagram. Label or locations. Add distances enter lines.