




VICINITY MAP
(NOT TO SCALE)

OWNER & DEVELOPER

EARL J. GLICK
13015 LINCOLN STREET WEST
MASSILLON, OHIO 44632
PHONE: (330) 833-3272
FAX: (330) 833-4888

NOTES

- RIGHT OF ACCESS TO ANY DEAD END STREETS IN THIS ALLOTMENT IS PROHIBITED, EXCEPT FROM LOTS PLATTED IN CONFORMANCE WITH THE CITY OF MASSILLON SUBDIVISION REGULATIONS
- ALL LOTS TO HAVE SANITARY SEWER.
- IRON BARS ARE TO BE SET AT ALL LOT CORNERS, CURVE POINTS AND STREET INTERSECTIONS
- SINGLE FAMILY HOMES ON 50' STREETS ONLY.
- ZONING IS R-2 SINGLE FAMILY RESIDENTIAL.
- EARL J. & THELMA U. GLICK HOLDS TITLE PER OFFICIAL RECORD VOLUME 1215, PG. 515 OF THE STARK COUNTY DEED RECORDS.

RECORD PLAT of LINCOLN HILLS No. 6B AN ALLOTMENT. BEING PART OF OUTLOT 180 AND THE REPLAT OF LOT 10195 IN THE CITY OF MASSILLON STARK COUNTY, OHIO

AUGUST 2000

EASEMENTS AND RESTRICTIONS

AN EASEMENT, TEN FEET WIDE ON THE FRONT AND FIVE FEET WIDE ON THE SIDES AND BACK OF ALL LOTS, AND TEN FEET ON THE EXTERIOR BOUNDARY OF THIS ALLOTMENT IS HEREBY DEDICATED AND RESERVED IN THIS SUBDIVISION TO: COUNTY OF STARK, CITY OF MASSILLON, CONSUMERS OHIO WATER CO., EAST OHIO GAS COMPANY, OHIO EDISON COMPANY, OHIO BELL TELEPHONE COMPANY, MASSILLON CABLE COMPANY, AND ANY P.U.C.O. REGULATED UTILITY FOR THE PURPOSES OF CONSTRUCTION, ERECTION, AND/OR MAINTENANCE OF ANY TRANSMISSION LINES, PIPES, CABLES, CONDUITS, BURIED WIRES, SWALES OR OTHER APPURTENANCES FOR THE TRANSMISSION OF POWER, ELECTRIC, COMMUNICATIONS, STORM WATER, SANITARY SEWER WASTES, WATER, AND/OR ANY FUTURE DEVELOPED PUBLIC UTILITY. THIS EASEMENT GIVES ALL OF THE UTILITIES THE RIGHT TO REMOVE TREES AND LANDSCAPING WITHOUT LIABILITY AS REQUIRED TO MAINTAIN, OPERATE, OR CONSTRUCT THE FACILITIES.

ACKNOWLEDGEMENTS

I HEREBY CERTIFY THAT THIS IS A CORRECT PLAT OF A SURVEY MADE BY ME THIS 13TH DAY OF September, 2000 AND THAT THE SURVEY BALANCES AND CLOSURES AND THE MONUMENTS SHOWN HEREON ARE SET AS SHOWN OR SHALL BE SET AS SHOWN AND THAT ALL DIMENSIONAL AND GEODETIC DETAILS ARE CORRECT.

Jerrold E. Geib
REGISTERED SURVEYOR No. 6725
JEROLD E. GEIB

KNOW ALL MEN BY THESE PRESENTS, THAT EARL J. AND THELMA L. GLICK THE OWNERS OF THE LAND SHOWN ON THIS PLAT, DO HEREBY ACKNOWLEDGE THE MAKING AND SIGNING OF THIS PLAT TO BE THEIR FREE ACT AND DEED AND DO HEREBY DEDICATE THE STREETS, STORM SEWER AND DRAINAGE EASEMENTS AS SHOWN HEREON TO PUBLIC USE FOREVER.

IN TESTIMONY THEREOF, WE HEREUNTO SET OUR HANDS THIS 27 DAY OF September, 2000.

OWNERS

Earl J. Glick
EARL J. GLICK

Thelma L. Glick
THELMA L. GLICK

WITNESSES

Russ Doyle
RUSS DOYLE
Mary Kay Miller
MARY KAY MILLER
Russ Doyle
RUSS DOYLE
Mary Kay Miller
MARY KAY MILLER

STATE OF OHIO
COUNTY OF STARK s.s.

BEFORE ME, A NOTARY PUBLIC IN AND FOR SAID COUNTY, PERSONALLY APPEARED THE ABOVE MENTIONED EARL J. GLICK AND THELMA L. GLICK, WHO ACKNOWLEDGED THAT THEY DID SIGN THE FOREGOING INSTRUMENT AND THAT IT WAS THEIR FREE ACT AND DEED ACCORDING TO LAW, SWORN TO AND SUBSCRIBED BEFORE ME THIS 27th DAY OF September, 2000.

MY COMMISSION EXPIRES:

Mary Kay Miller
MARY KAY MILLER
Notary Public, State of Ohio
My Commission Expires Oct. 28, 2002
Recorded in Stark County

APPROVED BY THE MASSILLON CITY PLANNING COMMISSION AT A MEETING HELD THIS _____ DAY OF _____, 200__

CHAIRMAN

SECRETARY

APPROVED BY THE MASSILLON CITY ENGINEER THIS _____ DAY OF _____, 200__
AND LOT NUMBERS ASSIGNED.

MASSILLON CITY ENGINEER

I HEREBY CERTIFY TO THE BEST OF MY KNOWLEDGE THAT NO ENCUMBRANCES EXIST ON THE LANDS HEREIN OFFERED FOR PUBLIC USE THIS _____ DAY OF _____, 200__

MASSILLON CITY LAW DIRECTOR

ACCEPTED BY THE COUNCIL OF THE CITY OF MASSILLON BY ORDINANCE No. _____ PASSED THIS _____ DAY OF _____, 200__

PRESIDENT

CLERK OF COUNCIL

ENTERED FOR TRANSFER BY THE STARK COUNTY AUDITOR THIS _____ DAY OF _____, 200__

STARK COUNTY AUDITOR

RECEIVED FOR RECORD BY THE STARK COUNTY RECORDER THIS _____ DAY OF _____, 200__
PLAT BOOK _____ PAGE _____

STARK COUNTY RECORDER

FEE \$ _____

Paid
Amount 525.65 Date 10/4/00
Check # 7950 Date 9/29/00

RECORD PLAT

PROJ. # 00131

PARCEL	OWNER	TITLE	LOT # OR ACREAGE
F	RANDELL L. VARNER	D.V. 1640, PG. 352	-
G	RANDELL L. VARNER	O.R. 1896, PG. 368	-
H	D. M. GARDNER JR.	O.R. 2700, PG. 90	-
J	ROBERT J. & DONNA K. GIRT	R.I. No. 97062407	-
K	R.C. BING & R.C. BING JR.	O.R. 884, PG. 542	0.571
L	M.L. & S.C. BOREMAN	O.R. 1364, PG. 480	0.308
-	JAMES H. & PATRICIA L. FORSYTHE		984
-	JAMES H. & PATRICIA L. FORSYTHE		985
-	RONALD G. DEAL		986
-	EDWARD G. & CYNTHIA A. LAUDERMILT		987
-	ROGER H. & CHRISTINE M. BASILETTI		11095
-	LARRY L. MAY		11096
-	CHUCK I. & KATHLEEN E. ROHR		11097
-	LINDA J. ANDERSON		11098
-	RICHARD V. & MICHELLE L. HAMMER		11099
-	EARNEST & DONNA M. GAMARY		11100
-	GERALD S. & KATHLEEN E. SCOTT		11101
-	MARJORIE L. BORMAN & CHRISTINA M. SCOTT		11230
-	I. M. SPANGLER		11231
-	I. M. SPANGLER		11232
-	EARL J. & THELMA U. GLICK		15817
-	EARL J. & THELMA U. GLICK		15818
-	B.M.B. DEVELOPMENT CORP.		15819
-	MICHAEL J. & JULIE A. KOVATCH		15820
-	LARRY R. GALLAGHER		15821
-	EARL J. & THELMA U. GLICK		15822
-	EARL J. & THELMA U. GLICK		15823
-	THOMAS E. JR. & TERESA A. WALTERS		15806

LINE	BEARING	LENGTH (ft)
L1	S72°58'27"E	142.13
L2	N02°39'43"E	123.94
L3	S86°30'39"E	160.91
L4	S86°30'39"E	240.00
L5	S03°26'48"W	300.10
L6	S03°11'48"W	600.66
L7	N82°08'40"W	312.79
L8	S82°08'40"E	176.00
L9	N08°46'22"E	135.00
L10	N81°42'04"W	150.24
L11	N03°26'48"E	122.30
L12	N04°23'49"E	50.00
L13	N03°11'48"E	126.18
L14	S86°48'12"E	43.00
L15	N03°11'48"E	416.79
L16	N05°36'36"E	50.00
L17	N07°01'43"E	111.82

CURVE	DELTA	RADIUS (ft)	LENGTH (ft)	CHORD (ft)	CHORD BEARING	TANGENT (ft)
C1	55°06'18"	125.00	120.22	115.64	S51°31'43"W	65.22
C2	00°05'43"	16083.32	26.74	26.74	S85°39'02"E	13.37
C3	00°05'23"	4999.20	7.83	7.83	N84°20'42"W	3.91

PLAT OF LANDS OF THE DEDICATORS FROM WHICH LAND IS TAKEN
SEC. 711.02 SCALE: 1"=300'

BRYAN J. ASHMAN
JEROLD E. GEIB

COOPER & ASSOCIATES, LLP
ENGINEERS AND SURVEYORS

1359 MARKET
AVENUE, NORTH
CANTON, OHIO
44704

RECORD PLAT
LINCOLN HILLS No. 6B
FOR: EARL J. GLICK

STATE OF OHIO
JEROLD E. GEIB
6725
REGISTERED SURVEYOR

RECEIVED
OCT 4 2000
OHIO EPA NEDO

DATE BY
REVISIONS
DESCRIPTION
R.W. CHK'D BY: RFD

99 SD 03

RECORD PLAT
of
LINCOLN HILLS No. 6B
AN ALLOTMENT
BEING PART OF OUTLOT 180 AND THE REPLAT OF LOT 10195
IN THE CITY OF MASSILLON

STARK COUNTY, OHIO
SCALE: 1"=50' AUGUST 2000

OWNER & DEVELOPER

EARL J. GLICK
13015 LINCOLN STREET WEST
MASSILLON, OHIO 44632
PHONE: (330) 833-3272
FAX: (330) 833-4888

PERTINENT DOCUMENTS

O.R. 1215 PG. 515 (PRIOR DEED)
PB 31, PG. 35
PB 58, PG. 41
PB 52, PG. 112
DV 1640, PG. 352
OR 1535, PG. 913
OR 1364, PG. 480
OR 884, PG. 542
OR 1896, PG. 368
D.V. 2700, PG. 90
RI No. 97062407
RI No. 98016176
RI No. 97007678
RI No. 97024613

LEGEND

- IRON BAR FOUND
- 1/2" DIA. IRON BAR
- W/COOPER & ASSOC.
- CAP SET OR TO BE SET
- ☒ STONE FOUND
- ▲ P.K. NAIL FOUND
- ▲ MAG NAIL SET
- ☒ MONUMENT FOUND
- ☒ MONUMENT SET OR TO BE SET

REFERENCE DIRECTION

BEARING SYSTEM ESTABLISHED FROM THE RECORD PLAT OF LINCOLN HILLS ALLOTMENT No. 3, AS RECORDED IN PLAT BOOK 58, PG. 41 OF THE STARK COUNTY PLAT RECORDS; USING N 03°26'48" E FOR A PORTION OF THE WEST LINE OF LINCOLN HILLS ALLOTMENT No. 3 IN THE CITY OF MASSILLON, STARK COUNTY, OHIO.

LINE TABLE		
LINE	LENGTH	BEARING
L1	50.00	N04°23'49"E
L2	43.00	S86°48'12"E
L3	6.59	S03°17'20"W
L4	13.89	N52°36'32"E
L5	50.00	N05°36'36"E
L6	19.51	N03°17'20"E

AREA IN LOTS = 4.277 Acres
AREA IN STREETS = 0.995 Acres
TOTAL AREA IN ALLOTMENT = 5.272 Acres
TOTAL NUMBER OF LOTS = 17

CURVE TABLE						
CURVE	LENGTH	RADIUS	DELTA	TANGENT	CHORD	BEARING
C1	98.79	16108.32	0°21'5"	49.40	98.79	S85°25'39"E
C2	97.95	16133.23	0°20'52"	48.98	97.95	S85°25'45"E
C3	97.65	16083.32	0°20'52"	48.82	97.65	S85°25'45"E
C4	80.02	16133.32	0°17'3"	40.01	80.02	S85°27'40"E
C5	18.93	16133.32	0°4'2"	9.46	18.93	S85°17'07"E
C6	80.01	16083.32	0°17'6"	40.01	80.01	S85°33'21"E
C7	45.37	16083.32	0°9'42"	22.68	45.37	S85°19'57"E
C8	159.63	100.00	91°27'34"	102.58	143.21	S49°01'07"W
C9	119.72	75.00	91°27'34"	76.94	107.41	S49°01'07"W
C10	199.53	125.00	91°27'34"	128.23	179.01	S49°01'07"W
C11	35.17	125.00	16°7'22"	17.70	35.06	S87°08'32"W
C12	120.22	125.00	55°6'18"	65.22	115.64	S51°31'43"W
C13	45.13	125.00	20°41'14"	22.81	44.89	S13°37'57"W
C14	154.23	100.00	88°22'10"	97.19	139.39	S40°53'45"E
C15	115.68	75.00	88°22'10"	72.90	104.55	S40°53'45"E
C16	192.79	125.00	88°22'10"	121.49	174.24	S40°53'45"E
C17	98.15	125.00	40°24'13"	46.00	86.33	S16°54'46"E
C18	84.08	125.00	38°32'27"	43.70	82.51	S56°39'42"E
C19	19.96	125.00	9°8'55"	10.00	19.94	S80°30'23"E
C20	60.58	5024.20	0°41'27"	30.29	60.58	N84°44'07"W
C21	60.88	5049.20	0°41'27"	30.44	60.88	N84°44'07"W
C22	60.28	4999.20	0°41'27"	30.14	60.27	N84°44'07"W
C23	7.83	4999.20	0°5'23"	3.91	7.83	N84°20'42"W
C24	68.10	4999.20	0°46'50"	34.05	68.10	N84°41'26"W
C25	26.74	16083.32	0°5'43"	13.37	26.74	S85°39'02"E



PROJ. #	00131
DESCRIPTION	
DATE	
BY	
REVISIONS	
DWN BY	RLW CHK'D BY: RRD

RECORD PLAT

99 50 03

LINCOLN HILLS No. 6B

INDEX OF SHEETS

ROADWAY DETAILS & ESTIMATED QUANTITIES . . 3

WASHINGTON ST. N.W. 4

CONSUMER OHIO WATER SERVICE DETAILS . . . 5

GENERAL NOTES

- CONTRACTOR SHALL CHECK DETAIL DRAWINGS FOR MINIMUM GRADE AND BACKFILL REQUIREMENTS.
- ALL COMBINATION CONCRETE CURB AND GUTTER TO BE MASSILLON STANDARD EXCEPT WHERE VARIATIONS ARE TO BE EXTENDED OR MET - SEE SPECIFICATION BOOK AND PLANS.
- EXCAVATION FOR COMBINATION CONCRETE CURB AND GUTTER SHALL BE INCLUDED IN THE COST PER LINEAL FOOT OF SAID CURB AND GUTTER.
- ALL COMBINATION CONCRETE CURB AND GUTTER TO BE CONSTRUCTED BEFORE EXCAVATION IS STARTED, WHEN EXCAVATION DOES NOT EXCEED 1'-0" IN DEPTH.
- ROADWAY EXCAVATION TO BE 2" TO 4" BELOW FINISHED GRADE OF STREET AT THE DISCRETION OF THE CITY ENGINEER.
- ALL CATCH BASINS AND MANHOLES TO BE ADJUSTED TO GRADE WHERE NECESSARY.
- ALL CONCRETE TO BE 1-2; 4-6 BAG MIX, 28 DAY - 3000 PSI COMPRESSIVE STRENGTH; MAX. SLUMP TO BE 4".
- CONTRACTOR SHALL PAY INSPECTOR(S) AT THE RATE OF TIME AND ONE HALF OF REGULAR RATE AFTER 4:30 P.M. MONDAY THRU FRIDAY, SATURDAYS ALL DAY AT TIME AND ONE HALF.
- ALL MATERIALS USED WILL BE NEW - NO SALVAGED MATERIAL WILL BE ACCEPTED EXCEPT CASTINGS.
- IF CONTRACTOR EXCAVATES DEEPER THAN NECESSARY FOR CURB AND GUTTER, CONTRACTOR WILL FURNISH ODOT 304 AGGREGATE AND TAMP BEFORE CURB AND GUTTER IS CONSTRUCTED.
- IF SUBGRADE IS UNSUITABLE, CONTRACTOR WILL EXCAVATE AND REPLACE SUCH MATERIAL WITH CRUSHED RUN GRAVEL, AT THE DISCRETION OF THE INSPECTOR OR CITY ENGINEER. THIS FILL TO BE PLACED IN 6" LAYERS OR LESS; SAID FILL TO BE COMPACTED TO 95% MAXIMUM LABORATORY DRY WEIGHT BEFORE ANY ADDITIONAL LAYERS ARE ADDED. CONTRACTOR WILL BE PAID FOR EXTRA GRAVEL AND EXCAVATION. THIS COMPACTION TO BE DONE BEFORE FORMS ARE PLACED.
- ALL EXTRA PAY ITEMS WILL HAVE THE APPROVAL OF THE BOARD OF CONTROL BEFORE EXTRA ITEMS ARE INSTALLED.
- CONTRACTOR TO BACKFILL CURB IMMEDIATELY AFTER CURB HAS BEEN IN PLACE FOR 48 HOURS.
- CONTRACTOR WILL NOTIFY COOPER & ASSOCIATES WHEN HE IS IN NEED OF CONSTRUCTION STAKES AND THIS OFFICE WILL COMPLY WITHIN A PERIOD OF 48 HOURS.
- CIRCLE CURB WHEN RADIUS IS 175 FT. OR LESS.
- ALL STORM SEWER PIPES WITHIN PAVEMENT LIMITS OR WITHIN 5' OF B/C LINE SHALL BE REINFORCED CONCRETE PIPE (ODOT 706.02) (* SEE BELOW) AND SHALL BE TYPE 'B' CONDUIT WITH GRANULAR BACKFILL TO WITHIN 1' OF FINISH GRADE IN ACCORDANCE WITH ODOT 603 CLASS B BEDDING AND GRANULAR BACKFILL; ALL STORM SEWERS NOT WITHIN 5' OF B/C SHALL BE SMOOTH LINED CORRUGATED POLYETHYLENE (ODOT 944) OR REINFORCED CONCRETE PIPE (ODOT 706.02) AND SHALL BE TYPE 'C' CONDUIT IN ACCORDANCE WITH ODOT 603 WITH CLASS B BEDDING AND SUITABLE SOIL BACKFILL.
* OR SMOOTH LINED CORRUGATED POLYETHYLENE(ODOT 944)
- STORM SEWER LATERALS SHALL BE PROVIDED TO EACH LOT. LATERALS SHALL BE 6" PVC(SDR 21) PIPE (UNLESS OTHERWISE NOTED ON THE PLANS) AND SHALL BE DIRECTLY CONNECTED TO THE STORM SEWER WITH APPROVED TEE OR SADDLE CONNECTION. HEADERS SHALL EXTEND 10' INTO THE LOT OR BEYOND FURTHEST UTILITY LINE - WHICHEVER IS GREATER.
- CONTRACTOR SHALL NOTIFY ALL UTILITY COMPANIES BEFORE ANY WORK IS BEGUN. THE CITY OF MASSILLON IS NOT RESPONSIBLE FOR ANY LOST TIME DUE TO UTILITY RELOCATION.
- MANHOLES AND CATCH BASINS SHALL BE CONSTRUCTED IN CONFORMANCE WITH MASSILLON CITY STANDARDS (FILE NO. S81) AVAILABLE FROM THE CITY ENGINEER.
- CONTRACTOR SHALL CONTACT CITY OF MASSILLON ENGINEERING DEPT. AT 330-830-1722 AT LEAST 3 DAYS PRIOR TO THE INITIATION OF CONSTRUCTION TO SCHEDULE A PRE-CONSTRUCTION MEETING.
- STREET LIGHTING IS REQUIRED. DEVELOPER SHALL CO-ORDINATE WITH ELECTRIC UTILITY COMPANY FOR POLE LOCATION AND TYPE.
THE CITY SHALL INSTALL, AT THE DEVELOPER'S COST, STREET SIGNS REPRESENTING THE NAMES OF ALL STREETS AT ALL INTERSECTIONS. DEVELOPER ALSO RESPONSIBLE FOR STOP SIGNS AND DIRECTIONAL SIGNS AS NECESSARY. ALL SIGNS SHALL CONFORM WITH CITY OF MASSILLON REGULATIONS.
- CONTRACTOR SHALL NOTIFY CITY ENGINEER'S OFFICE (830-1722) FOR APPROVAL (PROOF-ROLLING) OF SUBGRADE AT LEAST 24 HOURS PRIOR TO ANY PAVING.

WATERLINE NOTES

ALL WATERLINES AND APPURTENANCES SHALL BE CONSTRUCTED ACCORDING TO CONSUMERS OHIO WATER COMPANY SPECIFICATIONS AND DETAILS IN EFFECT AT THE TIME OF CONSTRUCTION.

THE CONTRACTOR SHALL BE RESPONSIBLE FOR CONSTRUCTION OF ALL WATER MAINS. CONSUMERS OHIO WATER COMPANY WILL BE RESPONSIBLE FOR CONSTRUCTION OF ALL WATER SERVICE CONNECTIONS FROM 8" WATER MAINS.

WATER MAIN MATERIALS SHALL CONFORM TO AWWA C151 FOR DUCTILE CAST IRON PIPE.

WATER MAINS SHALL BE INSTALLED AND PRESSURE TESTED IN ACCORDANCE WITH AWWA C600.


WATER MAINS SHALL BE DISINFECTED IN ACCORDANCE WITH AWWA C651.

APPROVED BY CONSUMERS OHIO WATER COMPANY
THIS _____ DAY OF _____, 200__.

DONALD L. SNYDER, COWC


NOTE: CONTRACTOR MUST CONSTRUCT ALL WATER LINES AND WATER SERVICE LINES SUCH THAT A MINIMUM OF 18" VERTICAL CLEARANCE BETWEEN SANITARY SEWER AND A MINIMUM OF 12" VERTICAL CLEARANCE BETWEEN STORM SEWER IS MAINTAINED.

50' R/W TYPICAL HALF SECTION




- ITEM 404 1 1/2" ASPHALT CONCRETE SURFACE
- ITEM 301 3" BITUMINOUS AGGREGATE BASE
- ITEM 304 6" AGGREGATE BASE (2-3" COURSES)
- ITEM 203 COMPACTED SUBGRADE
- ITEM 408 BITUMINOUS PRIME COAT
- ITEM 609 MASSILLON STANDARD CURB AND GUTTER (ODOT TYPE 2)
- ITEM 659 SEEDING AND MULCHING

MASSILLON STANDARD CURB AND GUTTER DETAIL (ODOT TYPE 2)



SANITARY SEWER NOTES

- ALL SANITARY SEWERS AND APPURTENANCES SHALL BE CONSTRUCTED ACCORDING TO MASSILLON CITY ENGINEERING DEPARTMENT SPECIFICATIONS IN EFFECT AT THE TIME OF CONSTRUCTION.
- ROOF DRAINS, FOUNDATION DRAINS AND OTHER CLEAN WATER CONNECTIONS TO THE SANITARY SEWER ARE PROHIBITED.
- FIRST FLOOR ELEVATION FOR BUILDING AT THE BUILDING SETBACK LINE SHALL BE A MINIMUM OF 6" ABOVE STREET CENTERLINE GRADE.
- MINIMUM COVER OVER ALL SANITARY SEWER MUST BE 3.0 FEET.
- ALL SANITARY SEWERS, 8" DIAMETER AND LARGER, MUST PASS INTERNAL TELEVISION INSPECTION. THE CONTRACTOR SHALL PROVIDE COMPLETE INTERNAL INSPECTION VIDEOTAPE TO THE MASSILLON SANITARY ENGINEERING DEPARTMENT. THE VIDEOTAPE PROCEDURE MUST BE IN ACCORDANCE WITH STARK COUNTY SANITARY ENGINEERING DEPARTMENT SPECIFICATIONS.
- PRIOR TO THE START OF CONSTRUCTION, THE CONTRACTOR SHALL CONTACT THE CITY OF MASSILLON ENGINEERING DEPT., (330-830-1722) TO SCHEDULE A PRE-CONSTRUCTION MEETING. A MINIMUM OF 3 DAYS NOTICE IS REQUIRED TO SCHEDULE THIS MEETING.
- SANITARY SEWER MAY BE ANY OF THE FOLLOWING MATERIALS, HOWEVER THE COMPLETE SYSTEM MUST BE UNIFORM IN PIPE MATERIAL:
A. V.C.P. EXTRA STRENGTH A.S.T.M. C-700 WITH COMPRESSION TYPE JOINTS IN CONFORMANCE WITH A.S.T.M. C-425.
B. A.B.S. COMPOSITE PIPE A.S.T.M. D-2680 WITH CHEMICALLY WELDED PREMIUM JOINTS ASTM D-2680.
C. P.V.C. PIPE A.S.T.M. D-3034 S.D.R. 35 MAXIMUM WITH GASKETED PREMIUM JOINTS ASTM D-3212. BEDDING PER ASTM-2321.
- A BULKHEAD SHALL BE CONSTRUCTED IN THE EXISTING MANHOLE AT THE ENTRANCE OF THE PROPOSED SEWER PIPE AND REMAIN IN PLACE UNTIL THE NEW SEWER LINE IS COMPLETE. TESTED AND APPROVED BY THE MASSILLON CITY ENGINEER, AT WHICH TIME THE BULKHEAD SHALL BE REMOVED.
- LEAKAGE LIMIT TEST TO BE 100 GAL/IN/MI/DAY.
- MANHOLE AND TRENCHES SHALL BE PER MASSILLON DETAILS DRAWINGS.
- SANITARY SERVICE LATERALS SHALL EXTEND INTO THE LOT 10' BEYOND R/W OR BEYOND FURTHEST UTILITY LINE - WHICHEVER IS GREATER.
- DEFLECTION TESTING IN ACCORDANCE WITH ASTM D-3034 SHALL BE PERFORMED ON ALL FLEXIBLE PIPE AT LEAST 30 DAYS AFTER BACKFILLING OF PIPE. MAXIMUM PIPE DEFLECTION IS 5%.



APPROVED BY THE MASSILLON CITY ENGINEER

THIS 13th DAY OF Sept., 2008

JAMES J. BAKER
MASSILLON CITY ENGINEER



COOPER & ASSOCIATES, LLP
ENGINEERS & SURVEYORS

1359 MARKET
AVENUE NORTH
CANTON, OHIO
44714

PHONE 330 452-5731
FAX 330 452-9110

BRYAN J. ASHMEN

JEROLD E. GEIB

LINCOLN HILLS No.6B

FOR: EARL GLICK

ROADWAY DETAILS AND ESTIMATED QUANTITIES

SURVEYED	PLATTED	FIELD BOOK	DATE	PROJ. #
				00131

99 SD 03

H:\Land Projects\12\198167\100_wash.dwg Wed Sep 13 10:02:39 2000

