






REF. No.	STATION	TO	FROM	SIDE	STRUCTURE	PIPE	CONDUIT	TYPE	DIAMETER	LENGTH	REMARKS
CB-2	47+11.97	47+50	47+50	LT	1	1	1	60"	TYPE B	159	
CB-3	47+50	47+50	47+50	RT	1	1	1	60"	TYPE B	159	
CB-4	47+50.03	47+54.92	47+54.92	RT	1	1	1	60"	TYPE B	159	
CB-5	47+54.92	47+57.09	47+57.09	RT	1	1	1	60"	TYPE B	159	
CB-6	47+57.09	47+59.25	47+59.25	RT	1	1	1	60"	TYPE B	159	
CB-7	47+59.25	47+61.41	47+61.41	RT	1	1	1	60"	TYPE B	159	
CB-8	47+61.41	47+63.58	47+63.58	RT	1	1	1	60"	TYPE B	159	
CB-9	47+63.58	47+65.75	47+65.75	RT	1	1	1	60"	TYPE B	159	
CB-10	47+65.75	47+67.92	47+67.92	RT	1	1	1	60"	TYPE B	159	
CB-11	47+67.92	47+70.09	47+70.09	RT	1	1	1	60"	TYPE B	159	
CB-12	47+70.09	47+72.25	47+72.25	RT	1	1	1	60"	TYPE B	159	
CB-13	47+72.25	47+74.42	47+74.42	RT	1	1	1	60"	TYPE B	159	
CB-14	47+74.42	47+76.59	47+76.59	RT	1	1	1	60"	TYPE B	159	
CB-15	47+76.59	47+78.75	47+78.75	RT	1	1	1	60"	TYPE B	159	
CB-16	47+78.75	47+80.92	47+80.92	RT	1	1	1	60"	TYPE B	159	
CB-17	47+80.92	47+83.09	47+83.09	RT	1	1	1	60"	TYPE B	159	
CB-18	47+83.09	47+85.25	47+85.25	RT	1	1	1	60"	TYPE B	159	
CB-19	47+85.25	47+87.42	47+87.42	RT	1	1	1	60"	TYPE B	159	
CB-20	47+87.42	47+89.59	47+89.59	RT	1	1	1	60"	TYPE B	159	
CB-21	47+89.59	47+91.75	47+91.75	RT	1	1	1	60"	TYPE B	159	
CB-22	47+91.75	47+93.92	47+93.92	RT	1	1	1	60"	TYPE B	159	
CB-23	47+93.92	47+96.09	47+96.09	RT	1	1	1	60"	TYPE B	159	
CB-24	47+96.09	47+98.25	47+98.25	RT	1	1	1	60"	TYPE B	159	
CB-25	47+98.25	47+100.42	47+100.42	RT	1	1	1	60"	TYPE B	159	
CB-26	47+100.42	47+102.59	47+102.59	RT	1	1	1	60"	TYPE B	159	
CB-27	47+102.59	47+104.75	47+104.75	RT	1	1	1	60"	TYPE B	159	
CB-28	47+104.75	47+106.92	47+106.92	RT	1	1	1	60"	TYPE B	159	
CB-29	47+106.92	47+109.09	47+109.09	RT	1	1	1	60"	TYPE B	159	
CB-30	47+109.09	47+111.25	47+111.25	RT	1	1	1	60"	TYPE B	159	
CB-31	47+111.25	47+113.42	47+113.42	RT	1	1	1	60"	TYPE B	159	
CB-32	47+113.42	47+115.59	47+115.59	RT	1	1	1	60"	TYPE B	159	
CB-33	47+115.59	47+117.75	47+117.75	RT	1	1	1	60"	TYPE B	159	
CB-34	47+117.75	47+119.92	47+119.92	RT	1	1	1	60"	TYPE B	159	
CB-35	47+119.92	47+122.09	47+122.09	RT	1	1	1	60"	TYPE B	159	
CB-36	47+122.09	47+124.25	47+124.25	RT	1	1	1	60"	TYPE B	159	
CB-37	47+124.25	47+126.42	47+126.42	RT	1	1	1	60"	TYPE B	159	
CB-38	47+126.42	47+128.59	47+128.59	RT	1	1	1	60"	TYPE B	159	
CB-39	47+128.59	47+130.75	47+130.75	RT	1	1	1	60"	TYPE B	159	
CB-40	47+130.75	47+132.92	47+132.92	RT	1	1	1	60"	TYPE B	159	
CB-41	47+132.92	47+135.09	47+135.09	RT	1	1	1	60"	TYPE B	159	
CB-42	47+135.09	47+137.25	47+137.25	RT	1	1	1	60"	TYPE B	159	
CB-43	47+137.25	47+139.42	47+139.42	RT	1	1	1	60"	TYPE B	159	
CB-44	47+139.42	47+141.59	47+141.59	RT	1	1	1	60"	TYPE B	159	
CB-45	47+141.59	47+143.75	47+143.75	RT	1	1	1	60"	TYPE B	159	
CB-46	47+143.75	47+145.92	47+145.92	RT	1	1	1	60"	TYPE B	159	
CB-47	47+145.92	47+148.09	47+148.09	RT	1	1	1	60"	TYPE B	159	
CB-48	47+148.09	47+150.25	47+150.25	RT	1	1	1	60"	TYPE B	159	
CB-49	47+150.25	47+152.42	47+152.42	RT	1	1	1	60"	TYPE B	159	
CB-50	47+152.42	47+154.59	47+154.59	RT	1	1	1	60"	TYPE B	159	
CB-51	47+154.59	47+156.75	47+156.75	RT	1	1	1	60"	TYPE B	159	
CB-52	47+156.75	47+158.92	47+158.92	RT	1	1	1	60"	TYPE B	159	
CB-53	47+158.92	47+161.09	47+161.09	RT	1	1	1	60"	TYPE B	159	
CB-54	47+161.09	47+163.25	47+163.25	RT	1	1	1	60"	TYPE B	159	
CB-55	47+163.25	47+165.42	47+165.42	RT	1	1	1	60"	TYPE B	159	
CB-56	47+165.42	47+167.59	47+167.59	RT	1	1	1	60"	TYPE B	159	
CB-57	47+167.59	47+169.75	47+169.75	RT	1	1	1	60"	TYPE B	159	
CB-58	47+169.75	47+171.92	47+171.92	RT	1	1	1	60"	TYPE B	159	
CB-59	47+171.92	47+174.09	47+174.09	RT	1	1	1	60"	TYPE B	159	
CB-60	47+174.09	47+176.25	47+176.25	RT	1	1	1	60"	TYPE B	159	
CB-61	47+176.25	47+178.42	47+178.42	RT	1	1	1	60"	TYPE B	159	
CB-62	47+178.42	47+180.59	47+180.59	RT	1	1	1	60"	TYPE B	159	
CB-63	47+180.59	47+182.75	47+182.75	RT	1	1	1	60"	TYPE B	159	
CB-64	47+182.75	47+184.92	47+184.92	RT	1	1	1	60"	TYPE B	159	
CB-65	47+184.92	47+187.09	47+187.09	RT	1	1	1	60"	TYPE B	159	
CB-66	47+187.09	47+189.25	47+189.25	RT	1	1	1	60"	TYPE B	159	
CB-67	47+189.25	47+191.42	47+191.42	RT	1	1	1	60"	TYPE B	159	
CB-68	47+191.42	47+193.59	47+193.59	RT	1	1	1	60"	TYPE B	159	
CB-69	47+193.59	47+195.75	47+195.75	RT	1	1	1	60"	TYPE B	159	
CB-70	47+195.75	47+197.92	47+197.92	RT	1	1	1	60"	TYPE B	159	
CB-71	47+197.92	47+200.09	47+200.09	RT	1	1	1	60"	TYPE B	159	
CB-72	47+200.09	47+202.25	47+202.25	RT	1	1	1	60"	TYPE B	159	
CB-73	47+202.25	47+204.42	47+204.42	RT	1	1	1	60"	TYPE B	159	
CB-74	47+204.42	47+206.59	47+206.59	RT	1	1	1	60"	TYPE B	159	
CB-75	47+206.59	47+208.75	47+208.75	RT	1	1	1	60"	TYPE B	159	
CB-76	47+208.75	47+210.92	47+210.92	RT	1	1	1	60"	TYPE B	159	
CB-77	47+210.92	47+213.09	47+213.09	RT	1	1	1	60"	TYPE B	159	
CB-78	47+213.09	47+215.25	47+215.25	RT	1	1	1	60"	TYPE B	159	
CB-79	47+215.25	47+217.42	47+217.42	RT	1	1	1	60"	TYPE B	159	
CB-80	47+217.42	47+219.59	47+219.59	RT	1	1	1	60"	TYPE B	159	
CB-81	47+219.59	47+221.75	47+221.75	RT	1	1	1	60"	TYPE B	159	
CB-82	47+221.75	47+223.92	47+223.92	RT	1	1	1	60"	TYPE B	159	
CB-83	47+223.92	47+226.09	47+226.09	RT	1	1	1	60"	TYPE B	159	
CB-84	47+226.09	47+228.25	47+228.25	RT	1	1	1	60"	TYPE B	159	
CB-85	47+228.25	47+230.42	47+230.42	RT	1	1	1	60"	TYPE B	159	
CB-86	47+230.42	47+232.59	47+232.59	RT	1	1	1	60"	TYPE B	159	
CB-87	47+232.59	47+234.75	47+234.75	RT	1	1	1	60"	TYPE B	159	
CB-88	47+234.75	47+236.92	47+236.92	RT	1	1	1	60"	TYPE B	159	
CB-89	47+236.92	47+239.09	47+239.09	RT	1	1	1	60"	TYPE B	159	
CB-90	47+239.09	47+241.25	47+241.25	RT	1	1	1	60"	TYPE B	159	
CB-91	47+241.25	47+243.42	47+243.42	RT	1	1	1	60"	TYPE B	159	
CB-92	47+243.42	47+245.59	47+245.59	RT	1	1	1	60"	TYPE B	159	
CB-93	47+245.59	47+247.75	47+247.75	RT	1	1	1	60"	TYPE B	159	
CB-94	47+247.75	47+249.92	47+249.92	RT	1	1	1	60"	TYPE B	159	
CB-95	47+249.92	47+252.09	47+252.09	RT	1	1	1	60"	TYPE B	159	
CB-96	47+252.09	47+254.25	47+254.25	RT	1	1	1	60"	TYPE B	159	
CB-97	47+254.25	47+256.42	47+256.42	RT	1	1	1	60"	TYPE B	159	
CB-98	47+256.42	47+258.59	47+258.59	RT	1	1	1	60"	TYPE B	159	
CB-99	47+258.59	47+260.75	47+260.75	RT	1	1	1	60"	TYPE B	159	
CB-100	47+260.75	47+262.92	47+262.92	RT	1	1	1	60"	TYPE B	159	
CB-101	47+262.92	47+265.09	47+265.09	RT	1	1	1	60"	TYPE B	159	
CB-102	47+265.09	47+267.25	47+267.25	RT	1	1	1	60"	TYPE B	159	
CB-103	47+267.25	47+269.42	47+269.42	RT	1	1	1	60"	TYPE B	159	
CB-104	47+269.42	47+271.59	47+271.59	RT	1	1	1	60"	TYPE B	159	
CB-105	47+271.59	47+273.75	47+273.75	RT	1	1	1	60"	TYPE B	159	
CB-106	47+273.75	47+275.92	47+275.92	RT	1	1	1	60"	TYPE B	159	
CB-107	47+275.92	47+278.09	47+278.09	RT	1	1	1	60"	TYPE B	159	
CB-108	47+278.09	47+280.25	47+280.25	RT	1	1	1	60"	TYPE B	159	
CB-109	47+280.25	47+282.42	47+282.42	RT	1	1	1	60"	TYPE B	159	
CB-110	47+282.42	47+284.59	47+284.59	RT	1	1	1	60"	TYPE B	159	
CB-111	47+284.59	47+286.75	47+286.75	RT	1	1	1	60"	TYPE B	159	
CB-112	47+286.75	47+288.92	47+288.92	RT	1	1	1	60"	TYPE B	159	
CB-113	47+288.92	47+291.09	47+291.09	RT	1	1	1	60"	TYPE B	159	
CB-114	47+291.09	47+293.25	47+293.25	RT	1	1	1	60"	TYPE B	159	
CB-115	47+293.25	47+295.42	47+295.42	RT	1	1	1	60"	TYPE B	159	
CB-116	47+295.42	47+297.59	47+297.59	RT	1	1	1	60"	TYPE B	159	
CB-117	47+297.59	47+299.75									

[illegible]







HORIZONTAL
SCALE IN FEET

CHECKED BY: **KAD**

DATE: **JAN., 2014**

DRAWN BY: **FPW**

DATE: **JAN., 2014**

REVISES:	DESCRIPTION
DATE	

Hankins Rd Rehabilitation

Hankins Rd Plan and Profile Sta. 54+00 to Sta 57+50

City of Massillon
Stark County, Ohio

Kathy Catazaro-Perry, Mayor

Massillon

City of *Champion*



DRAWING NAME:

XXXX.DWG

CITY NUMBER:

XXXX.DWG

14 / 47



REF. No.	SIDE	STATION	FROM	TO	STATION	DESCRIPTION	QUANTITY
R-11	RT	60+98	62+58		608	CURB	234
R-12	RT	63+14	64+50		604	CATCH BASIN TYPE: MASS-7030	1
CB-9	LT	62+40			604	CATCH BASIN TYPE: MASS-7030	2
CB-10	RT	62+40			603	12" CONDUIT TYPE B (HDPE)	215
CB-9	RT	62+40			603	GUARDRAIL REMOVED	303
CR-9	RT	62+40			603	12" CONDUIT TYPE B (HDPE)	215
CR-10	RT	62+40			603	12" CONDUIT TYPE B (HDPE)	215
CR-11	RT	62+40			603	12" CONDUIT TYPE B (HDPE)	215
CR-12	LT	62+40			603	12" CONDUIT TYPE B (HDPE)	215
DP-16	RT/LT	62+40			603	12" CONDUIT TYPE B (HDPE)	215
DP-17	RT	62+40			603	12" CONDUIT TYPE B (HDPE)	215
TOTALS CARRIED TO GENERAL SUMMARY							

VERTICAL SCALE: 1" = 10'

HORIZONTAL SCALE: 1" = 20'

CHECKED BY: KAD

DATE: March, 2014

DRAWN BY: FPW

DATE: March, 2014

REVISIONS:

DATE	DESCRIPTION

Hankins Rd Rehabilitation

Hankins Rd NE Plan and Profile Sta. 61+00 To Sta. 64+50

City of Massillon

Stark County, Ohio

Kathy Czazaro-Perry, Mayor


Massillon

City of Champions


DRAWING NAME: XXXX.DWG

CITY NUMBER: XXXX.DWG

16 / 47



Hankins Rd Rehabilitation
Plan and Profile Sta 64+50 To Sta. 68+00
City of Massillon
Stark County, Ohio





VERTICAL SCALE





HORIZONTAL SCALE IN FEET

CHECKED BY:		KAD
DATE:		MAR., 2014
DRAWN BY:		FPW
DATE:		MAR., 2014

REVISIONS:	
DATE	DESCRIPTION

Hankins Rd Rehabilitation

Plan and Profile Sta. 68+00 To Sta. 71+50



City of Massillon
Stark County, Ohio

Kathy Canzano-Perry, Mayor

Massillon

City of Champions

DRAWING NAME:	Hankinspp6.DWG
CITY NUMBER:	09s107
18 47	



0 10 20

HORIZONTAL SCALE IN FEET

0 10 20

VERTICAL SCALE IN FEET

CHECKED BY: KAD

DATE: March, 2014

DRAWN BY: FPW

DATE: March, 2014

REVISIONS:

DATE	DESCRIPTION

Hankins Rd Rehabilitation

Hankins Rd NE Plan and Profile Sta. 71+50 to Sta. 76+25

City of Massillon
Stark County, Ohio

Kathy Chazaro-Perry, Mayor

Massillon

City of Champions

DRAWING NAME: Hankins99.DWG

CITY NUMBER: 091107

19 / 47