

SECOND FLOOR REFLECTED CEILING PLAN - UNIT A

SCALE: 1/8" = 1'-0"

CEILING PLAN LEGEND

CEILING TYPES	
	2'x4' LAY-IN ACOUSTICAL CEILING TILE
	2'x2' LAY-IN ACOUSTICAL CEILING TILE
	GYPSUM BOARD CEILING OR SOFFIT
	LAY-IN ACOUSTICAL CEILING TILE WITH BAT INSULATION ABOVE
	EXPOSED STRUCTURE
	CEILING HEIGHT
	CUBICLE TRACK AND CURTAIN

ELECTRICAL FIXTURES	
	2'x4' FLUORESCENT LIGHT FIXTURE
	2'x2' FLUORESCENT LIGHT FIXTURE
	RECESSED DOWNLIGHT
	LINEAR LIGHT FIXTURE

HVAC FIXTURES	
	SUPPLY AIR DIFFUSER
	SUPPLY AIR DIFFUSER
	RETURN AIR GRILLE
	EXHAUST GRILLE


NOTATIONS	
PT	NO CEILING- EXPOSED
AS	ASSEMBLY SPEAKER
CS	CENTRAL PAGING SPEAKER
GPS	GYMNASIA SPEAKER
HS	HEARING ASSIST SPEAKER
EXIT	EXIT SIGN
PROJ	PROJECTOR

1 HOUR RATED CONSTRUCTION

EXPANSION JOINT- LOCATION IS DIAGRAMMATIC. REFER TO DETAIL.

- NOTES:
- FOR CEILING HEIGHTS OF ROOMS, SEE ROOM FINISH SCHEDULE, SHEET A-601.
  - FOR WALL TYPES AND FIRE RATINGS OF WALLS, SEE UNIT FLOOR PLANS, SHEETS A-101-A.
  - LOCATE SPRINKLER HEADS IN CEILING TILES PER DETAIL.
  - ALL LIGHT FIXTURES SHALL BE HUNG AT FOUR POINTS INDEPENDENT OF THE CEILING GRID. PROVIDE NITROGEN ANGLES, ETC. FOR SUPPORT OF LIGHT FIXTURES. SEE SPECIFICATIONS.
  - TYPICAL STARTING POINT FOR CEILING GRIDS SHALL BE THE CENTER OF THE SPACE (U.N.O.) REQUIRED CEILING CONTROL RATINGS: CLASSROOMS, WORKROOMS, STORAGE ROOMS, READING ROOMS, CIRCULATION, ART ROOM, MODULAR TECHNOLOGY LAB, STUDENT DINING, MUSIC ROOMS, RESTROOMS, LOCKER ROOMS, MECHANICAL ELECTRICAL SPACES = MINIMUM ACC 35, RC 0.70.
  - ALL EXPOSED STRUCTURE, DUCTS, DECK, PIPE, AND CONDUITS TO BE PAINTED PER THE ROOM FINISH SCHEDULE (A-601).
  - EXPOSED WIRING IS NOT PERMITTED IN EXPOSED CEILING SPACES EXCEPT WIRING IN CABLE TRAYS.
  - CONTRACTORS TO COORDINATE ALL CONDUIT, PIPING, STRUCTURAL AND HVAC WORK WITH SOUND Baffles IN ALL EXPOSED AREAS.
  - FIELD VERIFY LOCATION OF ACOUSTICAL CEILING Baffles WITH ARCHITECT.
  - PROVIDE AND INSTALL UL DESIGN NO. 9907 AT VAULT C-101K.

CEILING KEYNOTES	
1	6" HIGH EXTRUDED ALUMINUM EDGE TRIM SEE SHEET A-541 FOR DETAILS
2	ACUTE DUNE PANEL SEE SHEET A-541 FOR DETAILS
3	USG COLOR TRIMESTER, 9" x 4" FROM FINISH FLOOR SEE SHEET A-541 FOR DETAILS
4	LIGHT FIXTURE AT 9'-4" FROM FINISH FLOOR SEE ELECTRICAL FOR DETAILS
5	LIGHT FIXTURE AT 14'-0" FROM FINISH FLOOR SEE ELECTRICAL FOR DETAILS
6	LIGHT FIXTURE AT 9'-8" FROM FINISH FLOOR SEE ELECTRICAL FOR DETAILS
7	LIGHT FIXTURE AT 12'-0" FROM FINISH FLOOR SEE ELECTRICAL FOR DETAILS
8	1" POLYESTER CLOUD PANELS, 4" FROM DECK SEE SHEET A-541 FOR DETAILS
9	EXPOSED CEILING
10	360° PAINTED GRID
11	PENDANT LIGHT SUSPENDED FROM BOTTOM OF GRID. SEE ELECTRICAL FOR DETAILS
12	PENDANT LIGHT SUSPENDED FROM BOTTOM OF GRID AT 9'-0" FROM FINISH FLOOR. SEE ELECTRICAL FOR DETAILS



PROJECT NO  
2203-2

ARCHITECTURAL VISION GROUP, LTD  
PLANNERS  
ARCHITECTS  
23850 SPERRY DRIVE  
CLEVELAND, OHIO 44145

PROFESSIONAL SEAL  
SYED S. SYED  
1975  
SYED S. SYED  
1975  
EXPIRATION DATE 12/31/2025

CONSULTANT:  
MASSILLON CITY SCHOOLS  
MASSILLON EAST ELEMENTARY PK-3  
1 PAULE BROWN DRIVE SE, MASSILLON, OHIO 44646  
MASSILLON CITY SCHOOL DISTRICT MASSILLON, OHIO

PROJECT NO 2203-2  
DRAWN BY  
CHECKED BY  
DATE

SECOND FLOOR REFLECTED CEILING PLAN - UNIT A  
SCALE: As Indicated  
SHEET NO  
A-122-A