




**FLOORING LEGEND ALT 1**

	RUB-1	RUBBER TILE
	RUB-2	RUBBER TILE
	RUB-3	RUBBER TILE
	RUB-4	RUBBER TILE
	RUB-5	RUBBER TILE
	RUB-6	RUBBER TILE
	RUB-7	RUBBER TILE
	RUB-8	RUBBER TILE
	RUB-9	RUBBER TILE
	RUB-10	RUBBER TILE

**FLOORING LEGEND**

	LVT-1	LUXURY VINYL TILE
	LVT-2	LUXURY VINYL TILE
	LVT-3	LUXURY VINYL TILE
	LVT-4	LUXURY VINYL TILE
	LVT-5	LUXURY VINYL TILE
	LVT-6	LUXURY VINYL TILE
	LVT-7	LUXURY VINYL TILE
	LVT-8	LUXURY VINYL TILE
	LVT-9	LUXURY VINYL TILE
	LVT-10	LUXURY VINYL TILE
	CPT-1	CARPET TILE
	CPT-2	CARPET TILE
	CPT-3	CARPET TILE
	CPT-4	CARPET TILE
	CPT-5	CARPET TILE
	CPT-6	CARPET TILE
	LIN-1	LINOLEUM
	LIN-2	LINOLEUM
	LIN-3	LINOLEUM
	LIN-4	LINOLEUM
	LIN-5	LINOLEUM
	LIN-6	LINOLEUM
	LIN-7	LINOLEUM
	LIN-8	LINOLEUM
	PFT-1	PORCELAIN FLOOR TILE
	CG	STAINLESS STEEL CORNER GUARD

- GENERAL FINISH NOTES**
1. ALL LVT MUST BE PROVIDED BY SAME MANUFACTURER TO KEEP A CONSISTENT MATERIAL PATTERN
  2. ALL LINOLEUM MUST BE PROVIDED BY SAME MANUFACTURER TO KEEP A CONSISTENT MATERIAL PATTERN
  3. SEE INTERIOR ELEVATIONS FOR ACCENT WALL LOCATIONS
  4. SEE RESTROOM PLANS AND ELEVATIONS FOR WALL TILE PATTERN
  5. SEE FINISH PLAN FOR FLOOR PATTERNS AND TRANSITION LOCATIONS
  6. ALL EXPOSED EDGES OF WALL TILE TO BE FINISHED WITH 1/4" TRIM. SEE A-452
  7. ALL PRODUCTS SHOWN ON MATERIAL SCHEDULE ARE SHOWN AS BASIS OF DESIGN, OTHER MANUFACTURERS THAT MEET SALENT REQUIREMENTS MAY BE SUBSTITUTED PENDING ARCHITECT APPROVAL
  8. SEE FINISH PLANS FOR SEALED CONCRETE CONTROL JOINTS
  9. LINOLEUM SEAMS SHALL BE NETT FIT SEAMS IN LIEU OF HEAT WELDED
  10. SHOWER CLEARANCE MUST BE 36" MINIMUM FROM FINISH FACE
  11. PLUMBING FIXTURES AND RESTROOM ACCESSORIES MUST MAINTAIN ACCESSIBILITY REQUIREMENTS FROM FINISH DIMENSIONS
  12. CONTRACTOR TO PROVIDE BLOCKING BEHIND STUD WALLS WHERE CASEWORK, SHELVING, TECHNOLOGY, RESTROOM ACCESSORIES, ETC. IS MOUNTED
  13. WOOD DOOR COLOR TO BE SELECTED BY ARCHITECT FROM MANUFACTURER'S FULL RANGE OF COLORS DURING SHOP DRAWING PHASE
  14. HOLLOW METAL DOOR AND FRAME COLOR TO BE PFT-1 UNLESS NOTED OTHERWISE ON INTERIOR ELEVATIONS
  15. CORNER GUARDS INDICATED ON FINISH PLAN AS 'CG'
  16. ALL FLOOR CONTROL JOINTS AS INDICATED ON FINISH PLAN ARE TO BE 1/4 DEPTH OF SLAB THICKNESS. IF JOINT IS GREATER THAN 1/2" DEEP, FILL WITH FOAM BACKER ROD 1/8" WIDER THAN JOINT. FILL ALL JOINTS WITH 100% SOLIDS EPOXY FILLER COLOR MATCHED TO CONCRETE
  17. CONTRACTOR TO PROVIDE WALK OFF MATS AT ALL BUILDING ENTRANCES
  18. SEE A-451 FOR FINISH SCHEDULE
  19. SEE INTERIOR ELEVATIONS FOR GYPSUM CONTROL JOINT LOCATIONS. SEE A-452 FOR DETAIL
  20. CONTINUE FINISH FLOOR UNDER OPEN CASEWORK, TYP.
  21. SEE A-452 FOR DETAILS REGARDING THE FLOORING MATERIAL



**FIRST FLOOR FINISH PLAN**  
SCALE: 1/16" = 1'-0"  
0' 8' 16' 32'

PROJECT NO  
**2203-2**

**ARCHITECTURAL VISION GROUP, LTD**  
ARCHITECTS & PLANNERS  
23850 SPERRY DRIVE CLEVELAND, OHIO 44145

PROFESSIONAL SEAL  
SEAL NO. 01010  
SYD S. ARBAC  
1976  
EXPIRATION DATE 12/31/2025

CONSULTANT

MASSILLON CITY SCHOOLS  
**MASSILLON EAST ELEMENTARY PK-3**  
1 PAULE BROWN DRIVE SE, MASSILLON, OHIO 44646  
MASSILLON CITY SCHOOL DISTRICT MASSILLON, OHIO

NO.	DATE	DESCRIPTION

PROJECT NO 2203-2  
DRAWN BY Author  
CHECKED BY Checker  
DATE

**COMPOSITE FIRST FLOOR FINISH PLAN**

SCALE: As Indicated  
SHEET NO  
**A-940**