



CODED NOTES: SANITARY

1 1/2" CW AND HW LINE FROM BELOW FOR CONNECTION TO FUTURE. SEE SHEET P201-C FOR CONT.

2" CW LINE FROM BELOW UP INTO CHASE AND HEADER FULL SIZE FOR CONNECTION TO FIXTURES WITH J.R. SMITH 5020 CW WATER HAMMER ARRESTER. ROUTE 1/2" CW LINE FROM CHASE TO EWC.

3 1 1/4" CW AND 1/2" HW LINE FROM BELOW UP INTO CHASE AND HEADER FULL SIZE FOR CONNECTION TO FIXTURES WITH J.R. SMITH 5005 CW AND HW WATER HAMMER ARRESTER.

4 EMERGENCY ROUTE (DRAIN LEADER THRU WALL ABOVE CEILING WITH J.R. SMITH (WATS) OR ZURN) NO. 1770 DOWNSPOUT NOZZLE.

5 6" RDL DOWN. SEE SHEET P201-C FOR CONT.

6 1/2" CW LINE FROM BELOW TO WALL BOX AND SHUT OFF VALVE AT 4'0" A.F.F. FOR CONNECTION TO REFRIGERATOR.

[illegible]

PROJECT NO	2203-2
DRAWN BY	ADO
CHECKED BY	CWH
DATE	

SECOND FLOOR
PLAN -
PLUMBING -
AREA - C

SCALE: 1/8" = 1'-0"

P202-C

