

CEILING PLAN LEGEND **CEILING TYPES** 2'X4' LAY-IN ACOUSTICAL CEILING 2'X2' LAY-IN ACOUSTICAL CEILING GYPSUM BOARD CEILING OR SOFFIT LAY-IN ACOUSTICAL CEILING TILE WITH BATT INSULATION EXPOSED STRUCTURE X' - X'' CEILING HEIGHT CUBICLE TRACK AND CURTAIN ELECTRICAL FIXTURES 2X4 FLUORESCENT LIGHT FIXTURE 2X2 FLUORESCENT LIGHT FIXTURE RECESSED DOWNLIGHT LINEAR LIGHT FIXTURE **HVAC FIXTURES** SUPPLY AIR DIFFUSER SUPPLY AIR DIFFUSER RETURN AIR GRILLE EXHAUST GRILLE NOTATIONS NO CEILING- EXPOSED STRUCTURE ASSEMBLY SPEAKER CENTRAL PAGING SPEAKER GYMNASIUM SPEAKER HEARING ASSIST SPEAKER PROJECTOR 1 HOUR RATED CONSTRUCTION EXPANSION JOINT- LOCATION IS DIAGRAMMATIC. REFER TO DETAIL FOR CEILING HEIGHTS OF ROOMS, SEE ROOM FINISH SCHEDULE, SHEET A-651. FOR WALL TYPES AN FIRE RATINGS OF WALLS, SEE UNIT FLOOR PLANS, SHEETS A-101-A, A-101-B, A-101-C, A-102-A, A-102-C. LOCATE SPRINKLER HEADS IN CEILING TILES PER ALL LIGHT FIXTURES SHALL BE HUNG AT FOUR POINTS INDEPENDENT OF THE CEILING GRID. PROVIDE UNISTRUTS, ANGLES, ETC. FOR SUPPORT OF LIGHT FIXTURES, SEE SPECIFICATIONS. TYPICAL STARTING POINT FOR CEILING GRIDS SHALL BE THE CENTER OF THE SPACE (U.N.O.) REQUIRED CEILING CONTROL RATINGS: CLASSROOMS, WORKROOM/STORAGE ROOMS, READING ROOM/CIRCULATION, ART ROOM, SCHOO ELE MODULAR TECHNOLOGY LAB, STUDENT DINING, MUSIC ROOMS, RESTROOMS, LOCKER ROOMS, MECHANICAL/ELECTRICAL SPACES = MINIMUM CAC 35, NRC 0.70 ALL EXPOSED STRUCTURE, DUCTS, DECK, PIPE AND CONDUITS TO BE PAINTED PER THE ROOM FINISH SCHEDULE (A-651) EXPOSED WIRING IS NOT PERMITED IN EXPOSED CEILING SPACES EXCEPT WIRING IN CABLE CONTRACTORS TO COORDINATE ALL CONDUIT, PIPING, STRUCTURAL, AND HVAC WORK WITH SOUND BAFFLES IN ALL EXPOSED AREAS. FIELD VERIFY LOCATION OF ACOUSTICAL CEILING BAFFLES WITH ARCHITECT. PROVIDE AND INSTALL UL DESIGN NO J907 AT VAULT A-126P INFILL PRECAST STRUCTURE ALL LIGHTS TO BE CENTERED ON LAY-IN CEILING TILES AND METAL PANELS UNLESS OTHERWISE DIMENSIONED. SSIL PROJECT NO 2203-1 DRAWN BY CHECKED BY DATE COMPOSITE FIRST FLOOR REFLECTED CEILING PLAN SCALE: As indicated SHEET NO A-121

PROJECT NO 2203-1

COMPOSITE REFELECTED CEILING PLAN - FIRST FLOOR

SCALE: 1/16" = 1'-0"