



FIRST FLOOR REFLECTED CEILING PLAN - UNIT B

SCALE: 1/8" = 1'-0"

CEILING PLAN LEGEND

- CEILING TYPES
- 2'x4' LAY-IN ACOUSTICAL CEILING TILE
 - 2'x2' LAY-IN ACOUSTICAL CEILING TILE
 - GYPSUM BOARD CEILING OR SOFFIT
 - LAY-IN ACOUSTICAL CEILING TILE WITH BATT INSULATION ABOVE
 - EXPOSED STRUCTURE
 - CEILING HEIGHT
 - CUBICLE TRACK AND CURTAIN

- ELECTRICAL FIXTURES
- 2'x4' FLUORESCENT LIGHT FIXTURE
 - 2'x2' FLUORESCENT LIGHT FIXTURE
 - RECESSED DOWNLIGHT
 - LINEAR LIGHT FIXTURE

- HVAC FIXTURES
- SUPPLY AIR DIFFUSER
 - SUPPLY AIR DIFFUSER
 - RETURN AIR GRILLE
 - EXHAUST GRILLE

- NOTATIONS
- O.T.S. NO CEILING-EXPOSED STRUCTURE
 - AS ASSEMBLY SPEAKER
 - CS CENTRAL PAGING SPEAKER
 - GS GYMNASIUM SPEAKER
 - HS HEARING ASSIST SPEAKER
 - EXIT SIGN
 - PROJ PROJECTOR

1 HOUR RATED CONSTRUCTION

- NOTES
- FOR CEILING HEIGHTS OF ROOMS, SEE ROOM FINISH SCHEDULE. SHEET A-651
 - FOR WALL TYPES AND FIRE RATINGS OF WALLS, SEE UNIT FLOOR PLANS, SHEETS A-101-A, A-101-B, A-101-C, A-102-A, A-102-B, A-102-C
 - LOCATE SPRINKLER HEADS IN CEILING TILES PER DETAIL.
 - ALL LIGHT FIXTURES SHALL BE HUNG AT FOUR POINTS INDEPENDENT OF THE CEILING GRID. PROVIDE UNISTRUTS, ANGLES, ETC. FOR SUPPORT OF LIGHT FIXTURES. SEE SPECIFICATIONS.
 - TYPICAL STARTING POINT FOR CEILING GRIDS SHALL BE THE CENTER OF THE SPACE (U.N.D.)
 - REQUIRED CEILING CONTROL RATINGS: CLASSROOMS, WORKROOM/STORAGE ROOMS, READING ROOM/CIRCULATION, ART ROOM, MODULAR TECHNOLOGY LAB, STUDENT DINING, MUSIC ROOMS, RESTROOMS, LOCKER ROOMS, MECHANICAL/ELECTRICAL SPACES = MINIMUM CAC 35, NRC 0.70
 - ALL EXPOSED STRUCTURE, DUCTS, DECK, PIPE, AND CONDUITS TO BE PAINTED PER THE ROOM FINISH SCHEDULE (A-651).
 - EXPOSED WIRING IS NOT PERMITTED IN EXPOSED CEILING SPACES EXCEPT WIRING IN CABLE TRAYS.
 - CONTRACTORS TO COORDINATE ALL CONDUIT, PIPING, STRUCTURAL, AND HVAC WORK WITH SOUND Baffles IN ALL EXPOSED AREAS. FIELD VERIFY LOCATION OF ACOUSTICAL CEILING Baffles WITH ARCHITECT.
 - PROVIDE AND INSTALL U.L. DESIGN NO. J907 AT VAULT A-126P
 - INFILL PRECAST STRUCTURE
 - ALL LIGHTS TO BE CENTERED ON LAY-IN CEILING TILES AND METAL PANELS UNLESS OTHERWISE DIMENSIONED.

- CEILING KEYNOTES
- 6" HIGH EXTRUDED ALUMINUM EDGE TRIM SEE SHEET A-541 FOR DETAILS
 - AUTEX DUNE PANEL SEE SHEET A-541 FOR DETAILS
 - USG COLORTX TRIMETRIX, 10'-0" FROM FINISH FLOOR SEE SHEET A-541 FOR DETAILS
 - LIGHT FIXTURE AT 9'-4" FROM FINISH FLOOR SEE ELECTRICAL FOR DETAILS
 - LIGHT FIXTURE AT 9'-8" FROM FINISH FLOOR SEE ELECTRICAL FOR DETAILS
 - LIGHT FIXTURE AT 14'-0" FROM FINISH FLOOR SEE ELECTRICAL FOR DETAILS
 - LIGHT FIXTURE AT 12'-0" FROM FINISH FLOOR SEE ELECTRICAL FOR DETAILS
 - 1" POLYESTER CLOUD PANELS, 4" FROM DECK SEE SHEET A-541 FOR DETAILS
 - EXPOSED CEILING
 - 360° PAINTED GRID
 - PENDANT LIGHT SUSPENDED FROM BOTTOM OF GRID SEE ELECTRICAL FOR DETAILS
 - LIGHT FIXTURE 10'-0" FROM FINISH FLOOR SEE ELECTRICAL FOR DETAILS

PROJECT NO
2203-1

ARCHITECTURAL VISION GROUP, LTD
PLANNERS
ARCHITECTS
23850 SPERRY DRIVE
CLEVELAND, OHIO 44145

PROFESSIONAL SEAL

SEAL OF THE STATE OF OHIO
JAMES L. VANDERKAM
REGISTERED PROFESSIONAL ARCHITECT
EXPIRATION DATE 12/31/2023

CONSULTANT:

MASSILLON CITY SCHOOL
MASSILLON WEST ELEMENTARY
PK-3
250 29TH STREET NW, MASSILLON, OHIO 44646
MASSILLON CITY SCHOOL DISTRICT MASSILLON, OHIO

PROJECT NO	2203-1
DRAWN BY	
CHECKED BY	
DATE	

7/23/23	100% SIF PERMIT SET	DESCRIPTION
JAV	DATE	ISSUES/AS

SCALE: As Indicated

SHEET NO
A-121-B

FIRST FLOOR REFLECTED CEILING PLAN - UNIT B