



KINDERGARTED & PRE-K ELA
ENLARGED REFLECTED CEILING PLAN
3/16" = 1'-0"

FIRST FLOOR REFLECTED CEILING
PLAN - UNIT C

SCALE: 1/8" = 1'-0"

CEILING PLAN LEGEND	
CEILING TYPES	
	2X4 LAY-IN ACOUSTICAL CEILING TILE
	2X2 LAY-IN ACOUSTICAL CEILING TILE
	GYPSUM BOARD CEILING OR SOFFIT
	LAY-IN ACOUSTICAL CEILING TILE WITH BATTS INSULATION ABOVE
	EXPOSED STRUCTURE
	CEILING HEIGHT
	CUBICLE TRACK AND CURTAIN
ELECTRICAL FIXTURES	
	2X4 FLUORESCENT LIGHT FIXTURE
	2X2 FLUORESCENT LIGHT FIXTURE
	RECESSED DOWNLIGHT
	LINEAR LIGHT FIXTURE
HVAC FIXTURES	
	SUPPLY AIR DIFFUSER
	SUPPLY AIR DIFFUSER
	RETURN AIR GRILLE
	EXHAUST GRILLE
NOTATIONS	
	NO CEILING- EXPOSED STRUCTURE
	ASSEMBLY SPEAKER
	CENTRAL PAGING SPEAKER
	GYMNASIUM SPEAKER
	HEARING ASSIST SPEAKER
	EXIT SIGN
	PROJECTOR
1 HOUR RATED CONSTRUCTION	
EXPANSION JOINT- LOCATION IS DIAGRAMMATIC. REFER TO DETAIL	
NOTES:	
1. FOR CEILING HEIGHTS OF ROOMS, SEE ROOM FINISH SCHEDULE, SHEET A-651.	
2. FOR WALL TYPES AND FIRE RATINGS OF WALLS, SEE UNIT FLOOR PLANS, SHEETS A-101-A, A-101-B, A-101-C, A-102-A, A-102-C.	
3. LOCATE SPRINKLER HEADS IN CEILING TILES PER DETAIL.	
4. ALL LIGHT FIXTURES SHALL BE HUNG AT FOUR POINTS INDEPENDENT OF THE CEILING GRID. PROVIDE UNISTRUTS, ANGLES, ETC. FOR SUPPORT OF LIGHT FIXTURES. SEE SPECIFICATIONS.	
5. TYPICAL STARTING POINT FOR CEILING GRIDS SHALL BE THE CENTER OF THE SPACE (U.N.O.). REQUIRED CEILING CONTROL BATHING, CLASSROOMS, WORKROOM/STORAGE ROOMS, READING ROOM/CIRCULATION, ART ROOM, MODULAR TECHNOLOGY LAB, STUDENT DINING, MUSIC ROOMS, RESTROOMS, LOCKER ROOMS, MECHANICAL/ELECTRICAL SPACES = MINIMUM CAC 35, NRC 0.70.	
6. ALL EXPOSED STRUCTURE, DUCTS, DECK, PIPE, AND CONDUITS TO BE PAINTED PER THE ROOM FINISH SCHEDULE (A-651).	
7. EXPOSED WIRING IS NOT PERMITTED IN EXPOSED CEILING SPACES EXCEPT WIRING IN CABLE TRAYS.	
8. CONTRACTORS TO COORDINATE ALL CONDUIT, PIPING, STRUCTURAL, AND HVAC WORK WITH SOUND Baffles IN ALL EXPOSED AREAS.	
9. FIELD VERIFY LOCATION OF ACOUSTICAL CEILING Baffles WITH ARCHITECT.	
10. PROVIDE AND INSTALL UL DESIGN NO. 3907 AT VAULT A-126P.	
11. INFILL PRECAST STRUCTURE.	
12. ALL LIGHTS TO BE CENTERED ON LAY-IN CEILING TILES AND METAL PANELS UNLESS OTHERWISE DIMENSIONED.	

CEILING KEYNOTES	
1	6" HIGH EXTRUDED ALUMINUM EDGE TRIM SEE SHEET A-541 FOR DETAILS
2	AUTEX DUNE PANEL SEE SHEET A-541 FOR DETAILS
3	USG COLORTX TRIMETRIX, 10'-0" FROM FINISH FLOOR SEE ELECTRICAL FOR DETAILS
4	LIGHT FIXTURE AT 8'-4" FROM FINISH FLOOR SEE ELECTRICAL FOR DETAILS
5	LIGHT FIXTURE AT 9'-8" FROM FINISH FLOOR SEE ELECTRICAL FOR DETAILS
6	LIGHT FIXTURE AT 14'-0" FROM FINISH FLOOR SEE ELECTRICAL FOR DETAILS
7	LIGHT FIXTURE AT 12'-0" FROM FINISH FLOOR SEE ELECTRICAL FOR DETAILS
8	1" POLYESTER CLOUD PANELS, 4" FROM DECK SEE SHEET A-541 FOR DETAILS
9	EXPOSED CEILING
10	360° PAINTED GRID
11	PENDANT LIGHT SUSPENDED FROM BOTTOM OF GRID SEE ELECTRICAL FOR DETAILS
12	LIGHT FIXTURE 10'-0" FROM FINISH FLOOR SEE ELECTRICAL FOR DETAILS

PROJECT NO
2203-1

ARCHITECTURAL VISION GROUP, LTD
PLANNERS
ARCHITECTS
23850 SPERRY DRIVE
CLEVELAND, OHIO 44145

PROFESSIONAL SEAL
STATE OF OHIO
SYED S. SYED
10376
EXPIRATION DATE 12/31/2023

CONSULTANT:

MASSILLON CITY SCHOOL
MASSILLON WEST ELEMENTARY
PK-3
250 29TH STREET NW, MASSILLON, OHIO 44646
MASSILLON CITY SCHOOL DISTRICT MASSILLON, OHIO

PROJECT NO	2203-1
DRAWN BY	
CHECKED BY	
DATE	

FIRST FLOOR
REFLECTED
CEILING PLAN -
UNIT C

SCALE: As Indicated
SHEET NO
A-121-C