SURVEY OF <u>PART</u> O MASSILLON, STARK, OHIO				
or John Maier				
ATE 10-30-63				
Y H. M. PIPER - REGISTERED ENGINEER	AND SURVEYO	R		
CALE: / = 60'				
N				
/			1	
			10.1	
1		585	1 pin.	
		100	0.0	
		<i>ul</i> 1.	ļu	
		00 0.27	AC ON	
	`	0/2	N (38	
	0.	₹	₹	
/ / nice				•
R.R. Sp. Ka	_	100.0 N 88°-1	5 W NI PIP	
290. 588° - 15° E 0.L.114	/0	<u> </u>		The second secon
2 0.4.114		8852	6	
0. C. 114			2	
X X			100 KOE	

Known as and being a part of Out Lot 107 in the City of Massillon, Ohio, according to the present numbering of lots in said City, said parcel being more fully described as follows:

Beginning at the Southwest corner of Out Lot 107; thence S 88° 15' E, 290,70 feet to an iron pin; thence N 5° 20' E, 12.0 feet to the true place of beginning of the parcel here-in described; thence N 88° 15' W a distance of 100.0 feet to a point; thence N 5° 20' E a distance of 118.0 feet to a point; thence S 18° 15' E a distance of 100.0 feet to an iron pin; thence S 5° 20' W a distance of 118.0 feet to the place of beginning containing 0.27 Acres.

X-32

or <i>Fronk Kirby</i>		8 Whipple Rd. N.W.	-
ATE 5-6-58			,
	SINEER AN	ND SURVEYOR	No
		1. Rin 1. Par 53.71	<u>,</u>
	20.0		
	3		
	>	0 N 8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
	K	27.2	
	F. S.		manunguran-litra manundu ma manundu ma manundu ma ma manundu ma manund
	A		
	621		
	1. Pin	53.71 1.Pin	
	**	PROPOSED 50" STREET	era e e e e e e e e e e e e e e e e e e
	d	PROPOSED 50 STREET	
	J-9284		A support fluid for the
	16 64		
	2.16.4		
	Dod. 7-16.		
	0	9823	
section	200	1. Pin	

Survey of Pt. O.L. 123

for Frank Kirby

Known as and being a Part of C.L. 123 in the City of Massillon, Ohio, according to the present numbering of Lots in said City and being more fully described as follows:

Beginning at an iron pin on the east line of 1hth St. N. W. a distance of 150.0 feet north of an iron pin at the Southwest corner of Lot No. 9823, said point being the true place of beginning of the parcel here-in conveyed; thence continuing northerly along the east line of 1hth St. N. W. a distance of 180.0 feet to an iron pin; thence easterly parallel to the south line of 0.L. 123 a distance of 53.71 feet to an iron pin; thence southerly parallel to the east line of 1hth St. N. W. a distance of 180.0 feet to an iron pin on the north line of a proposed 50 foot street; thence westerly along the north line of said proposed street being parallel to the south line of 0.L. 123 a distance of 53.71 feet to the place of beginning containing 0.22 acres.