

SURVEY OF PT. O.L. 27676

MASSILLON, STARK, OHIO

FOR RAYMOND LONG

DATE 10-17-64

BY H. M. PIPER - REGISTERED ENGINEER AND SURVEYOR & R. F. WAGNER SURVEYOR

SCALE: 1" = 30'

91.12
2.53
88.59


147.41
80
377.41

88.59
80
377.41

LOWELL ST. S.W.
40

377.41 TO SO. LINE OVERLOOK

15TH ST. S.W. 50'



Description Pt. O.L. 276

Massillon, Ohio

Known as and being a Pt. of OL 276 in the City of Massillon, Ohio,
and being more fully described as follows:

Beginning at an iron pin on the west line of 15th St. S. W. 100 feet
south of the north line of O.L. 276 said point being the true place of
beginning of the tract here-in conveyed; thence continuing southerly along
the west line of 15th St. S. W. 168.62 feet to the south line of O.L. 276;
thence westerly along the south line of O.L. 276 248.28 feet to an iron
pin; thence northerly parallel with the west line of 15th St. S. W.
168.62 feet to an iron pin; thence easterly parallel to the south line of
O.L. 276 248.28 feet to the place of beginning containing 0.96 acres.

SURVEY OF PT. O. L. 276


MASSILLON, STARK, OHIO

FOR Harry Giltz

DATE 1-23-53

BY H. M. PIPER - REGISTERED ENGINEER AND SURVEYOR

SCALE: 1" = 30 FT.



15TH ST. N.W. 50'

Description for Pt. O.L. 276

Massillon, Ohio

for Harry Glitz

Known as and being a Pt. O.L. 276 in the City of Massillon, Ohio, according to the present numbering of Lots in said City and being more fully described as follows:

Beginning at an iron pin on the southeast corner of Lot No. 8277, said point being the true place of beginning of the tract here-in conveyed; thence south along the west line of 15th St. S. $\frac{1}{2}$ W. 80.0 feet to an iron pin; thence westerly parallel to the north line of O.L. 276 128.48 feet to an iron pin; thence northerly 80.0 feet to an iron pin on the north line of O.L. 276 at the southwest corner of Lot No. 8277; thence easterly along the north line of O.L. 276 128.48 feet to the place of beginning containing 0.24 acres.

SURVEY OF PT. O.L. 276


MASSILLON, STARK, OHIO

FOR Harry Giltz

DATE 5-17-58

BY H. M. PIPER - REGISTERED ENGINEER AND SURVEYOR

SCALE: 1" = 50'



Description of PT. O.L. 276

For Harry Gilts

Known as and being a Part of O.L. 276 in the City of Massillon, Stark County, Ohio and being more fully described as follows:

Beginning at the southwest corner of O.L. 276, said point being on the centerline of 17th St. SW and the true place of beginning of the parcel herein described; thence northerly along the centerline of 17th St. SW, also being the west line of O.L. 276 a distance of 67.0 feet; thence easterly parallel to the south line of O.L. 276 a distance of 240.0 feet to an iron pin; thence southerly parallel to the west line of O.L. 276 a distance of 67.0 feet to an iron pin on the south line of O.L. 276; thence westerly along the south line of O.L. 276 a distance of 240.0 feet to the place of beginning containing 0.37 acres.

Reserving from the above described parcel a strip of land 25 feet wide of the entire west side for highway purposes.

1/2