SURVEY OF PA					
C 11 A S1					·
0-7-7-1	CONTRACTOR				ğ
R.F. WAGONER		SURVEYOR			1
REGISTER	ED E	SURVETOR			
SCALE:					
		_		<u>.</u>	
		O. L.	1 9	3	ò
				1 STONER	
heavy		SIM SET	7، ه	1 STOPE	
To 1805.19'		IRON PIN SET	PORT	<b>`</b>	
SE- TON DIN		104.2	- \$ 77°19.	5 <b>£</b>	ROT BY R
NIE CORNER	/ /	_	-	80.0	IRON BYR
	24/1	4			// 570
	3/3/3/20	A 62.	-9'E	/0°2/	
	\$ 10 m	H 65°	1.0 5	JATE /	
IRON PIN SET	7 '				
m/_			(0 /		- 1
O. L. 1 5%	5, PIN FOR	R	0.34.		
IRON PIN FD. BY STONER	o B4 31 a	N 3 82.0'			
BY STON E		7.	S.W		
/ 1		1.1/57	,		
is is	STORIER W	10 IRON	PINPU		
N. Ast Die	THE OWNER OF THE PERSON OF THE			•	
A. 3. 3. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5.	11/3	ROM PIN SET			
4 3 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	IRO,	N PINI FD. BY ST.			
133	18 SET	BY STONER			
	• /				
€ 32 N ST. N.W	ROMPIN FD. SET BY STONE;				
0.2.196		NER SURVEY	ED PT. O.	L. 195 FOR	
	OCCU PA	TIONAL SUR	VEY OF CHA	MEY'S LAMP.	
		-	N.		

## Part Outlot 195 Massillon, Stark County, Ohio

Known as and being part of Outlot 195 in the City of Massillon, Stark County, Ohio, and being more fully described as follows:

Beginning at an existing iron pin at the intersection of the centerline of 32nd Street, N. W. and the South line of said Outlot 195; thence
S 86° 40° E, 55h.35° to an existing iron pin at the Southeast corner of
said Outlot 195; thence N 57° 38.5° E, 68.7° to an existing iron pin at
the Northeast corner of a tract presently owned by I. Janosh, said point
being the true place of beginning of the tract herein described; thence
N 38° 39.5° W, 120.0° along the North line of said tract owned by I. Janosh
to an existing iron pin at the Northwest corner of said tract; thence
N 40° 50.5° E, 167.08° to an iron pin on the North line of said Outlot 195;
thence S 77° 19.5° E, 158.0° along said North line of Outlot 195 to a
point; thence S 65° 09° W along the West line of Lot No. 10205, 192.0°
to a point; thence S 38° 02° E along the South line of said Lot No. 10205,
82.0° to a point; thence S 57° 38.5° W, 91.4° to the true place of beginning
containing 0.538 acres.


## SURVEY OF PT O. L. 195

MASSILLON, STARK, OHIO

FOR ELSON WEFLER OR DANIELS

DATE JULY 1959

BY H. M. PIPER - REGISTERED ENGINEER AND SURVEYOR



## Part Outlot 195 For Elson Wefler

Known as and being Part of O.L. 195, Tuscarawas Township, Massillon, Ohio, and being more fully described as follows:

Beginning at the intersection of the centerline of 32nd St. N. W. and the North Corporation Line of Massillon, Ohio, said line being the North line of the Southeast Quarter of Section 11, Tuscarawas Township, thence S 11° 0' W along the centerline of said road 779.50 feet to a spike; thence continuing along said centerline S 11° h8' W 355.1 feet to a spike, said point being the true place of beginning of the tract here—in described; thence S 86° h0' E 1h9.59 feet along the North line of O.L. 196 to an iron pin; thence N 5° 19' E 11h.52 feet to a point on the South line of O.L. 19h; thence N 8h° h0' W along said line 136.0 feet to a spike on the centerline of 32nd St. N. W.; thence S 11° h8' W 120.6 feet along said centerline to the place of beginning containing .385 Acres.

and excepting 15 feet off the entire west side of said parcel for public highway purposes.

## For Elson Wefler Part Outlot 195

Known as and being Part of O.L. 195, Tuscarawas Township, Massillon, Ohio, and being more fully described as follows:

Beginning at the intersection of the centerline of 32nd St. N.W.

and the North Corporation Line of Massillon, Ohio, said line being the

North line of the Southeast Quarter of Section 11, Tuscarawas Township,

thence S 11° 0' W along the centerline of said road 779.50 feet to a

spike; thence continuing along said centerline S 11° 48' W 355.1 feet to

a spike, said point being the true place of beginning of the tract here-in

described; thence S 86° 40' E 134.52 feet along the North line of 0.L. 196

to an iron pin; thence N 5° 19' E 114.52 feet to a point on the South

line of 0.L. 19h; thence N 84° 40' W along said line 136.0 feet to the

ONT THE SENTERLINE OF 32 PER STANLING THENCE SILE 48'W 120.6' ALONG SAID 4

TO THE Place of beginning containing .385 Acres.

and excepting 15 feet off the entire west side of said parcel for public highway purposes.