

STATE OF OHIO
DEPARTMENT OF HIGHWAYS

STA-30-7.64


STARK COUNTY

PERRY TOWNSHIP

LIMITED ACCESS

RIGHT OF WAY

- LEGEND
- LOT LINES
 - PROPERTY LINES
 - PARCEL NUMBER
 - LIMIT OF CONSTRUCTION
 - LA LIMITED ACCESS
 - R/W RIGHT OF WAY
 - LARW LIMITED ACCESS AND RIGHT OF WAY
 - POWER POLES
 - TELEPHONE POLES
 - POWER AND TELEPHONE POLES



THIS IMPROVEMENT IS ESPECIALLY DESIGNED FOR THROUGH TRAFFIC AND HAS BEEN DECLARED A LIMITED ACCESS HIGHWAY OR FREEWAY BY ACTION OF THE DIRECTOR OF HIGHWAYS IN ACCORDANCE WITH THE PROVISIONS OF SECTION 5511.02 OF THE REVISED CODE OF OHIO.


THE STANDARD SPECIFICATIONS OF THE STATE OF OHIO DEPARTMENT OF HIGHWAYS, INCLUDING CHANGES AND SUPPLEMENTAL SPECIFICATIONS LISTED IN THE PROPOSAL SHALL GOVERN THIS IMPROVEMENT.

THE RIGHT OF WAY FOR THIS IMPROVEMENT WILL BE PROVIDED BY THE STATE.

I HEREBY APPROVE THESE PLANS AND DECLARE THAT THE MAKING OF THIS IMPROVEMENT WILL NOT REQUIRE THE CLOSING TO TRAFFIC OF THE HIGHWAY AND THAT PROVISIONS FOR THE MAINTENANCE AND SAFETY OF THE TRAFFIC WILL BE AS SET FORTH IN THE PLANS AND ESTIMATE.

APPROVED _____
DATE _____ DEPUTY DIRECTOR OF RIGHT OF WAY

APPROVED _____
DATE _____ DIRECTOR OF HIGHWAYS



PREPARED AND RECOMMENDED BY
W. E. QUICKSALL & ASSOCIATES INC.
CONSULTING ENGINEERS
NEW PHILADELPHIA, OHIO

FILE NO.	STARK COUNTY	STA-30-7.64
	DATE OF LETTING	19__
	CONTRACT NO.	

F.H.W.A. REGION	STATE	PROJECT
5	OHIO	

U.S. 30 CURVE DATA
 P.I. 645+49.12
 $\Delta = 7^\circ 14' 03''$ L.I.
 $D = 0^\circ 28'$
 $T = 776.12'$
 $L = 1550.18'$
 $E = 24.51'$
 $R = 12,277.67'$

STARK COUNTY
 PERRY TOWNSHIP
 SECTION 21 & 22
 T-10N R-9W

MARGARET M. STEINER

STATE OF OHIO

I HEREBY CERTIFY THAT THE SECTIONS OF ROADS AS SHOWN HEREON, HAVE BEEN CONSTRUCTED IN ACCORDANCE WITH THE APPROVED PLANS AND SPECIFICATIONS.

7-10-91

DATE

David R. Dray
 DISTRICT 4 - DEPUTY DIRECTOR
 OF THE OHIO DEPARTMENT
 OF TRANSPORTATION

I FIND THAT THE SECTIONS OF ROADS AS SHOWN BY THE CROSS-HATCHED AREAS HAVE BEEN CONSTRUCTED IN A SATISFACTORY MANNER.

3-10-92

DATE

James V. Finkler
 STARK COUNTY ENGINEER

THE CROSS-HATCHED AREAS OF ROADS AS SHOWN ON THIS PLAN ARE APPROVED BY US FOR MAINTENANCE AND PUBLIC USE.

3-11-92

DATE

Thomas E. Rice
Patricia A. Miller

COMMISSIONERS OF
 STARK COUNTY, OHIO

STARK COUNTY
 PERRY TOWNSHIP
 SECTION 27 & 28
 T-10N R-9W

MARGRET M. STEINER

EDWARD W. STEINER

STARK COUNTY
 PERRY TOWNSHIP
 SECTION 22
 T-10N R-9W

STATE OF OHIO

EDWARD W. STEINER

STARK COUNTY
 PERRY TOWNSHIP
 SECTION 27
 T-10N R-9W

PLAT OF SURVEY OF ACCESS ROAD 'A'

LOCATED IN PARTS OF THE S.E. QUARTERS OF SECTION 21 & 22-TION-R9W, PERRY TWP, STARK COUNTY

S.E. QUARTER SECTION 21 = 16.85 Ac.

S.E. QUARTER SECTION 22 = 0.06 Ac.

PARCEL No	VOLUME	PAGE	DATE
22EL-1	3510	390	2-22-71
22EL-2	3510	390	2-22-71
22WL	3510	403	2-22-71
22WD	3510	404	2-22-71
23	3485	320	12-11-70
23WL	3505	257	12-11-70
24	3675	297	4-23-73
24WL	3675	297	4-23-73
25A-WD	3510	406	2-22-71
25EL-1	3510	391	2-22-71
25EL-2			

VOL. 3510 PAGE 391 DATE 2-22-71

CENTERLINE REFERENCE MONUMENTS SET AT FOLLOWING STATIONS

P.C.	43+82.22
P.T.	44+75.49
P.O.T.	50+00
P.O.T.	60+00
P.O.T.	70+00
P.O.T.	80+00
P.O.T.	84+00
P.O.T.	88+00

I HEREBY CERTIFY THAT THE FOREGOING IS SUPPORTED BY AN ENTRY IN THE REAL ESTATE ADMINISTRATION SECTION OF THE JOURNAL OF THE DIRECTOR OF TRANSPORTATION MADE ON _____, 19____ VOL. _____ PAGE _____

RECEIVED FOR RECORD ON THE 14th DAY OF September, 1992, AT 2:10 O'CLOCK
 RECORDED IN VOL. 58 PAGE 43 OF THE STARK COUNTY RECORD OF PLATS
 ON THE 14th DAY OF September, 1992

STARK COUNTY RECORDER

fee \$43.20

CENTERLINE OF ACCESS ROAD 'A'
 WAS RECORDED IN PLAT BOOK 38 PAGE 65
 MAY 13, 1965

SCALE 1"=100'



AREA
 S.E. QUARTER OF SECTION 21 = 3.90 Ac.
 S.W. QUARTER OF SECTION 22 = 4.69 Ac.
 TOTAL AREA TO BE DEDICATED = 8.59 Ac.

CENTERLINE SURVEY PLAT

STA-30-7.64

STARK COUNTY, OHIO

PERRY TOWNSHIP-SEC 20, 21, 22, 28 & 29-TION-R9W

CENTERLINE PLAT SHEET 1 OF 4 SHEETS

FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS

THIS IMPROVEMENT HAS BEEN DECLARED A LIMITED ACCESS HIGHWAY FROM STA. 577+00 TO STA. 832+00 BY ACTION OF THE DIRECTOR OF HIGHWAYS AND RECORDED IN VOLUME 49, PAGE 883 OF THE DIRECTOR'S JOURNAL PURSUANT TO LAW.

*HEARING HELD 10-1-64
JOURNALIZED 11-13-64

RECEIVED May 13 1969
RECORDED May 13 1969
BOOK 38 PAGE 13
COUNTY RECORDER

THIRD RELOC. T.R. 249 (NAVE ST.)

P.I. 15+68.82
 $\Delta = 19^\circ 33' 30''$ LT.
Dc = 2' S.T. = 100'
Ls = 150' L.C. = 150'
Ts = 568.82' Lc = 827.93'
Es = 42.57' T = 416.86'
Rc = 2864.79' E = 30.17'

FIRST RELOC. TWP. RD. 249 (NAVE ST.)

P.I. 41+02.20
 $\Delta = 90^\circ 25' 05''$ LT.
Dc = 4' 30' S.T. = 233.57'
Ls = 350' L.C. = 349.70'
Ts = 1461.49' Lc = 74' 40' 05''
Es = 539.69' T = 971.14'
Rc = 1273.24' E = 328.09'

CURVE DATA RELOC. U.S. 21

P.I. 454+27.81
 $\Delta = 43^\circ 58' 43''$ LT.
Dc = 4' 00' S.T. = 266.94'
Ls = 400' L.C. = 399.65'
Ts = 780.15' Lc = 699.46'
Es = 117.39' T = 356.85'
Rc = 1432.40' E = 43.78'

U.S. 30 CURVE DATA

P.I. 645+49.12
 $\Delta = 7^\circ 14' 03''$ LT.
D = 0' 28' S.T. = 776.12'
L = 1550.18' Lc = 24.51'
E = 24.51' R = 12,277.67'

ACCESS RD. 'A'

P.I. 44+28.92
 $\Delta = 7^\circ 27' 41''$ RT.
D = 8' 00' S.T. = 46.70'
L = 93.27' Lc = 1.52'
E = 1.52' R = 716.20'

NOTE: FOR ACQUISITION OF PROPERTY WHICH FALLS WITHIN THE SPIRALED PORTION OF HORIZONTAL CURVES, THE ALTERNATE METHOD OF STATIONING TANGENT LINES FOR POINT REFERENCE WAS USED.

SEE DETAIL CENTERLINE PLAT SHEET 2 OF 4 SHEETS

• REFERENCE MONUMENT

• MONUMENT ASSEMBLY
SEE PLAT SHEET 3 OF 4 SHEETS FOR PROPOSED MONUMENT LOCATIONS
FOR DETAIL FOURTH RELOC. T.R. 249 (NAVE ST.)
& C.R. 248 (RICHVILLE DR.)
SEE CENTERLINE PLAT SHEET 3 OF 4 SHEETS

I HEREBY CERTIFY THAT THIS PLAT IS A TRUE DELINEATION OF A SURVEY MADE FOR THE OHIO DEPARTMENT OF HIGHWAYS IN 1968
BY William E. Quicksall, Jr.
DATE MARCH 28, 1969
WILLIAM E. QUICKSALL, JR.
REG. SURVEYOR NO. 4710

SIGNED William E. Quicksall, Jr.
DATE 5-13-69 DIVISION DEPUTY DIRECTOR

CENTERLINE SURVEY PLAT

CENTERLINE SURVEY PLAT

STA-30-7.64
STARK COUNTY, OHIO

SCALE IN FEET
0 200 400

PERRY TOWNSHIP-SEC 22,23,14&13-TION-R9W

U.S. 30 CURVE DATA

P.I. 714+38.90
 $\Delta = 25^{\circ}55'26''$ LT.
 $D = 1^{\circ}00'$
 $T = 1318.77'$
 $L = 2592.39'$
 $E = 149.81'$
 $R = 5729.58'$

CENTERLINE PLAT SHEET 2 OF 4 SHEETS

FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS

405
138

3
36

THIS IMPROVEMENT HAS BEEN DECLARED A LIMITED ACCESS HIGHWAY FROM STA. 577+00 TO STA. 832+00 BY ACTION OF THE DIRECTOR OF HIGHWAYS AND RECORDED IN VOLUME 49, PAGE 883 OF THE DIRECTOR'S JOURNAL PURSUANT TO LAW.

*HEARING HELD 10-1-64
JOURNALIZED 11-13-64

DETAIL OF ALTERNATE METHOD OF STATIONING SPIRAL CURVES AS OUTLINED IN "TRANSITION CURVES FOR HIGHWAYS" BY JOSEPH BARNETT

All angle points in right of way lines, property lines, and property corners falling within the spiraled portion of the curve shall be referenced from the tangent line in lieu of the spiral. Obtain the stationing on tangent by beginning at the T.S. and running the stations ahead on the tangent line throughout the portion of the curve that is spiraled; from the S.T. back the stationing throughout the portion of the curve that is spiraled, thus avoiding any equations on center line. From S.C. to C.S. use normal simple curve center line.

- REFERENCE MONUMENT
 - MONUMENT ASSEMBLY
- SEE PLAT SHEET 3 OF 4 SHEETS FOR PROPOSED MONUMENT LOCATIONS

SIGNED William E. Quicksall Jr.
DATE 5-13-69 DIVISION DEPUTY DIRECTOR

I HEREBY CERTIFY THAT THIS PLAT IS A TRUE DELINEATION OF A SURVEY MADE FOR THE OHIO DEPARTMENT OF HIGHWAYS IN 1968 BY William E. Quicksall Jr. DATE MARCH 28, 1969 WILLIAM E. QUICKSALL, JR. REG. SURVEYOR NO. 4710

FOR DETAIL
SECOND RELOC. T.R. 249 (NAVE ST.) &
MONUMENTED SEC. LINE IN CO. RD. 225
SEE CENTERLINE PLAT 3 OF 4 SHEETS

NOTE: FOR ACQUISITION OF PROPERTY WHICH FALLS WITHIN THE SPIRALED PORTION OF HORIZONTAL CURVES, THE ALTERNATE METHOD OF STATIONING TANGENT LINES FOR POINT REFERENCE WAS USED.

U.S. 30 CURVE DATA

P.I. 769+96.90
 $\Delta = 29^{\circ}15'47''$ RT.
 $D = 1^{\circ}28'$
 $T = 1019.87'$
 $L = 1995.21'$
 $E = 130.93'$
 $R = 3906.53'$

U.S. 30 CURVE DATA

P.I. 843+48.75
 $\Delta = 5^{\circ}36'55''$ RT.
 $D = 0^{\circ}28'$
 $T = 602.12'$
 $L = 1203.27'$
 $E = 14.76'$
 $R = 12,277.67'$

END PROJECT
STA-30-7.64
STA. 832+00

BEGIN PROJECT
STA-30-12.47
STA. 832+00


CENTERLINE SURVEY PLAT

STA-30-7.64
STARK COUNTY, OHIO

CENTERLINE PLAT SHEET 3 OF 4 SHEETS

FED. RD. DIVISION	STATE	PROJECT
2	OHIO	


STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS




CURVE DATA SECOND RELOC.
TWP. RD. 249 (NAVE ST.)

P.I. 1+61.97	P.I. 7+60.75
$\Delta=34^{\circ}10'$ Lt.	$\Delta=44^{\circ}07'38''$ Rt.
D=18°00'	D=12°00'
T=97.82'	T=193.52'
L=189.81'	L=367.73'
E=14.69'	E=37.74'
R=318.31'	R=477.46'


SECOND RELOC. T.R. 249 (NAVE ST.)



MONUMENTED SEC. LINE
IN Co. Rd. 225



FOURTH RELOC. TWP. RD. 249 (NAVE ST.)
C.R. 248 (RICHVILLE DR.)



ACCESS ROAD 'A'

THIS IMPROVEMENT HAS BEEN DECLARED A LIMITED ACCESS HIGHWAY FROM STA. 577+00 TO STA. 832+00 BY ACTION OF THE DIRECTOR OF HIGHWAYS AND RECORDED IN VOLUME 49, PAGE 883 OF THE DIRECTOR'S JOURNAL PURSUANT TO LAW.

*HEARING HELD 10-1-64
JOURNALIZED 11-13-64

RECEIVED May 13 1969
RECORDED May 13 1969
BOOK 38 PAGE 65
COUNTY RECORDER

I HEREBY CERTIFY THAT THIS PLAT IS A TRUE DELINEATION OF A SURVEY MADE FOR THE OHIO DEPARTMENT OF HIGHWAYS IN 1968 BY William E. Quicksall, Jr. DATE MARCH 28, 1969.

SIGNED [Signature] DATE 5-13-64 DIVISION DEPUTY DIRECTOR

WILLIAM E. QUICKSALL, JR. REG. SURVEYOR NO. 4710

CENTERLINE REFERENCE MONUMENTS TO BE SET DURING CONSTRUCTION AT THE FOLLOWING STATIONS.

U.S. 30		ACCESS ROAD 'A'	
P.O.T. 585+00	P.T. 653+23.17	P.O.C. 718+00	P.T. 779+72.24
P.O.T. 596+00	P.O.T. 660+00	P.T. 727+12.52	P.O.T. 790+00
P.O.T. 605+00	P.O.T. 670+00	P.O.T. 735+00	P.O.T. 800+00
P.O.T. 615+00	P.O.T. 678+00	P.O.T. 745+00	P.O.T. 810+00
P.O.T. 625+00	P.O.T. 690+00	P.O.T. 753+00	P.O.T. 820+00
P.C. 637+73.00	P.C. 701+20.13	P.C. 759+77.03	P.O.T. 830+00
P.O.C. 645+00	P.O.C. 710+00	P.O.C. 770+00	P.O.T. 41+00
			P.O.T. 43+82.22
			P.T. 44+75.49
			P.O.T. 55+00
			P.O.T. 65+00
			P.O.T. 75+00
			P.O.T. 85+00

CENTERLINE MONUMENT ASSEMBLIES WILL BE SET ON CENTERLINE DURING CONSTRUCTION AT THE FOLLOWING STATIONS.

FIRST RELOC. T.R. 249 (NAVE ST.)	SECOND RELOC. T.R. 249 (NAVE ST.)	THIRD RELOC. T.R. 249 (NAVE ST.)	FOURTH RELOC. TWP. RD. 249 (NAVE ST.)
T.S. 26+40.71	P.C. 0+64.15	T.S. 10+00.00	P.C. 31+43.00
S.C. 29+90.71	P.T. 2+53.96	S.C. 11+50.00	P.T. 35+67.25
P.O.C. 38+00	P.C. 5+67.23	C.S. 19+77.93	
C.S. 46+50.00	P.T. 9+34.96	S.T. 21+27.93	
S.T. 50+00.00			
		MONUMENTED SEC. LINE IN CO. RD. 225	C.R. 248 (RICHVILLE DR.)
		P.O.T. 48+00	P.O.T. 45+00
		P.O.T. 53+00	P.O.T. 54+00

See Standard Drawing MC-1 (10-1-67)

FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

407
438

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS

5
36

CENTERLINE SURVEY PLAT
WHIPPLE AVENUE
COUNTY ROAD 219
STARK COUNTY, OHIO
CANTON TWP. R.9, T.10 PERRY TWP. R.8, T.10

APPROVED BY [Signature] DATE May 12, 1969
APPROVED BY [Signature] DATE
DIVISION DEPUTY DIRECTOR

Q CURVE DATA U.S. 62
P.I. Sta 278+11.70
 $\Delta = 29^{\circ}29'$ Lt.
D=2°15'
E=86.76'
T=670.04'
R=2546.48'
L=1310.36'

Q CURVE DATA
P.I. Sta 35+84.56
 $\Delta = 5^{\circ}34'19''$ Lt.
Dc=1°28'
R=3906.53'
T=190.10'
Lc=379.90'
E=4.62'

Q CURVE DATA
P.I. Sta. 53+23.25
 $\Delta = 17^{\circ}18'31''$ Rt.
Dc=3°00'
Ls=200'
Ts=390.81'
Os=3°00'
R=1909.86'
Lc=376.95'
Xc=199.95'
Yc=3.49'
P=0.87'
K=99.99'
Es=22.88'
St=66.68'
L.T.=133.35'


NOTE: FOR ACQUISITION OF PROPERTY WHICH FALLS WITHIN THE SPIRALED PORTION OF HORIZONTAL CURVES, THE ALTERNATE METHOD OF STATIONING TANGENT LINES FOR POINT REFERENCE WAS USED.

SEE DETAIL CENTERLINE PLAT SHEET 2 OF 4 SHEETS

STANDARD MONUMENTS WILL BE PLACED IN THE FOLLOWING LOCATIONS DURING CONSTRUCTION.

STATION	LOCATION
32+00.00	SURVEY Q. P.O.T.
35+84.56	SURVEY Q. P.I.
37+74.36	SURVEY Q. P.T.
49+32.44	SURVEY Q. T.S.
53+23.25	SURVEY Q. P.I.
57+61.55	SURVEY Q. P.O.T.

■ INDICATES STD. MONUMENT ASSEMBLY.



PROPERTY PLAN


STA-30-7.64
STARK COUNTY, OHIO
SCALE IN FEET
0 400 800
PERRY TOWNSHIP
SEC. 22&23-TION-R9W

FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS

409
438

7
36



LAND VACATED AS PER DIRECTORS
DEED VOL. 1280 PG. 264

- (25) State of Ohio
(26) Carl F. Steiner & Evelyn I. Steiner
(26A) MARIE T. DISIMONE FKA. MARIE T. MCCARTHY
(27) Leona E. Schafrath
(28) Elmer A. & Margaret E. Frey
(29) Tony & Dorothy M. Tartaglio
(30) Robert E. & Emily Maxwell
(31) James H. McClintock
(32) Luther B. & Thelma Meade
(33) DANIEL PITTSO & ARLENE PITTSO

- (34) MOLLY M. GRIFFITH AKA. MOLLY GRIFFITH FKA MOLLY M. BECHER
(35) Alvin & Ina M. Blackburn
(36) William R. & Normajane Little
(37) Walter & Margaret T. Velovitch
(38) Samuel E. & Judy M. Haiduc
(39) Wm. (Bill) Mattevi, Inc., A CORPORATION
(39A) HILLIARD & Thelma J. Sanders
(40) Lee C. Lombardi & Kenneth Risher
(41) RAYMOND L. FOLTZ
(42) Charles E. Moock & Dolores I. Moock

(L) LANDLOCKED RESIDUE

TYPE FUNDS
STATE

PLAN COMPLETED		3-31-69
REVISED NAMES PLS. 26-A, 34, 39 & 41	G.J.F.	3-13-70
CHANGED OWNERSHIP P.L. 33		4-30-70
REVISED NAME AND AREA P.L. 42	SMITH	7-14-70
REVISED NAME P.L. 41WL	WHITE	8-18-70
REVISED P.L. 40A		10-7-70
ADDED PARCELS 25 EL-1, EL-2 & EL-3	L.S.	11-16-70
ADDED OUTSIDE FROM P.L. 26		1-25-71
ADD CROSS HATCHED AREA		10-30-92
ADD CROSS HATCHED AREA		11-6-93
P.L. 25 EL-2 by Governor's Deed to Carl Griffin, et al		

PROPERTY PLAN

PROPERTY PLAN

STA-30-7.64
STARK COUNTY, OHIO

SCALE IN FEET
0 400 800

PERRY TOWNSHIP
SEC 13, 14 & 23-TION-R9W
CANTON TOWNSHIP
SEC 18-TION-R8W


FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS

410
438

8
36

MARK	OWNERS	UTILITY
A	Ohio Edison Company	Transmission
B	East Ohio Gas Company	Transmission
C	Jack McVickers & Forrest Conrad 144 Maple St., Ashland, Ohio	Oil and Gas Lines
D	Ohio Power Company	Transmission



END PROJECT
STA-30-7.64
STA. 832+00

BEGIN PROJECT
STA-30-12.47
STA. 832+00

END R/W ACQ.
STA-30-7.64
STA. 852+62.40

- 42 Charles E. Moock & Dolores I. Moock
- 43 ALLINE M. NASH & SANDRA K. EVANS
- 44 HOPPLE BROS. INC., AN OHIO CORPORATION, FKA STARK PIPELINE & EXCAVATING COMPANY, INC.
- 45 Ward W. & Martha V. Warfield
- 46 Margaret R. Hupp
- 47 Virginia E. Ream
- 48 Werner D. & Berdene Kaeser
- 49 JACK R. CARSON & ANNIE P. CARSON
- 51 Ethel M. Shrake aka Ethel Shrake
- 52 Jay J. & Sarah I. Wright
- 53 GEORGE W. ROBINSON
- 54 HOPPLE BROS. INC., AN OHIO CORPORATION, FKA STARK PIPELINE & EXCAVATING COMPANY, INC.
- 55 Clement G. DeVille et al
- 56 No Take
- 57 VIRGINIA THOMAS ET AL
- 58 Canton Home Building Co.
- 59 Thomas A. Kolp
- 60 Edith Dannemiller & Florence Snyder

(L) LANDLOCKED RESIDUE		TYPE FUNDS
REVISED AREA PEL 58B-(SELLS) 1-17-73 DELETED PARCELS 54A, 54B, 54C 11-23-70		STATE
Deleted Pel 56-X. White 10-12-70 Changed Name Pel 49 Prior 1-16-70 Changed Name Pel 43 Prior 1-16-70		
PLAN COMPLETED		3-31-69
Added Access Note to Pel. 44. White 3-10-70 REVISED NAMES Pels. 44, 47, 51, 53, 54, 57 G.J.F. 3-13-70 Revised 57 PR, 58 PR, 59 PR 160 PR 70 WD 3-16-70 Revised Name Pel. 47. White 5-11-70 Added Sippo Ave. 21-5-70 5-28-70 Revised Name And Area Pel 42 SMITH 7-14-70 Added to this sheet only Pels 58, 58C, 58D 8-27-70 Added Pels 54AU & 54BU. Added Note for Pel 54WL. Revised. 10-9-70 Northerly property limits for Pel 54AU.		

Pels. 54WL, 54AU & 54B were acquired by the State of Ohio on 3-11-70 and were recorded in Vol. 3442 P.343.
Added Existing R/W DARGENHART OVER PEL 57. 3/18/71

PROPERTY PLAN

AFFECTED UTILITY COMPANIES

1. EAST OHIO GAS COMPANY
1717 EAST NINTH STREET
CLEVELAND 14, OHIO

2. OHIO POWER COMPANY
301-315 CLEVELAND AVE. S.W.
CANTON, OHIO

3. OHIO BELL TELEPHONE COMPANY
401 CLEVELAND AVE. N.W.
CANTON, OHIO



PROPERTY MAP

FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS

411
438

9
36



Deleted P.L. 3WD 6-17-71
Conformed P.L. 3WD 6-4-71
Revised P.L. 6T to 6-WD 5-21-71

Changed Parcels 1 & 2 to 1-WD & 2-WD & Combined P.L. 8WA with 7WA 5-25-71

APR 22 1969

LOGGED

BLK. 84

WHIPPLE AVE.

SUMMARY OF ADDITIONAL RIGHT OF WAY REQUIRED

TOTAL NO. OF OWNERS 56 TOTAL OWNERS WITH STRUCTURES 18 TOTAL TAKES 8 TOTAL TAKES WITH STRUCTURES 7

FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS



PARCEL NO.	PROPERTY OWNER	DEED RECORD		RECORD AREA AFTER SALES	TOTAL P.R.O.	GROSS TAKE	P.R.O. IN TAKE	NET TAKE	NET RESIDUE		BLDG.	SHEET NO.	REMARKS	TYPE FUNDS
		VOL.	PAGE						LEFT	RIGHT				
9-WL	State of Ohio	293	81	-	-	6.44 Ac.	1.15 Ac.	5.29 Ac.	-	-	-	12-13		
9-WD	"	"	"	-	-	4.84 Ac.	1.68 Ac.	3.16 Ac.	-	-	-	12-13-15		
9-T	"	"	"	-	-	0.37 Ac.	-	0.37 Ac.	-	-	-	12	Construct Slopes and Drive	
9A-T	"	"	"	-	-	0.05 Ac.	-	0.05 Ac.	-	-	-	15	Construct Slopes and Drive	
9-WA	"	"	"	-	-	-	-	-	-	-	-	13	Construct Drive	
10-WL	Roland H. McLaughlin et al	See	Remarks	187.79 Ac.	1.01 Ac.	25.71 Ac.	0.07 Ac.	25.64 Ac.	2.44 Ac.	152.87 Ac.	-	13-14-15-16	V2908-P132, V1597-P538 & V1745-P18	
10A-WL	"	"	"	"	"	5.58 Ac.	-	5.58 Ac.	-	-	-	14		
10-LA	"	"	"	"	"	No Take	-	No Take	-	-	-	14	Limited Access Only	
10B-WL	"	"	"	"	"	0.25 Ac.	-	0.25 Ac.	-	-	-	14		
100-WL	Donald Fritz	3125	559	0.34 Ac.	-	0.34 Ac.	-	0.34 Ac.	-	-	Yes	13		
11-WL	Charles A. Lutz	See	Remarks	13,220 S.F.	-	13,220 S.F.	-	13,220 S.F.	-	-	Yes	13	V1288-P420, V1176-P325	
12-WL	Alvina Williams	1253	55	0.50 Ac.	0.07 Ac.	0.50 Ac.	0.07 Ac.	0.43 Ac.	-	-	Yes	13		
13-WL	Dorothy McGee Weber	3232	558	0.50 Ac.	0.07 Ac.	0.50 Ac.	0.07 Ac.	0.43 Ac.	-	-	Yes	13		
14-WL	Grace Hardesty	1352	289	0.50 Ac.	0.07 Ac.	0.50 Ac.	0.07 Ac.	0.43 Ac.	-	-	Yes	13		
15-WL	Erich & Gertrud Dominik	See	Remarks	1.00 Ac.	0.14 Ac.	0.37 Ac.	-	0.37 Ac.	0.49 Ac.	-	Yes	13-15	V2406-P100 & V2915-P59	
16-WL	Nellie Williams	1295	413	1.00 Ac.	0.14 Ac.	0.26 Ac.	-	0.26 Ac.	0.60 Ac.	-	-	15		
17-WL	ANNA J. MILLER, ETAL (SEE R/W SHEET 6 FOR ETAL OWNERSHIPS)	See	Remarks	0.438 Ac.	0.01 Ac.	0.15 Ac.	0.01 Ac.	0.14 Ac.	(L) 0.288 Ac.	-	-	16	V3228-P556, V3189-P438, V3229-P120, V2791-P64, V2036-P163, V2007-P85, V1883-P29	
18-WL	State of Ohio	See	Remarks	-	-	3.05 Ac.	0.09 Ac.	2.96 Ac.	-	-	-	16	V293-P81 & V437-P73	
18A-WL	"	"	"	-	-	0.05 Ac.	0.05 Ac.	0.00 Ac.	-	-	-	16		
18	"	"	"	-	-	2.25 Ac.	1.40 Ac.	0.85 Ac.	-	-	-	15-16		
18-WA	"	"	"	-	-	-	-	-	-	-	-	16	Construct Drive	
19-WL	H. Louise Aul	2010	497	* 0.33 Ac.	0.11 Ac.	0.40 Ac.	0.11 Ac.	0.29 Ac.	-	-	Yes	16	* Calculated Area 0.40 Ac.	
20-WL	ESTATE OF GOLDIE HORDE, DECEASED	1419	172	* 6.17 Ac.	0.64 Ac.	3.77 Ac.	0.02 Ac.	3.75 Ac.	1.39 Ac.	-	Yes	16-17	* Calculated Area 5.87 Ac.	
20	"	"	"	"	"	0.36 Ac.	0.27 Ac.	0.09 Ac.	-	-	-	16		
21-WL	Phillip & Rose Cincinnati aka Phillip & Rose Ann Cincinnati	See	Remarks	143.76 Ac.	1.08 Ac.	11.40 Ac.	-	11.40 Ac.	12.25 Ac.	119.03 Ac.	Yes	16-17-18	V1503-P271 & V2133-P505	
21-X	"	"	"	"	"	0.98 Ac.	-	0.98 Ac.	-	-	-	16-17-18	Construct Channel	
21-T	"	"	"	"	"	3.02 Ac.	-	3.02 Ac.	-	-	-	16-17-18	Construct Drive	
21-SA	"	"	"	"	"	-	-	-	-	-	-	18	Loss Of Oil & Gas Rights As Recorded In V128, P506	
22-WD	State Of Ohio	3351	669	66.13 Ac.	1.52 Ac.	2.28 Ac.	-	2.28 Ac.	52.05 Ac.	-	-	18	LEASE HOLDERS: EVERETT M. MYERS & DR. RICHARD C. BEATTY	
22-WL	"	"	"	"	"	6.60 Ac.	-	6.60 Ac.	-	-	-	18		
23-WL	Margaret M. Steiner	See	Remarks	92.67 Ac.	0.34 Ac.	3.05 Ac.	-	3.05 Ac.	5.38 Ac.	2.47 Ac.	-	18-19	V2795-P139, V2254-P494, V1934-P263	
23	"	"	"	"	"	0.77 Ac.	-	0.77 Ac.	80.66 Ac.	-	-	18-32		
24-WL	Edward W. Steiner	1479	49	107.63 Ac.	0.71 Ac.	3.31 Ac.	-	3.31 Ac.	9.41 Ac.	4.33 Ac.	-	19		
24	"	"	"	"	"	0.84 Ac.	-	0.84 Ac.	-	89.03 Ac.	-	32		
25-WL	State of Ohio	468	494	167.22 Ac.	7.27 Ac.	17.03 Ac.	0.72 Ac.	16.31 Ac.	846 Ac.	-	Yes	19-20-33		
25A-WL	"	"	"	"	"	12.39 Ac.	0.87 Ac.	11.52 Ac.	34.60 Ac.	-	-	20-21-33		
25	"	"	"	"	"	2.34 Ac.	0.63 Ac.	1.71 Ac.	34.25 Ac.	1.14 Ac.	-	33		
25A-WD	"	"	"	"	"	4.69 Ac.	0.06 Ac.	4.63 Ac.	-	-	-	32		
25-WA	"	"	"	"	"	-	-	-	-	-	-	20	Remove Conc. Leach Bed	
26-WL	Carl F. Steiner & EVELYN I. STEINER	1475	489	83.43 Ac.	1.66 Ac.	17.68 Ac.	0.18 Ac.	17.50 Ac.	39.90 Ac.	23.76 Ac.	-	21-22-23		
26	"	"	"	"	"	0.36 Ac.	0.08 Ac.	0.28 Ac.	-	-	-	23		
26A	"	"	"	"	"	0.47 Ac.	0.14 Ac.	0.33 Ac.	-	-	-	22-23		
26A-WL	MARIE T. DISIMONE FKA MARIE T. MCCARTHY	See	Remarks	49,634 S.F.	-	3,305 S.F.	-	3,305 S.F.	46,329 S.F.	-	-	21	V2705-P153 & V2623-P662	
27	Leona E. Schafrath	See	Remarks	50.00 Ac.	1.22 Ac.	0.03 Ac.	-	0.03 Ac.	48.75 Ac.	-	-	23	V864-P261 & V1163-P19	
27-X	"	"	"	"	"	0.06 Ac.	-	0.06 Ac.	-	-	-	23	Construct Channel	
28-WL	Elmer A. & Margaret E. Frey	1343	364	84.79 Ac.	2.12 Ac.	2.29 Ac.	0.42 Ac.	1.87 Ac.	-	-	Yes	23		
28	"	"	"	"	"	2.91 Ac.	0.32 Ac.	2.59 Ac.	-	78.21 Ac.	-	22-23		
29-WL	Tony & Dorothy M. Tartaglio	2667	345	2.49 Ac.	0.27 Ac.	0.17 Ac.	0.06 Ac.	0.11 Ac.	2.11 Ac.	-	-	23		
30-WL	Robert E. & Emily Maxwell	2401	678	3.48 Ac.	0.14 Ac.	1.60 Ac.	0.14 Ac.	1.46 Ac.	(L) 1.88 Ac.	-	Yes	23		
31-WL	James H. McClintock	2118	477	2.32 Ac.	0.09 Ac.	1.66 Ac.	0.01 Ac.	1.65 Ac.	(L) 0.33 Ac.	0.25 Ac.	-	23		
31-T	"	"	"	"	"	0.02 Ac.	-	0.02 Ac.	-	-	-	23	Construct Slopes	
32-WL	Luther B. & Thelma Meade	2482	573	1.16 Ac.	0.05 Ac.	0.69 Ac.	-	0.69 Ac.	-	0.41 Ac.	Yes	23		
32	"	"	"	"	"	0.06 Ac.	0.05 Ac.	0.01 Ac.	-	-	-	23		
32-WA	"	"	"	"	"	-	-	-	-	-	-	23	Construct Drive	
33-WL	DANIEL PITTSOIN & ARLENE PITTSOIN	3437	15	1.16 Ac.	0.05 Ac.	0.48 Ac.	-	0.48 Ac.	-	0.62 Ac.	-	23		
33	"	"	"	"	"	0.06 Ac.	0.05 Ac.	0.01 Ac.	-	-	-	23		
33-WA	"	"	"	"	"	-	-	-	-	-	-	23	Construct Drive	
34-WL	MOLLY M. GRIFFITH AKA MOLLY GRIFFITH FKA MOLLY A. BECHER	See	Remarks	3.48 Ac.	0.14 Ac.	0.34 Ac.	-	0.34 Ac.	-	3.00 Ac.	-	23	V1679-P407 & V1776-P243	
35-WL	Alvin & Ina M. Blackburn	1637	479	8.96 Ac.	0.08 Ac.	2.49 Ac.	-	2.49 Ac.	5.97 Ac.	(L) 0.42 Ac.	-	23-24		
36-WL	William R. & Norma Jane Little	2493	606	9.92 Ac.	0.19 Ac.	0.35 Ac.	-	0.35 Ac.	9.38 Ac.	-	-	24		
37-WL	Walter & Margaret Velovitch	1362	435	16.50 Ac.	0.28 Ac.	2.77 Ac.	-	2.77 Ac.	(L) 0.40 Ac.	13.05 Ac.	-	24		
38-WL	Samuel E. & Judy M. Haiduc	3039	572	19,973 S.F.	-	3,565 S.F.	-	3,565 S.F.	16,408 S.F.	-	-	24		
39-WL	WM (BILL) MATTEVI, INC., A CORPORATION	3257	557	91,059 S.F.	-	64,093 S.F.	-	64,093 S.F.	26,966 S.F.	-	-	24		
39A-WL	Hilliard & Thelma J. Sanders	3000	179	20,005 S.F.	-	394 S.F.	-	394 S.F.	19,611 S.F.	-	-	24		
40-WL	Lee C. Lombardi & Kenneth Risher	2667	183	86,761 S.F.	-	61,353 S.F.	-	61,353 S.F.	(L) 4,148 S.F.	20,287 S.F.	-	24		
40A-WL	"	2756	420	86,815 S.F.	-	23,904 S.F.	-	23,904 S.F.	-	62,911 S.F.	-	24-25		
40	"	2667	183	86,761 S.F.	-	973 S.F.	-	973 S.F.	-	-	-	24		

STATE

PLAN REVISIONS 3-13-70 G.J.F.

A- NAME REVISED PCL 20-WL
B- ADDED VOLUMES & PAGES PCL 23-WL
C- REVISED NAME PCL 26A-WL
D- REVISED NAME PCL 34-WL
E- REVISED NAME PCL 39-WL

+ Parcel has been added at end of Summary

(L) Landlocked Residue

REVISED DEED AREA / RESIDUE PARCEL 17WL 11-18-70

PLAN COMPLETED

3-31-69

Revised deed books and pgs, deed area & Right Residue for Pcl 23

CHANGED OWNERSHIP PCL 33-WL
CHANGED PCL 32T TO A WA
CHANGED PCL 33T TO 33WA
DELETED PCL 19A-WL
REVISED DEED AREA & RIGHT RESIDUE PARCEL 40A-WL
REVISED T.B.A & RESIDUE PARCEL 26A-WL
CHANGED PARCELS 22 & 25A TO 22WD & 25A-WD
ADDED 22EL-1 & EL-2 AND 25EL-1, EL-2 & EL-3
DELETED PARCEL 25X

2-20-70 White
4-30-70
6-1-70 SMITH
7-6-70
9-17-70
10-7-70
11-13-70
11-17-70

STA-30-7.64 STARK COUNTY
SUMMARY OF ADDITIONAL RIGHT OF WAY REQUIRED

FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS



PARCEL NO.	PROPERTY OWNER	DEED RECORD		RECORD AREA AFTER OUT SALES	TOTAL P.R.O.	GROSS TAKE	P.R.O. IN TAKE	NET TAKE	NET RESIDUE		BLDG.	SHEET NO.	REMARKS	TYPE FUNDS
		VOL.	PAGE						LEFT	RIGHT				
41-WL	RAYMOND L. FOLTZ	942	123	97.17 Ac.	0.91 Ac.	3.82 Ac.	-	3.82 Ac.	91.71 Ac.	(L) 0.73 Ac.	-	24-25		
42-WL	Charles E. Moock & Dolores I. Moock	2053	405	71.94 Ac.	0.86 Ac.	6.21 Ac.	-	6.21 Ac.	(L) 3.20 Ac.	61.63 Ac.	-	25-26		
43-WL	Ailine M. Nash & Sandra K. Evans	3406	448	19,914 S.F.	-	1,707 S.F.	-	1,707 S.F.	-	18,207 S.F.	-	26		
43-WA	"	"	"	"	"	"	"	"	"	"	"	26	Construct Drive	
44-WL	HOPPLE BROS. INC., AN OHIO CORPORATION, FKA STARK PIPELINE & EXCAVATING COMPANY, INC.	See Remarks	"	48.10 Ac.	-	4.07 Ac.	-	4.07 Ac.	43.31 Ac.	0.67 Ac.	-	25-26	V3192-P173 & V3249-P565 Access to CR 225 by deed recorded in Vol. 3192 Pg. 175 & 176.	
44-T	"	"	"	"	-	0.05 Ac.	-	0.05 Ac.	-	-	-	26	Construct Channel	
45-WL	Ward W. & Martha V. Warfield	1658	427	5.00 Ac.	-	0.85 Ac.	-	0.85 Ac.	-	4.15 Ac.	-	26		
46-WL	Margaret R. Huop	2087	76	1.50 Ac.	-	1.50 Ac.	-	1.50 Ac.	-	-	Yes	26		
47-WL	Virginia E. Ream	3408	194	3.50 Ac.	-	1.79 Ac.	-	1.79 Ac.	1.71 Ac.	-	Yes	26		
48-WL	Werner D. & Berdene Kaeser	1755	113	2.90 Ac.	0.14 Ac.	2.62 Ac.	0.14 Ac.	2.48 Ac.	0.28 Ac.	-	Yes	26-27		
49-WL	JACK R. CARSON & ANNIE P. CARSON	3318	645	3.29 Ac.	0.07 Ac.	0.86 Ac.	-	0.86 Ac.	-	2.36 Ac.	-	26-27	V2661-P446 & V2798-P565	
49-T	"	"	"	"	"	0.04 Ac.	-	0.04 Ac.	-	-	-	27	Construct Drive	
51-WL	Ethel M. Shrake aka Ethel Shrake	1486	171	2.90 Ac.	0.14 Ac.	0.24 Ac.	0.05 Ac.	0.19 Ac.	2.53 Ac.	-	Yes	27		
51	"	1364	295	"	"	0.13 Ac.	0.09 Ac.	0.04 Ac.	-	-	-	27		
51-WA	"	1144	159	-	-	-	-	-	-	-	-	27	Building Removal	
51A-WA	"	"	"	-	-	-	-	-	-	-	-	27	Construct Drive	
52	Jay J. & Sarah I. Wright	1109	514	1.45 Ac.	0.07 Ac.	0.10 Ac.	0.07 Ac.	0.03 Ac.	-	1.35 Ac.	-	27		
53	GEORGE W. ROBINSON	1333	415	1.00 Ac.	0.08 Ac.	0.09 Ac.	0.08 Ac.	0.01 Ac.	-	0.91 Ac.	-	27		
53-T	"	3361	234	"	"	0.01 Ac.	-	0.01 Ac.	-	-	-	27	Construct Slopes	
54-WL	HOPPLE BROS. INC., AN OHIO CORPORATION, FKA STARK PIPELINE & EXCAVATING COMPANY, INC.	See Remarks	"	104.46 Ac.	1.40 Ac.	17.32 Ac.	0.20 Ac.	17.12 Ac.	39.98 Ac.	45.67 Ac.	-	27-28-29	V3192-P173 & V3249-P565	
54	"	"	"	"	"	0.52 Ac.	0.25 Ac.	0.27 Ac.	-	-	-	27		
54-A	"	"	"	"	"	0.22 Ac.	0.20 Ac.	0.02 Ac.	-	-	-	27		
54-T	"	"	"	"	"	0.13 Ac.	-	0.13 Ac.	-	-	-	27	Construct Temporary Run-Around	
54A-T	"	"	"	"	"	0.38 Ac.	-	0.38 Ac.	-	-	-	27	" " " "	
54B-T	"	"	"	"	"	0.02 Ac.	-	0.02 Ac.	-	-	-	28	Construct Channel Protection & Connect Field Drain	
55-WL	Clement G. DeVille et al (SEE SHEET 29 FOR ETALS)	See Gen	Notes	20.24 Ac.	-	6.66 Ac.	-	6.66 Ac.	9.41 Ac.	4.17 Ac.	-	29		
55-X	"	"	"	"	-	0.24 Ac.	-	0.24 Ac.	-	-	-	29	Construct Channel	
56	"	"	"	"	"	"	"	"	"	"	"	"	" No Take "	
57-WL	VIRGINIA THOMAS ETAL (SEE SHEET 29 FOR ETALS)	See Remarks	"	24.79 Ac.	0.23 Ac.	8.31 Ac.	-	8.31 Ac.	3.41 Ac.	11.18 Ac.	-	29-30	V2482-P581 & V3219-P478 V3229-P471	
57-WD	"	"	"	"	"	1.66 Ac.	-	1.66 Ac.	-	-	-	34	Retention Basin	
58B-WL	The Canton Home Building Co.	See Remarks	"	12.14 Ac.	0.62 Ac.	3.22 Ac.	0.17 Ac.	3.05 Ac.	-	8.45 Ac.	Yes	31	V1342-P30 & V995-P294 (See Gen. Notes)	
58-WL	"	1363	456	59.95 Ac.	3.53 Ac.	24.89 Ac.	0.25 Ac.	24.64 Ac.	9.47 Ac.	9.60 Ac.	Yes	30-31-34		
58	"	"	"	"	"	0.04 Ac.	-	0.04 Ac.	-	-	-	31		
58-T	"	"	"	"	"	0.36 Ac.	-	0.36 Ac.	-	-	-	30	Grading Slopes	
58-AT	"	"	"	"	"	0.08 Ac.	-	0.08 Ac.	-	-	-	31	Building & Concrete Slab Removal	
58-BT	"	"	"	"	"	0.04 Ac.	-	0.04 Ac.	-	-	-	31	Building Removal	
58-WD	"	"	"	"	"	9.57 Ac.	-	9.57 Ac.	-	-	-	34	Retention Basin	
59-WD	Thomas A. Kolp	3156	299	9.66 Ac.	0.28 Ac.	2.16 Ac.	-	2.16 Ac.	-	7.22 Ac.	-	34	" "	
60-WD	Edith Dannemiller & Florence Snyder	1354	137	2.88 Ac.	0.15 Ac.	0.30 Ac.	-	0.30 Ac.	-	2.43 Ac.	-	34	" "	
22EL-1	State of Ohio	"	"	"	"	2.44 Ac.	-	2.44 Ac.	-	-	-	18		
22EL-2	"	"	"	"	"	1.24 Ac.	-	1.24 Ac.	-	-	-	18		
42	Charles E. Moock & Dolores I. Moock	2053	405	71.94 Ac.	0.86 Ac.	0.04 Ac.	-	0.04 Ac.	-	-	-	26		
1-K/D	Mary E. Houmard	3123	631	8.64 Ac.	0.71 Ac.	0.40 Ac.	0.31	0.09 Ac.	-	7.84 Ac.	-	35		County
1-T	"	"	"	"	"	0.03 Ac.	-	0.03 Ac.	-	-	-	35	Construct Drive	
2-K/D	Cora Grace Haines	1955	531	2.40 Ac.	-	0.15 Ac.	0.00	0.15 Ac.	2.25 Ac.	-	-	35		
58C	The Canton Home Building Co.	1363	456	59.72 Ac.	3.71 Ac.	1.28 Ac.	-	1.28 Ac.	-	-	-	35		
58D	"	"	"	"	"	1.81 Ac.	-	1.81 Ac.	-	-	-	36		
6	Commercial Motor Freight, Inc.	3036	289	4.17 Ac.	0.28	0.26 Ac.	0.19	0.07 Ac.	-	3.70	-	36	Construct Drive & Slopes	
7-WA	Geneieve K. Little & Robert H. Little	See Remarks	"	3.18 Ac.	-	-	-	-	-	-	-	36	Construct Drive & Slopes V2787, P316; V2670, P337; V2612, P544	
54C-T	HOPPLE BROS. INC., AN OHIO CORPORATION FKA STARK PIPELINE & EXCAVATING COMPANY INC.	3192	173	104.46 Ac.	1.40 Ac.	0.59 Ac.	-	0.59 Ac.	-	-	-	27	Construct Temporary Run-Around	County
25B-WL	STATE OF OHIO	468	494	16722 Ac.	7.27 Ac.	0.44 Ac.	0.24 Ac.	0.20 Ac.	-	-	-	33		
25B	"	"	"	"	"	0.51 Ac.	0.44 Ac.	0.07 Ac.	-	-	-	33		
25EL-1	"	"	"	"	"	6.28 Ac.	0.03 Ac.	6.25 Ac.	-	-	-	20A		
25EL-2	"	"	"	"	"	33.44 Ac.	0.68 Ac.	32.76 Ac.	-	-	-	20A		
25EL-3	"	"	"	"	"	8.60 Ac.	0.55 Ac.	8.05 Ac.	-	-	-	20A		

GENERAL NOTES

NOTE: Parcels 1, 1-T, 2, 3, 4, 4A, 6-T, 7-WA & 8-WA are to be acquired by Stark County.

DEED VOLUME & PAGES
PARCEL 55-WL & 55-X

V1724-P327
V2999-P323
V1724-P330
V2870-P636
V1724-P333
V3001-P29
V1725-P491

NOTE: The water service line connection to the residence 200' right of Station 851+40, to be considered as part of right of way settlement on Parcel 58B-WL.

NOTE: Parcel number 5 and 50 not used.

PLAN REVISIONS 3-13-70 G.J.F.

A- REVISED NAME PCL. 41-WL
B- REVISED DEED AREA & RIGHT RESIDUE PCL. 42-WL
C- REVISED NAME PCL. 44-WL
D- REVISED NAME PCL. 47-WL
E- REVISED NAME PCL. 51-WL
F- REVISED NAME PCL. 53-WL
G- REVISED NAME PCL. 54-WL
H- REVISED NAME PCL. 57-WL

REVISED DEED AREA, TOTAL P.R.O., NET RESIDUE RIGHT & LEFT
PCL. 58-WL & 58B-WL 8-14-74

REVISED PCL. 58 (G.S.) 1-17-73

CHANGED PARCELS 1 & 2 TO 1-WD & 2-WD AND COMBINED
PARCEL 8WA WITH 1WA 5-25-71

CHANGED PCL. 6 TO 6-WD 3-18-71

DELETED W/D FROM PCL. 6 12-8-71

REMOVED LANDLOCKED STOPS FROM R/L RESIDUE PCL. 55-WL

REVISED T.B.A. PARCELS 58B-WL 58WL 158 2-22-71

DELETED PARCELS 54A-U & 54B-U 11-23-70

Name Change PCL. 49 WL & 49 T PRYOR 1-16-70

Name Change PCL. 43 WL & 43 WA PRYOR 1-16-70

+ Parcel has been added end of Summary

(L) Landlocked Residue

Deleted PCL. 3WD 6-17-71
Changed PCL. 58WD & 58AWD 7-4-71

PLAN COMPLETED

Converted PCL. 5 to 5WD 6-1-71
Added PCL. 54C-T 3-5-70
Added Access Info. to remarks PCL. 44 3-10-70
Revised 57, 58, 19160 from PR to WD 3-16-70
Revised Name PCL. 47. Sands 5-11-70
Revised Name, Deed Area & R/L Residue & Added Additional Vol & Pg. SMITH 7-14-70
Revised Name PCL. 41WL white 8-18-70
Added PCL. 54AU & 54BU white 10-9-70
Deleted PCL. 56X white 10-12-70
Added PARCELS 22EL-1 & EL-2 AND 25EL-1, EL-2 & EL-3 11-17-70

PERRY TWP-SEC 20-TION-R9W


0 50 100
SCALE IN FEET

FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS

414
135

12
36



Type 47 Fence 1,181 L.F.

TYPE FUNDS

STATE

PLAN COMPLETED

3-31-69

0 50 100
SCALE IN FEET

415
438

13
36

$\Delta = 90^{\circ}25'05''$ LT.	$\Theta_s = 7^{\circ}52'30''$
$D_c = 4^{\circ}30'$	L.T. = 233.57'
$L_s = 350'$	S.T. = 116.87'
$T_s = 1461.49'$	L.C. = 349.70'
$L_c = 1659.29'$	$\Delta_c = 74^{\circ}40'05''$
$E_s = 539.69'$	T = 971.14'
$R_c = 1273.24'$	E = 328.09'

$\Delta = 43^{\circ}58'43''$ LT.	$\Theta_s = 8^{\circ}00'$
$D = 4^{\circ}00'$	L.T. = 266.94'
$L_s = 400'$	S.T. = 133.58'
$T_s = 780.15'$	L.C. = 399.65'
$L_c = 699.46'$	$\Delta c = 27^{\circ}58'43''$
$E_s = 117.39'$	T = 356.85'
$R_c = 1432.40'$	E = 43.78'

STATE OF OHIO
(MASSILLON STATE HOSPITAL)
DEPT. OF MENTAL HYGIENE
AND CORRECTION

Exist. LA Right-of-Way
North of Sec. Line
Acquired on Project
STA-21-8.40

S.W. QUAR.
SEC. 20-TION-R9W
SEC. 29-TION-R9W
N.W. QUAR.

Exist. LA Right-of-Way
South and West of Sec. Line
Acquired on Project
STA-30-4.70

END PROJECT
STA-30+4.70
STA. 577+00

BEGIN PROJECT
STA-30-7.64
STA. 577+00

RIDGEWOOD ALLOTMENT NO.
PLAT BOOK 16 PAGE 116, 117
LOTS 11, 21, 22, 23, 25 & 68

Arc = 31.24'
 Ch. = 28.16'
 Ch. Brg. = N 46°48'11" E
 R = 20.00'

6' Easement
V3069-P585
S 88°27'06" E 185'
Light Pole
583.95 97
246.32 Lt.

Donald Fritz

Slag & Gravel Drive

1-Sty. Mot.

Pole

100-WL

N 2°03'2" W 31.59' Ch = 32.50'

metal Building
Ch. - 28.41'
Ch. Brg. = N 43°11'48" W
R = 20.00'
S 88°27'06" E - 185'

82°35'40" RIDGEWOOD ROAD 60' Exist. R/W

CENTERLINE MATCH LINE SHEET

9-WL T.B.A. 5.29 Ac.	9-W T.B.A. 3
-------------------------	-----------------

IN R/W ACQ.	P.R.O. 1.15 Ac.	P.R.O. 1
-30-7.64	Cont. 6.44 Ac.	Cont. 4
581+00.42	12-WL	13-W
	T.B.A. 0.43 Ac.	T.B.A. 0

	P.R.O. 0.40 Ac.	P.R.O. 0.40 Ac.
	P.R.O. 0.07 Ac.	P.R.O. 0.07 Ac.
	Cont. 0.50 Ac.	Cont. 0.50 Ac.

CENTERLINE MATCH LINE SHEET NO. 14

BEGIN R/W ACQ.
STA-30-7.64
STA. 581+09.42

$$\frac{\text{STA. 580+69.97 U.S. 30} =}{\text{STA. 442+26.12 RELOC. U.S. 21}}$$

BEARING EQUATION

N 87°36'20" E
STA-30-4.70

N 84°38'25" E
STA-30-7.64

STA. 580+53.44 U.S. 30
 @ EXIST. U.S. 21 &
 SEC. LINE

Roland H. McLaughlin et al

Cal/c. by L.C. 2/3/69
CK'D by H.S. 2/4/69

-Type 47 Fence 856 L.F.
Channel Protection 22 C.Y.

PLAN COMPLETED

STA 591+00 MATCH LINE SHEET NO.15

TYPE FUNDS	
STATE	

LEFT STA. 577+00 TO STA. 591+00

W.E. QUICKSALL & ASSOCIATES INC. Consulting Engineers

Highway Dept. Div. 4
ENGR & ADMN SECT.

APR 22 1969

LOGGED

Crds..... Bill Bk.....

PERRY TWP-SEC 29-TION-R9W




FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

416
438

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS

14
36

CENTERLINE MATCH LINE SHEET NO. 13



10-WL	10A-WL
T.B.A. 25.64 Ac.	T.B.A. 5.58 Ac.
P.R.O. 0.07 Ac.	P.R.O. --
Cont. 25.71 Ac.	Cont. 5.58 Ac.

Calc. by L.C. 2/3/69
CK'd by H.S. 2/4/69
Type 47 Fence 1,242 L.F.

TYPE FUNDS
STATE

PLAN COMPLETED	3-31-69
----------------	---------

RIGHT STA. 577+00 TO STA. 591+00

13 Highway Dept. Div. 4
4-W-ENGR & ADMIN SECT.
APR 22 1969
LOGGED
Cris Bill BK

PERRY TWP-SEC 20 & 29-TION-R9W

FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS

0 50 100
SCALE IN FEET

FIRST RELOC. TWP. RD. 249 (NAVE ST.)

P.I. 41+02.20

Δ = 90°25'05"LT. Θs = 7°52'30"
Dc = 4°30' LT. = 233.57'
Ls = 350' S.T. = 116.87'
Ts = 1461.49' LC = 349.70'
Lc = 1659.29' Δc = 74°40'05"
Es = 539.69' T = 971.14'
Rc = 1273.24' E = 328.09'

STATE OF OHIO
(MASSILLON STATE HOSPITAL)
DEPT. OF MENTAL HYGIENE
AND CORRECTION

Erich & Gertrud Dominik

BEGIN SHEET STA. 591+00

STA. 606+50 MATCH LINE SHEET NO. 16

9-WD	9A-T	10-WL	15-WL	16-WL	18
T.B.A. 3.16 Ac.	T.B.A. 0.05 Ac.	T.B.A. 25.64 Ac.	T.B.A. 0.37 Ac.	T.B.A. 0.26 Ac.	T.B.A. 0.85 Ac.
P.R.O. 1.68 Ac.	P.R.O. --	P.R.O. 0.07 Ac.	P.R.O. --	P.R.O. --	P.R.O. 1.40 Ac.
Cont. 4.84 Ac.	Cont. 0.05 Ac.	Cont. 25.71 Ac.	Cont. 0.37 Ac.	Cont. 0.26 Ac.	Cont. 2.25 Ac.

Roland H. McLaughlin et al

PARCEL 10 ET. AL. OWNERSHIPS		
V2908-P132	V1597-P539	V1745-P18
Lucile S. Dielhenn Frances C. Anklam Batty S. Close *Roland H. McLaughlin **Batty L. Freeman James K. Lynch Jr. Robert Higginbotham * aka Roland McLaughlin ** aka Dorothy Elizabeth Freeman fna Dorothy Elizabeth Lynch and Betty Lynch		

to Oil Well 406'
Oil Well

Calc. by L.C. 2/3/69
Ckd by H.S. 2/4/69


Type 47 Fence 3,159 L.F.

TYPE FUNDS
STATE

PLAN COMPLETED	3-31-69
Revised location of Leach Tank-Pol. 16WL	6-26-70

STA. 591+00 TO STA. 606+50

PERRY TWP -SEC 21, 28 & 29-TION-R9W




FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

418
438

16
36

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS



STATE OF OHIO
(MASSILLON STATE HOSPITAL)
DEPT. OF MENTAL HYGIENE
AND CORRECTION

10-WL	17-WL	18	18-WL
T.B.A. 25.64 Ac.	T.B.A. 0.14 Ac.	T.B.A. 0.85 Ac.	T.B.A. 2.96 Ac.
P.R.O. 0.07 Ac.	P.R.O. 0.01 Ac.	P.R.O. 1.40 Ac.	P.R.O. 0.09 Ac.
Cont. 25.71 Ac.	Cont. 0.15 Ac.	Cont. 2.25 Ac.	Cont. 3.05 Ac.

18A-WL	19-WL
T.B.A. 0.00 Ac.	T.B.A. 0.29 Ac.
P.R.O. 0.05 Ac.	P.R.O. 0.11 Ac.
Cont. 0.05 Ac.	Cont. 0.40 Ac.

PARCEL 17-WL	PARCEL 18A-WL	PARCEL 19-WL	PARCEL 20
A S 88°07'16" E - 20.00'	A S 72°04'13" W - 110.02'	A S 0°23'31" E - 143.78'	D N 72°04'13" E - 208.96'
B S 2°07'22" W - 329.46'	B N 88°07'16" W - 128.83'	B N 89°13'31" W - 145.03'	E S 5°21'35" E - 40.74'
C S 78°21'47" W - 20.59'	C	C N 0°23'31" W - 95.00'	F S 83°20'34" W - 203.42'
D N 2°07'22" E - 333.85'	D N 82°17'24" E - 163.38'	D N 72°04'13" E - 152.07'	

20	20-WL	21-WL	21-X	21-T
T.B.A. 0.09 Ac.	T.B.A. 3.75 Ac.	T.B.A. 11.40 Ac.	T.B.A. 0.98 Ac.	T.B.A. 3.02 Ac.
P.R.O. 0.27 Ac.	P.R.O. 0.02 Ac.	P.R.O. ---	P.R.O. ---	P.R.O. ---
Cont. 0.36 Ac.	Cont. 3.77 Ac.	Cont. 11.40 Ac.	Cont. 0.98 Ac.	Cont. 3.02 Ac.

Philip & Rose Ann Cincinnati

Arc = 196.63'
Ch. = 196.60'
Ch. Brg. = S 88°10'45" W
R = 2,889.79'

Arc = 71.97'
Ch. = 71.97'
Ch. Brg. = S 83°50'31" W
R = 2,889.79'

PARCEL 18			
A	N 1°37' 43" E - 30.00'	K	S 17°55'47" E - 30.00'
B	S 88°07'16" E - 275.00'	L	S 72°04'12" W - 565.56'
C	N 59°41' 53" E - 29.46'	M	S 82°17' 24" W - 163.38'
D	S 89°15'21" E - 274.72'	N	
E	S 72°05'12" E - 28.36'	O	N 88°07'16" W - 82.01'
F	N 66°06'04" E - 74.15'	P	S 13°07'39" W - 9.73'
G	N 84°07' 16" E - 527.80'	Q	
H	N 36°46'26" E - 17.67'	R	N 89°20'51" W - 343.32'
I	N 71°55'13" E - 247.79'	S	N 2°07'22" E - 29.57'
J	N 83°22'49" E - 76.49'	T	N 88°07'16" W - 20.00'
		U	N 88°27'06" W - 112.62'

THIRD RELOC. T.R. 249 (NAVE ST.)

P.I. 15+68.82
Δ=19°33'30" Lt. θs=1°30'
Dc=2°00' L.T.=100'
Ls=150' S.T.=50'
Ts=568.82' L.C.=150'
Lc=827.93' Δc=16°33'30"
Es=42.57' T=416.86'
Rc=2864.79' E=30.17'

Calc. by L.C. 2/3/69
CKD by H.S. 2/4/69

Type 47 Fence 3,287 L.F.

PLAN COMPLETED

REVISED NAME POL 20-WL, REVISE Brgs & DISTANCES
DELETED POL 19-AWL
REVISED LANDLOCKED RESIDUE PARCEL 17WL
ADDED POL 21-PR

TYPE FUNDS
STATE

3-31-70

9-17-70
11-18-70
1-24-71

STA. 606+50 TO STA. 622+75

PERRY TWP -SEC 21 & 28-T10N-R9W


0 50 100
SCALE IN FEET

FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS

U.S. 30 CURVE DATA

P.I. 645+49.12
Δ = 7°14'03"LT.
D = 0°28'
T = 776.12'
L = 1550.18'
E = 24.51'
R = 12,277.67'



Philip & Rose Ann Cincinnati

20-WL	21-WL	21-X	21-T
T.B.A. 3.75 Ac.	T.B.A. 11.40 Ac.	T.B.A. 0.98 Ac.	T.B.A. 3.02 Ac.
P.R.O. 0.02 Ac.	P.R.O. --	P.R.O. --	P.R.O. --
Cont. 3.77 Ac.	Cont. 11.40 Ac.	Cont. 0.98 Ac.	Cont. 3.02 Ac.

Parcel 21 Ownership
Philip & Rose Ann Cincinnati
aka Phillip & Rose Ann Cincinnati
with Life Estate to Mary J.
Ferrando aka Mary J. Frank

Ohio Edison Co.
V. 937 - P. 332
V. 937 - P. 348
V. 1330 - P. 332
V. 1330 - P. 374

Calc. by L.C. 3/2/69
Ckd by H.S. 3/4/69

Type 47 Fence 3,252 L.F.

TYPE FUNDS
STATE

PLAN COMPLETED		3-31-69
REVISED NAME P.L. 20-WL	G.J.F.	3-13-70
ADDED P.L. 21-PR		1-24-72

STA. 622+75 TO STA. 639+00

PERRY TWP -SEC 21-TION-R9W

0 50 100
SCALE IN FEET

FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

420
438

18
36


STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS

U.S. 30 CURVE DATA

P.I. 645+49.12
Δ = 7°14'03"LT.
D = 0°28'
T = 776.12'
L = 1550.18'
E = 24.51'
R = 12,277.67'

State of Ohio

Margaret M. Steiner



PERRY TWP -SEC 21 & 22-T10N-R9W



FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS

421 438
19 36

Lease - East Ohio Gas Co. V60-P78
Assignment V4-P241

0 50 100
SCALE IN FEET



PERRY TWP -SEC 22-T10N-R9W


0 50 100
SCALE IN FEET

FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS

422
438

20
36



25-WL	25A-WL
T.B.A. 16.31 Ac.	T.B.A. 11.52 Ac.
P.R.O. 0.72 Ac.	P.R.O. 0.87 Ac.
Cont. 17.03 Ac.	Cont. 12.39 Ac.

NOTE: SEE R/W SHEET 20A FOR BEARINGS AND DISTANCES FOR PARCELS 25EL-2 & EL-3

Calc. by L.C. 2/3/69
CRD by H.S. 2/4/69




Type 47 Fence 3,420 L.F.

TYPE FUNDS
STATE

PLAN COMPLETED	3-31-69
ADDED PARCELS 25EL-2 & EL-3	11-16-70

22 Dept. Div. 4
& ADMIN. SECT.
APR 22 1969
LOGGED
Crd. Bill Bk.

PERRY TWP. - SEC. 22 T10N, R9W



TYPE FUNDS	STATE
PLAN COMPLETED	3-31-69
ADD. CROSS HATCHED AREA	11-5-93
PCL 25 EL-2	

LAND SOLD BY GOVERNOR'S DEED
TO CARL D. GRIFFIN ET AL.

PERRY TWP -SEC 22-TION-R9W


0 50 100
SCALE IN FEET

FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS

U.S. 30 CURVE DATA

P.I. 714+38.90
Δ = 25° 55' 26" LT.
D = 1° 00'
T = 1318.77'
L = 2592.39'
E = 149.81'
R = 5729.58'



SEE SHEET No. 20A FOR BEARINGS AND DISTANCES

CRESTWOOD ALLOTMENT
PLAT BOOK 30, PAGE 100
LOTS 1-136

25A-WL	26-WL	26A-WL
T.B.A. 11.52 Ac.	T.B.A. 17.50 Ac.	T.B.A. 3305 S.F.
P.R.O. 0.87 Ac.	P.R.O. 0.18 Ac.	P.R.O. --
Cont. 12.39 Ac.	Cont. 17.68 Ac.	Cont. 3305 S.F.

Calc. by L.C. 2/3/69
CRD by H.S. 2/4/69
Type 47 Fence 3,221 L.F.

TYPE FUNDS		STATE
PLAN COMPLETED		3-31-69
REVISED NAME P.L. 26A-WL	G.J.F.	3-13-70
REVISED T.B.A. PARCEL 26A-WL	L.S.	11-13-70
ADDED PARCEL 25EL-3		11-17-70

STA. 687+00 TO STA. 703+00

PERRY TWP -SEC 22 & 23 -TION-R9W

0 50 100
SCALE IN FEET

U.S. 30 CURVE DATA

P.I. 714+38.90
Δ = 25°55'26"LT.
D = 1°00'
T = 1318.77'
L = 2592.39'
E = 149.81'
R = 5729.58'


FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS

424
438

22
36

Carl F. Steiner & Evelyn I. Steiner



Carl F. Steiner & Evelyn I. Steiner

PERRY TWP -SEC 22 & 23-TION-R9W



FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

425
438

23
36

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS

33
A S 87°58'48" E - 100.07'
B S 1°59'52" W - 25.00'
C N 87°58'48" W - 100.07'
D N 1°59'51" E - 25.00'

32-WL	32
T.B.A. 0.69 Ac.	T.B.A. 0.01 Ac.
P.R.O. ---	P.R.O. 0.05 Ac.
Cont. 0.69 Ac.	Cont. 0.06 Ac.

33-WL	33
T.B.A. 0.48 Ac.	T.B.A. 0.01 Ac.
P.R.O. ---	P.R.O. 0.05 Ac.
Cont. 0.48 Ac.	Cont. 0.06 Ac.

34-WL	34
T.B.A. 0.34 Ac.	T.B.A. 0.01 Ac.
P.R.O. ---	P.R.O. 0.05 Ac.
Cont. 0.34 Ac.	Cont. 0.06 Ac.

35-WL	35
T.B.A. 2.49 Ac.	T.B.A. 0.01 Ac.
P.R.O. ---	P.R.O. 0.05 Ac.
Cont. 2.49 Ac.	Cont. 0.06 Ac.

U.S. 30 CURVE DATA

P.I. 714+38.90
Δ = 25°55'26" LT.
D = 1°00'
T = 1318.77'
L = 2592.39'
E = 149.81'
R = 5729.58'

Robert E. & Emily Maxwell

Tony & Dorothy M. Tartaglio

Leona E. Schafrath

27
T.B.A. 0.03 Ac.
P.R.O. ---
Cont. 0.03 Ac.
27-X
T.B.A. 0.06 Ac.
P.R.O. ---
Cont. 0.06 Ac.


CARL F. STEINER
EVELYN I. STEINER

STA. 719+75.35 U.S. 30 =
STA. 50+00 T.R. 243
(GENOA AVE)

26
T.B.A. 0.28 Ac.
P.R.O. 0.08 Ac.
Cont. 0.36 Ac.
26A
T.B.A. 0.33 Ac.
P.R.O. 0.14 Ac.
Cont. 0.47 Ac.

BEGIN SHEET STA. 718+00

STA. 733+00 MATCH LINE SHEET NO. 24



27-X
A S 88°15'14" E - 45.19'
B S 2°16'14" E - 57.52'
C N 86°26'27" W - 52.20'
D N 4°47'09" E - 55.80'
27
A N 87°58'48" W - 57.08'
B N 4°37'27" E - 24.30'
C S 86°26'27" E - 52.20'
D S 7°23'48" E - 23.18'

28-WL	28
T.B.A. 1.87 Ac.	T.B.A. 2.59 Ac.
P.R.O. 0.42 Ac.	P.R.O. 0.32 Ac.
Cont. 2.29 Ac.	Cont. 2.91 Ac.

(GENOA AVE)
STA. 52+30.25 T.R. 243
= STA. 0+00 SECOND
RELOC. TWP. RD. 249
(NAVE ST.)

26
A S 87°58'48" E - 169.88'
B S 1°59'51" W - 39.64'
C S 58°20'22" W - 194.17'
D N 1°12'51" W - 147.55'

29-WL	29
T.B.A. 0.11 Ac.	T.B.A. 1.46 Ac.
P.R.O. 0.06 Ac.	P.R.O. 0.14 Ac.
Cont. 0.17 Ac.	Cont. 1.60 Ac.

SECOND RELOC. TWP. RD. 249

P.I. 1+61.97
Δ=34°10' Lt.
D=18°00'
T=97.82'
L=189.81'
E=14.69'
R=318.31'

P.I. 7+60.75
Δ=44°07'38" Rt.
D=12°00'
T=193.52'
L=367.73'
E=37.74'
R=477.46'

31-WL	31-T
T.B.A. 1.65 Ac.	T.B.A. 0.02 Ac.
P.R.O. 0.01 Ac.	P.R.O. ---
Cont. 1.66 Ac.	Cont. 0.02 Ac.

31-T
A N 76°15'06" E - 73.60'
B S 1°59'51" W - 20.00'
C N 87°58'48" W - 70.84'

32
A N 87°58'48" W - 100.07'
B N 1°59'51" E - 25.00'
C S 87°58'48" E - 100.07'
D S 1°59'51" W - 25.00'

Conc. Block Bldg.
MOLLY M. GRIFFITH AKA MOLLY GRIFFITH FKA MOLLY M. BECHER

Calc. by L.S. 2/3/69
Chk. by H.S. 2/4/69
Type 47 Fence 3,022 L.F.

TYPE FUNDS

STATE
3-31-69
4-30-70
6-4-70
7-6-70
11-16-70

PLAN COMPLETED
CHANGED OWNERSHIP PLS. 33-WL
CHANGED P.I. 32.7 TO 32.7A - SMITH
CHANGED P.I. 33.7 TO 33.7A - SMITH
ADDED B.P.G. & DISTANCES PLS. 27 & 27-X J.R.T.

PERRY TWP -SEC 23-TION-R9W


0 50 100
SCALE IN FEET

FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS

LONGVIEW VILLAGE LAKEVIEW TRACTS
ADDITION NO. 2
PLAT BOOK 32 PAGE 237
LOT 31-82

35-WL
T.B.A. 2.49 Ac.
P.R.O. ---
Cont. 2.49 Ac.




LONGVIEW VILLAGE LAKEVIEW TRACTS
ADDITION NO. 1
PLAT BOOK 31 PAGE 29
LOT 1-30

38-WL
T.B.A. 3565 S.F.
P.R.O. ---
Cont. 3565 S.F.

39A-WL
T.B.A. 394 S.F.
P.R.O. ---
Cont. 394 S.F.

41-WL
T.B.A. 3.82 Ac.
P.R.O. ---
Cont. 3.82 Ac.



BEGIN SHEET STA. 733+00

STA. 749+00 MATCH LINE SHEET NO. 25

RA-DEL ACRES
PLAT BOOK 34 - PAGE 4
LOT 1-30

Type 47 Fence 3,205 L.F.
4' Walk Gates 2 Each

Calc. by L.C. 2/3/69
CKD by H.S. 2/4/69

STA. 733+00 TO STA. 749+00


40	
A	N 54°03'13" E - 39.92'
B	S 1°48'06" W - 61.63'
C	N 38°31'04" W - 48.78'

TYPE FUNDS
STATE

PLAN COMPLETED	
Revised Name PL 41-WL & PL 39-WL G.I.F.	3-13-70
Revised Name PL 41WL.	8-18-70
Revised PL PARCEL 40A-WL	10-7-70

SECT. 4
Div. 4
Sect. H
Sect. EN
APR 22 1969
LOGGED
Crd. Bill Bk.

PERRY TWP -SEC 14 & 23-TION-R9W




FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

427
438

25
36

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS





State Highw.
R/W ENGR. &
APR 22 1969
LOGGED
Bili Bk.

U.S. 30 CURVE DATA
P.I. 769+96.90
 $\Delta = 29^{\circ}15'47''$ RT.
D = 1'28"
T = 1019.87'
L = 1995.21'
E = 130.93'
R = 3906.53'

TYPE FUNDS	
STATE	
PLAN COMPLETED	
Revised Name, Pels 41-WL & 42-WL	G.J.F. 3-13-70
Revised Name Pel 42	Smith 7-19-70
Revised Name Pel 41WL	White 8-18-70

Colg. by L.C. 2/3/69
Ekd. by H.S. 2/14/69
Type 47 Fence 3,209 L.F.

PERRY TWP -SEC 14 & 23-TION-R9W



FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS

428
438

26
36


44 -T	
A	N 31°43'43" E - 60.02'
B	S 59°20'21" E - 39.70'
C	S 64°53'01" W - 72.57'
43 -WL	
A	N 1°56'09" E - 25.88'
B	S 88°09'51" E - 58.22'
C	S 61°28'23" W - 90.70'
44	
A	N 62°46'16" E - 90.79'
B	S 25°34'03" E - 49.68'
C	N 88°09'51" W - 102.23'
42	
A	S 1°56'09" W - 80.00'
B	N 36°40'04" W - 65.37'
C	N 56°35'21" E - 50.00'

42-WL T.B.A. 6.21 Ac. P.R.O. -- Cont. 6.21 Ac.	43-WL T.B.A. 1,707 S.F. P.R.O. -- Cont. 1,707 S.F.	44-WL T.B.A. 4.07 Ac. P.R.O. -- Cont. 4.07 Ac.	44 T.B.A. 0.05 Ac. P.R.O. -- Cont. 0.05 Ac.	46-WL T.B.A. 1.50 Ac. P.R.O. -- Cont. 1.50 Ac.
42 T.B.A. 0.04 Ac. P.R.O. -- Cont. 0.04 Ac.	44-T T.B.A. 0.03 Ac. P.R.O. -- Cont. 0.03 Ac.	45-WL T.B.A. 0.85 Ac. P.R.O. -- Cont. 0.85 Ac.	47-WL T.B.A. 1.79 Ac. P.R.O. -- Cont. 1.79 Ac.	

Ch. = 28.26'
Ch.Brg. = N 46°53'09" E
Arc. = 31.38'
R = 20'

HOPPLE BRAS, INC., AN OHIO CORPORATION, FKA,
STARK PIPELINE & EXCAVATING COMPANY, INC.

48-WL T.B.A. 2.48 Ac. P.R.O. 0.14 Ac. Cont. 2.62 Ac.	49-WL T.B.A. 0.86 Ac. P.R.O. -- Cont. 0.86 Ac.
---	---



U.S. 30' CURVE DATA
P.I. 769+96.90
Δ = 29°15'47" RT.
D = 1°28'
T = 1019.87'
L = 1995.21'
E = 130.93'
R = 3906.53'

DREAM ACRES NO.2
PLAT BOOK 30 PAGE 73
LOTS 19-42

Ohio Power Co.
V 1519 P 359

Calc. by L.C. 2/3/69
CRD by H.S. 2/4/69

Type 47 Fence 3,002 L.F.
Channel Protection 22 C.Y.

Changed Name Pol 49 WL Changed Name Pol 43 WL & 43WA		PRIOR 1-16-70 PRIOR 1-16-70	TYPE FUNDS State
PLAN COMPLETED			
REVISED NAMES POLS 44-WL & 47-WL Revised Name Pol. 47 WL Changed PRIVATE RD TO SIPOAWE		G.I.F. White 5-11-70 5-28-70	3-31-69

STA. 765+00 TO STA. 780+00

PERRY TWP -SEC 13 & 14-TION-R9W

0 50 100
SCALE IN FEET

FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS

429
438
27
36


48-WL
T.B.A. 2.48 Ac.
P.R.O. 0.14 Ac.
Cont. 2.62 Ac.

49-WL
T.B.A. 0.86 Ac.
P.R.O. --
Cont. 0.86 Ac.

49-T
T.B.A. 0.04 Ac.
P.R.O. --
Cont. 0.04 Ac.

51	
A	N 1°32'09" E - 147.19'
B	S 88°09'51" E - 10.80'
C	S 1°32'09" W - 144.53'
D	S 77°56'36" W - 30.87'
52	
A	N 1°32'09" E - 104.36'
B	S 88°09'51" E - 10.79'
C	S 1°32'09" W - 104.36'
D	N 88°09'51" W - 10.80'
53	
A	S 1°32'09" W - 104.15'
B	N 88°09'51" W - 5.79'
C	N 1°32'09" E - 103.97'
D	S 88°27'51" E - 5.78'
53-T	
A	S 88°27'51" E - 10.00'
B	S 1°32'09" W - 60.00'
C	N 88°27'51" W - 10.00'
D	N 1°32'09" E - 60.00'
54-T	
A	N 3°31'06" W - 132.99'
B	S 59°17'44" E - 147.92'
C	S 77°56'36" W - 87.45'

54	
A	N 1°32'09" E - 369'
C	S 16°21'22" E - 78.81'
D	S 3°31'06" E - 283.58'
E	S 77°56'36" W
54C-T	
A	N 3°31'06" W - 150.59'
B	N 16°21'22" W - 78.81'
C	N 1°32'09" E - 50.00'
D	S 34°56'49" E - 242.54'
E	S 4°31'21" W - 192.17'
F	N 39°17'44" W - 147.92'



49-T	
A	N 1°32'09" E - 57.77'
B	N 81°55'39" E - 31.26'
C	S 1°32'09" W - 62.99'
D	N 87°27'51" W - 30.83'
54 A	
B	N 84°47'49" E - 10.07'
C	S 4°34'39" W - 172.94'
D	N 1°32'09" E - 171.70'
54A-T	
A	S 43°56'43" W - 169.29'
B	N 1°32'09" E - 25.00'
C	N 4°34'39" E - 172.94'
D	N 84°47'49" E - 105.55'
E	N 80°09'28" E - 25.68'
F	S 17°02'15" W - 93.56'

East Ohio Gas Co.
V567-P344

Calc. by L.C. 2/3/69
CKD by H.S. 2/4/69

Type 47 Fence 3208 L.F.

TYPE FUNDS
STATE


PLAN COMPLETED

3-31-69

Changed Name	Pol. 49	Prior	1-16-70
Added Parcel 54C-T		FRX	3-5-70
Revised Names Pol's 51A-WL, 53, 54-WL	G.I.F		3-13-70
Changed Private Rd to 21st St			5-28-70
Revised W/Limits for Pol. 51A-WL	SMITH		7-16-70
Added Property Lines to the LA			10-9-70
Deleted Property Lines from LA	WHITE		11-23-70
Revised Brqs & Distances P/Ls. 54-54A	J.R.T.		6-22-71

STA. 780+00 TO STA. 796+00

PERRY TWP -SEC 13-TION-R9W



FED. RD. DIVISION	STATE	PROJECT
2	OHIO	


430
438

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS

28
36

54B-T	
A	N 9°15'17" W - 15.00'
B	N 80°44'43" E - 50.00'
C	S 9°15'17" E - 15.00'
D	S 80°44'43" W - 50.00'

HOPPLE BROS, INC., AN OHIO CORPORATION, FKA
STARK PIPELINE & EXCAVATING COMPANY, INC.



54-WL	54B-T
T.B.A. 17.12 Ac.	T.B.A. 0.02 Ac.
P.R.O. 0.20 Ac.	P.R.O. --
Cont. 17.32 Ac.	Cont. 0.02 Ac.

Ohio Power Co. V1055-P173
Ohio Edison Co. V 656-P23
V 656-P25
East Ohio Gas Co. V567-P344

Calc. by L.C. 2/3/69
CHK by H.S. 2/4/69

Type 47 Fence 3094 L.F.
Channel Protection 22 C.Y.
4' Walk Gates 2 Ea.

TYPE FUNDS
STATE

PLAN COMPLETED	3-31-69
Revised Name PCL 54-WL G.J.F.	3-13-70
Revised - Added Linewalker gates H.W.E.	4-29-70
Added Pcl 54 AU. Added Property Lines to the LA Line for Pcl. 54 WL.	10-9-70
DELETED PARCEL 54 AU + PROPERTY LINES ON THE LA LINE FOR PCL 54 WL.	11-25-70


STA. 796+00 TO STA. 811+50

0 50 100
SCALE IN FEET



A circular logo with a horizontal line. The number '29' is in the top half and the number '36' is in the bottom half.

55-WL		
T.B.A.	6.66	Ac.
P.R.O.	--	
Cont.	6.66	Ac.

Clement G. Deville et al

57-WL
T.B.A. 8.31 Ac.
P.R.O. ---
Cont. 8.31 Ac.

58-WL
T.B.A. 24.64 Ac.
P.R.O. 0.25 Ac.
Cont. 24.89 Ac.

58-T
T.B.A. 0.36 Ac.
P.R.O. ---
Cont. 0.36 Ac.

PERRY TWP-SEC 13-TION-R9W-CANTON TWP-SEC 18-TION-R8W

FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

432
438

30
36



JOSEPH SOEHNLEN'S
ALLOTMENT
P.B. 15-P33


Residue 3.17 Ac.
The Canton Home Building Co.

WHIPPLE AVE. C.R. 219
P.I. 53+23.25
 $\Delta = 17^\circ 18' 31''$ Rt. $\Theta_s = 3^\circ 00'$
 $D_c = 3^\circ 00'$ L.T. = 133.35'
 $L_s = 200'$ S.T. = 66.68'
 $T_s = 390.81'$ L.C. = 199.98'
 $L_c = 376.95'$ $\Delta_c = 11^\circ 18' 31''$
 $E_s = 22.88'$ T = 189.09'
 $R_c = 1909.86'$ E = 9.34'

STA. 51+50 MATCH LINE SHEET NO. 34

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS

BEGIN SHEET STA. 827+00



END PROJECT
STA-30-7.64
STA. 832+00

BEGIN PROJECT
STA-30-12.47
STA. 832+00

U.S. 30 CURVE DATA
P.I. 843+48.75
 $\Delta = 5^\circ 36' 55''$ RT.
 $D = 0^\circ 28'$
 $T = 602.12'$
 $L = 1203.27'$
 $E = 14.76'$
 $R = 12,277.67'$

MATCH LINE SHEET NO. 34
STA. 42+00 STA. 827+00 TO STA. 843+00

STA. 843+00 MATCH LINE SHEET NO. 31

TYPE FUNDS	STATE
3-31-69	4-26-69
Revised Res. Rt. Parcel 58-WL	3-13-70
Revised Name Parcel 57-WL	5-19-71
58WL REVISED MOBILE HOMES LAYOUT F.A.R.	

2,001 L.F.

CANTON TWP-SEC 18-T10N-R8W

58-WL
T.B.A. 24.64 Ac.
P.R.O. 0.25 Ac.
Cont. 24.89 Ac.

58
T.B.A. 0.04 Ac.
P.R.O. --
Cont. 0.04 Ac.


58B-WL
T.B.A. 3.05 Ac.
P.R.O. 0.17 Ac.
Cont. 3.22 Ac.

0 50 100
SCALE IN FEET

FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS

433
438
31
36



U.S. 30 CURVE DATA

P.I. 843+48.75
Δ = 5°36'55" RT.
D = 0°28'
T = 602.12'
L = 1203.28'
E = 14.76'
R = 12,277.67'

PARCEL 58AT	PARCEL 58BT
A N76°19'07"E 29.66'	A N 82°25'15"E 59.08'
B N72°45'01"E 115.09'	B S 26°06'20"W 38.00'
C S 28°29'05"W 69.65'	C S 84°49'16"W 39.25'
D N 63°23'04"W 46.45'	D N 5°16'20"W 30.00'
E S 74°52'38"W 64.43'	
F N 6°20'44"W 16.18'	

PLAN COMPLETED

ADDED 8" SANITARY SEWER ALONG NAVARE RD.
REVISED BEARINGS, DISTANCES, STATIONS AND
OFFSETS FOR PARCEL 58
58 WL REVISED MOBILE HOMES LAYOUT FOR
CHANGED PLS 58WA & 58AWA TO 58AT & 58BT
LOADED AND POWER GRASS EASEMENT
CORRECTED STA. 843+00 TO STA. 843+01
REVISED LEFT & RIGHT RES. PLS 58-WL
REVISED RIGHT RESIDUE PLS 58B-WL

TYPE FUNDS
STATE

3-31-69

11-6-70
2-22-71
5-10-71
6-15-71
7-24-71
7-14-74
8-14-74

STA. 843+00 TO STA. 852+64.30

PERRY TWP-SEC 21 & 22-TION-R9W




FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

434
438

32
36

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS

MATCH LINE SHEET NO. 18
STA. 54+00



23	T.B.A. 0.77 Ac.
	P.R.O. --
	Cont. 0.77 Ac.
24	T.B.A. 0.84 Ac.
	P.R.O. --
	Cont. 0.84 Ac.
25A-W/D	T.B.A. 4.63 Ac.
	P.R.O. 0.06 Ac.
	Cont. 4.69 Ac.
25-X	T.B.A. 0.01 Ac.
	P.R.O. --
	Cont. 0.01 Ac.

NOTE: FOR PARCELS 25EL-1 AND 25EL-2
SEE R/W SHEET 20-A FOR BEARINGS & DISTANCES




TYPE FUNDS	STATE
PLAN COMPLETED	3-31-69
CHANGED PARCEL 25A TO 25A-W/D & ADDED PARCELS 25EL-1 & EL-2 DELETED PARCEL 25X	11-16-70
ADD CROSS HATCHED AREA	10-30-92

LAND VACATED AS PER DIRECTORS
DEED VOL 1280 PG. 264

ACCESS ROAD 'A' STA. 54+00 TO STA. 88+59.35

PERRY TWP-SEC 22-T10N-R9W



FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS

435
438


33
36

FOURTH RELOC. TWP. RD. 249
(NAVE ST.)

P.I. 33+61.55
 $\Delta=33^{\circ}56'24''$ Lt.
D=8°00'
T=218.55'
L=424.25'
E=32.61'
R=716.20'

STA. 41+79.00 RICHVILLE DR. CO. RD. 248
STA. 40+00 FOURTH RELOC. T.R. 249
(NAVE ST.)

Residue 34.25 Ac.



25
T.B.A. 1.71 Ac.
P.R.O. 0.63 Ac.
Cont. 2.34 Ac.

25B
T.B.A. 0.07 Ac.
P.R.O. 0.44 Ac.
Cont. 0.51 Ac.

25-WL
T.B.A. 16.31 Ac.
P.R.O. 0.72 Ac.
Cont. 17.03 Ac.

25A-WL
T.B.A. 11.52 Ac.
P.R.O. 0.87 Ac.
Cont. 12.39 Ac.

25B-WL
T.B.A. 0.20 Ac.
P.R.O. 0.24 Ac.
Cont. 0.44 Ac.

TYPE FUNDS	STATE
PLAN COMPLETED	3-31-69
REVISED DISTANCES ALONG E & R/W PARCELS 25 & 25B	11-17-70

STA. 46+50
MATCH LINE SHEET NO. 20

Calc by L.C. 2/3/69
Ckd by H.S. 2/4/69

Type 47 Fence 792 L.F.



FOURTH RELOC. TWP. RD. 249 (NAVE ST.)-C.R. 248 (RICHVILLE DR.)

PERRY TWP-SEC 13-TION-R9W

FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

STA-30-7.64
RIGHT OF WAY PLAN
LIMITED ACCESS

436
438
34
36



PARCEL 57-WD	
A	51°31'33\"W - 175.89'
B	N 88°28'27\"W - 415.00'
C	N 1°31'33\"E - 172.96'
D	S 88°52'45\"E - 415.01'

PARCEL 59-WD	
A	51°31'33\"W - 254.22'
B	N 88°28'27\"W - 200.00'
C	N 62°36'46\"W - 238.93'
D	N 1°31'33\"E - 150.00'
E	S 88°28'27\"E - 415.00'

PARCEL 58-WD	
A	N 88°09'12\"E - 193.90'
B	N 85°56'22\"E - 276.13'
C	S 43°56'56\"E - 200.79'
D	S 3°59'22\"E - 150.00'
E	51°58'00\"W - 390.46'
F	S 54°46'56\"W - 108.01'
G	S 29°51'18\"E - 10.00'
H	
I	N 50°25'46\"W - 210.51'
J	N 88°28'27\"W - 300.00'
K	N 1°31'33\"E - 630.11'

PARCEL 60-WD	
A	51°31'33\"W - 200.00'
B	N 13°29'53\"W - 238.54'
C	S 88°28'27\"E - 130.00'

Arc. 87.88'
Ch. 87.87'
Ch. Br. 561°09'27\"W
R = 2486.48'


- 57 VIRGINIA THOMAS ET AL. T.B.A. 1.66 A²
- 58 The Canton Home Building Co. T.B.A. 9.57 A²
- 59 Thomas A. Kolp T.B.A. 2.16 A²
- 60 Edith Dannemiller & Florence Snyder T.B.A. 0.30 A²

PLAN COMPLETED		TYPE FUNDS
REVISED NAME PER 57		STATE
Revised 57, 58, 59 & 60 from "PR" to "WD" Souds		3-31-69
		3-13-70
		3-16-70

FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

STA-30-764
RIGHT OF WAY PLAN
LIMITED ACCESS

438
438
36
36



58D 1.81 Ac. County Funds

DATA
 PI STA 53+23.25
 $\Delta = 12^{\circ}18'31''$ Rt.
 $DC = 3^{\circ}00'$
 $LS = 200'$
 $TS = 390.81$
 $OS = 3^{\circ}00'$
 $R = 1909.86$
 $LC = 376.95$
 $XC = 199.95$
 $YC = 3.49'$
 $P = 0.87'$
 $K = 99.99'$
 $ES = 22.88'$
 $ST = 66.68'$
 $LT = 133.35'$

Commercial Motor Freight, Inc.
 CANTON TWP
 S.W. QTR. SEC. 18
 STARK COUNTY
 OHIO
 0.07 Ac. T.B.A.
 0.19 Ac. P.R.O.
 0.26 Ac. Total

E CURVE DATA
 PI STA 65+60.51
 $\Delta = 16^{\circ}07' LT$
 $DC = 2^{\circ}30'$
 $LC = 2291.83'$
 $TS = 294.67'$
 $OS = 499.76'$
 $XC = 349.80'$
 $YC = 8.91'$
 $ES = 25.11'$
 $ST = 7^{\circ}22'$
 $P = 2.22'$
 $K = 174.97'$
 $LS = 4^{\circ}22'30''$
 $LS = 350.00'$

REVISED	DATE
Revised Parcel 4A to 58D	4-25-69
Revised Parcel 6-T to 6WD	5-21-71
Combined Pct. 8WIA With Pct. 7WIA	5-25-71
Deleted "WD" from Pct. 6	12-8-71

RIGHT OF WAY SHEET STA 52+00 TO STA 65+00

WHIPPLE AVE.