

CITY OF MASSILLON, OHIO

151 LINCOLN WAY EAST **MUNICIPAL GOVERNMENT ANNEX CITY ADMINISTRATION BUILDING** MASSILLON, OHIO 44646 PHONE 330-830-1722 FAX 330-830-1786 PERMIT DATE:

11/30/2006

PERMIT NO.

3727

- •	ect to the latest Codified Ordinance 1722. All permits issued under this	CIGNIBILICE ATE ADI	u anter 120 days fro	ım date c	of issuance.	ours in advance	
RECEIVED OF: PER CONTRACTOR INFORMATION		PERMIT TYPE	LICUIOFF LICENSE				
	September 1997 Septem	S	TE INFORMA	ATION	Mad for formation and the state of the state		
	JOHNS EXCAVATING	01	WNER'S NAIV	1E:	DAN KLATT		
CONTACT:	NAME OF THE PARTY	S	REET NUMB	BER:	1395		
ADDRESS:	the second secon	S1	REET NAME	:	AMANDA ST SV	V	
CITY:			TY LOT NUM	,	16053	****	
STATE:			IRPOSE OF (j	and the second s		
ZIP:			NING CLASS		-		
PHONE:	(330) 497-1745		REET SIDE:	J	SOUTH		
FAX:			IONE OTHER	1	(330) 882-5670		
SURETY:	A CONTRACTOR OF THE CONTRACTOR	NO	TE: This permit cove	J. ers work d	outside of the building ON	 II Y. Any work incid	
SANITARY SEV	VER CONNECTION:	: wal	is of the building is s	ubject to	the Massillon Board of H	ealth Regulations.	
USAGE: RESIDE		N. (5	SKETCH:	DRA	NING #:		
DATE INSPECTED	<u> </u>	DUSTRIAL	ΤΥ	ı		#3727	
				1	395 Amanda ST SV	V	
AMANDA ST SW	- Mary Comment of the				44	:	
LINDA LN SW	The second secon	ween	75'	_	-7'		
CULDESAC	and				45.	M	
Commence of the commence of th	Winstram Markell	<u> </u>			7°	$\frac{1}{4}$	
Direction from downstream Manhole: NORTH			22. 14	(a' 45'		•	
	wnstream Manhole: 75	****	22	т			
Connection Lengt	***************************************	•					
Connection Depth	Commence of the Commence of th						
Size of Sewer Pipe	The second secon	(INCHES)	ľ				
Pipe Material:	PVC						
INSPECTORS NAM	ME: JEFF KING		SANITARY S	EWE	R PERMIT FEE:	\$100.00	
COMMENTS:					ļ.	and commerce and control and control	
				TO	OTAL COST:	\$100.00	
	G DAYS BEFORE YOU DIG		A117110		,ª.	ments and the second second	
Ohio Utilities Protection Service				-	TOR OF PUBLIC SAFE	TY AND SERVICE	
Call 1-800-362-2764 Toll Free Non-Members must be called directly.			ISSUED BY:	Lii	NDA MIKUTEL		